For KCC Use:

Effective Date: 6-17-07

District # 4

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

## NOTICE OF INTENT TO DRILL

Form C-1

December 2002

Form must be Typed

Form must be Signed

All blanks must be Filled

•	e (5) days prior to commencing well
Expected Spud Date June 17, 2007	Spot East
month day year	ApSW . NWNE - NW Sec. 28 Twp. 7 S. R. 20 West
OPERATOR: License# 33625	feet from F / N / S Line of Section  1460 feet from F / W Line of Section
Name: Hertel Oil Company	iget fromiget from / 4 W Line of Section
Address: 704 E. 12th Street	Is SECTIONRegularIrregular?
City/State/Zip: Hays, KS 67601	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Mike Hertel	County: Rooks
Phone: (785) 628-2445	Lease Name: Cook Well #: P-1
33237	Field Name: wildcat
CONTRACTOR: License# 33237  Name: Anderson Drilling	Is this a Prorated / Spaced Field? Yes V No
Name:	Target Formation(s): Arbuckle
Well Dpilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 630'
✓ Oil Enh Rec Infield ✓ Mud Rotary	Ground Surface Elevation: 2,030 feet MSL  Water well within one-quarter mile: Yes   No
Gas Storage Pool Ext. Air Rotary	
OWWO Disposal Wildcat Cable	Table Hales Supply Hall Hills
Seismic;# of Holes Other	Depth to bottom of fresh water: 180'  Depth to bottom of usable water: 1959 900
Other	Surface Pipe by Alternate: 1 2
	Length of Surface Pipe Planned to be set: 200+
If OWWO: old well information as follows:	Length of Conductor Pipe required: none
Operator:	Projected Total Depth: 3,600'
Well Name:	Formation at Total Depth: Arbuckle
Original Completion Date: Original Total Depth:	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well ✓ Farm Pond Other
If Yes, true vertical depth:	- DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	- Will Cores be taken? Yes ✓ No
	. <del>-</del>
. <del>.</del>	
AF	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seq. JUN 1 2 2007
The undersigned hereby affirms that the drilling, completion and eventual	plugging of this well will comply with K.S.A. 55 et. seq. JUN 12 2002
It is agreed that the following minimum requirements will be met:	
Notify the appropriate district office <i>prior</i> to spudding of well;	each drilling rig;
2. A copy of the approved notice of intent to drill <b>shall be</b> posted on a	set by circulating cement to the top; in all cases surface pipe shall be set
through all unconsolidated materials plus a minimum of 20 feet into	the underlying formation.
4. If the well is dry hole, an agreement between the operator and the	e district office on plug length and placement is necessary prior to plugging;
5. The appropriate district office will be notified before well is either pl	ugged or production casing is cemented in;
6. If an ALTERNATE II COMPLETION, production pipe shall be ceme	ented from below any usable water to surface within 120 days of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing
must be completed within 30 days of the spud date or the well sha	ill be plugged. In all cases, NOTIFY district office prior to any cementing.
I hereby certify that the statements made herein are true and to the best	
Thereby certify that the statements made herein are the and to be	
Date: June 12, 2007 Signature of Operator or Agent: With	ma Thanda Title: Agent
	Remember to:
For KCC Use ONLY	- File Drill Pit Application (form CDP-1) with Intent to Drill;
API # 15 - 163-23619-000	- File Completion Form ACO-1 within 120 days of spud date;
1/000	File acreage attribution plat according to field proration orders;
200	Notify appropriate district office 48 hours prior to workover or re-entry;
Minimum surface pipe required 200 feet per Alt.	- Submit plugging report (CP-4) after plugging is completed;
Approved by: Put 6-12-07	- Obtain written approval before disposing or injecting salt water.
This authorization expires: 12-12-07	- If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
(This authorization void if drilling not started within 6 months of approval date.)	
	Well Not Drilled - Permit Expired Signature of Operator or Agent:
Spud date: Agent:	Signature of Operator of Agent.
1.00	

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - / 103 - 23 16/9-0222	Location of Well: County: Rooks
Operator: Hertel Oil Company	630 feet from VN/S Line of Section
Lease: Cook	feet from VN/S Line of Section  1460 feet from E / V W Line of Section
Well Number: P-1	Sec. 28 Twp. 7 S. R. 20 ☐ East ✓ Wes
Field: wildcat	
Number of Acres attributable to well:	is Section: 🗸 Regular or 🔲 Irregular
QTR / QTR / QTR of acreage: ApSW - NWNE - NW	If Section is irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

:			•	
		•		
				: :
	•	•		
	:		· •	
				: : · · · · · · · · · · · · · · · · · ·
		: : :		
		:	· · · · · · · · · · · · · · · · · · ·	
		:	· · · · · · · · · · · · · · · · · · ·	



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Hertel Oil Company			N. I
Total on compan	у		License Number: 33625
Operator Address: 704 E. 12th Stro	eet, Hays, KS 6	67601	
Contact Person: Mike Hertel			Phone Number: ( 785 ) 628 - 2445
Lease Name & Well No.: Cook P-1			Pit Location (QQQQ):
Type of Pit:	Pit is:		ApSW NW NE NW
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 28 Twp. 7 R. 20 ☐ East ✓ West
Settling Pit	If Existing, date cons	structed:	630 Feet from 🗸 North / South Line of Sec
Workover Pit Haul-Off Pit			1460 Feet from East / _ West Line of Se
(If WP Supply API No. or Year Drilled)	Pit capacity:	(LL)_\	Rnoks
	3,600	(bbls)	Co
Is the pit located in a Sensitive Ground Water	Area? Yes ✓ N	√o	Chloride concentration:
is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?
✓ Yes  No	Yes V No	•	clay type soil
Pit dimensions (all but working pits):	60 Length (feet)	60	Width (feet)N/A: Steel Pits
	rom ground level to deep		(feet)
, ,			edures for periodic maintenance and determining RECE ANSAS CORPORAT
			ONSERVATION
material, thickness and installation procedure	e. e of pit	liner integrity, i	CONSERVATION WICHITA Teet.
material, thickness and installation procedure	e. e of pit	Depth to shallo Source of infor	CONSERVATION WICHITA Teet.
Distance to nearest water well within one-mil	e. e of pit feet	Depth to shallo Source of infor measu Drilling, Work	CONSERVATION West fresh waterfeet. mation: well owner electric log KDWF
material, thickness and installation procedure Distance to nearest water well within one-mil  N ( 本 feet Depth of water well _	e of pitfeet	Depth to shallo Source of informeasu.  Drilling, Work	CONSERVATION WICHITA I  west fresh waterfeet. mation: well owner electric log KDWF over and Haul-Off Pits ONLY: al utilized in drilling/workover: drilling mud
Distance to nearest water well within one-mile  N/A feet Depth of water well  Emergency, Settling and Burn Pits ONLY:	e. le of pit feet	Depth to shallo Source of informeasu  Drilling, Work Type of materia	JUN 12  CONSERVATION WICHITA  West fresh waterfeet. mation: uredwell owner electric logKDWF  over and Haul-Off Pits ONLY: al utilized in drilling/workover: drilling mud  king pits to be utilized: 1
Distance to nearest water well within one-mile of producing wells on lease:	e. le of pit le e of pit le e of pit	Depth to shallo Source of informeasu  Drilling, Work Type of materia Number of work Abandonment	JUN 12  CONSERVATION WICHITA  West fresh waterfeet. mation:  Iredwell ownerelectric logKDWF  over and Haul-Off Pits ONLY:  al utilized in drilling/workover: drilling mud  king pits to be utilized: 1  procedure: let fluid evaporate and fill with
Distance to nearest water well within one-mile    NA feet Depth of water well  Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow allowed.	e of pit  feet :	Depth to shallo Source of informeasu.  Drilling, Work Type of materia Number of wor Abandonment excavated dire	JUN 12  CONSERVATION WICHITA  West fresh waterfeet. mation:  Iredwell ownerelectric logKDWF  over and Haul-Off Pits ONLY:  al utilized in drilling/workover: drilling mud  king pits to be utilized: 1  procedure: let fluid evaporate and fill with
Distance to nearest water well within one-mile    NA feet Depth of water well  Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow allowed.	e of pitfeet :	Depth to shallo Source of informeas.  Drilling, Work Type of materia Number of wor Abandonment excavated diri	JUN 12  CONSERVATION WICHITA I  west fresh waterfeet. mation:  iredwell ownerelectric logKDWF  over and Haul-Off Pits ONLY:  al utilized in drilling/workover: drilling mud  king pits to be utilized: 1  procedure: let fluid evaporate and fill with  be closed within 365 days of spud date.
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow al flow into the pit?  Yes No	e of pitfeet :	Depth to shallo Source of informeas.  Drilling, Work Type of materia Number of wor Abandonment excavated diri	JUN 12  CONSERVATION WICHITA I  west fresh waterfeet. mation:  iredwell ownerelectric logKDWF  over and Haul-Off Pits ONLY:  al utilized in drilling/workover: drilling mud  king pits to be utilized: 1  procedure: let fluid evaporate and fill with  be closed within 365 days of spud date.
Distance to nearest water well within one-mile.  NA feet Depth of water well.  Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all flow into the pit?	e of pitfeet :	Depth to shallo Source of informeasu.  Drilling, Work Type of materia Number of wor Abandonment excavated dirt Drill pits must	JUN 12  CONSERVATION WICHITA I  west fresh waterfeet. mation:  iredwell ownerelectric logKDWF  over and Haul-Off Pits ONLY:  al utilized in drilling/workover: drilling mud  king pits to be utilized: 1  procedure: let fluid evaporate and fill with  be closed within 365 days of spud date.