For KCC Use: Effective-Date: 6-17-07 D'otrict # SGA? X Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date June 25, 2007	Spot
month day year	65' N of _ N/2 N/2 _ NW NW Sec. 06 Twp. 22 S. R. 15 West
_	100 feet from \sqrt{N} / S Line of Section
OPERATOR: License# 6569	660 feet from E / V W Line of Section
Name: Carmen Schmitt Inc.	Is SECTIONRegular _ Irregular?
Address: PO Box 47	IS SECTIONRegular Inegular:
City/State/Zip: Great Bend, KS 67530	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Jacob Porter	County: Pawnee
Phone: 620-793-5100	Lease Name: Ford Well #: 1
4958	Field Name: WC
CONTRACTOR: License# 4958	Is this a Prorated / Spaced Field?
Name: Mallard JV, Inc.	Target Formation(s): LKC, Arbuckle
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 364' North
	Ground Surface Elevation: ~1990feet MSL
✓ Oil Enh Rec Infield ✓ Mud Rotary	Water well within one-quarter mile: Yes ✓ No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
CWWO ☐ Disposal ✓ Wildcat ☐ Cable	Depth to bottom of fresh water:
Seismic; # of Holes Other	Depth to bottom of usable water:
Other	Surface Pipe by Alternate: 1 1 2
If OMMAC, and wall information as follows:	Length of Surface Pipe Planned to be set: 200 min
If OWWO: old well information as follows:	Length of Conductor Pipe required: -0-
Operator:	Projected Total Depth: 3950'
Well Name:	Formation at Total Depth: Arbuckle
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	₩ Well Farm Pond Other
If Yes, true vertical depth:	DMD Bornit M.
Bottom Hole Location:	*(Note: Apply for Permit with DWR
DOMONI HOLE ECCATION.	
KCC DKT #-	Will Carea he taken?
KCC DKT #:	Will Cores be taken?
KCC DKT #:	Will Cores be taken?Yes ✓ No If Yes, proposed zone:
Distante leman ul populine eleman attachel arri	Will Cores be taken?Yes ✓ No If Yes, proposed zone:
District lement us l'ambien elevers attachel arri	Will Cores be taken?Yes ✓ No If Yes, proposed zone:
The undersigned hereby affirms that the drilling, completion and eventual pl	Will Cores be taken?Yes ✓ No If Yes, proposed zone:
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION lugging of this well will comply with K.S.A. 55 et. seq. JUN 0 8 2007
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well;	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION RUgging of this well will comply with K.S.A. 55 et. seg. JUN 0 8 2007 CONSERVATION DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well;	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION RUgging of this well will comply with K.S.A. 55 et. seg. JUN 0 8 2007 CONSERVATION DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION RUGging of this well will comply with K.S.A. 55 et. seg. JUN 0 8 2007 CONSERVATION DIVISION WICHITA KS. II be set the underlying formation.
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the desired in the set of	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION RUGging of this well will comply with K.S.A. 55 et. seg. JUN 0 8 2007 CONSERVATION DIVISION WICHITA KS. WICHITA KS. be set the underlying formation. In underlying formation. RECEIVED KANSAS CORPORATION COMMISSION WICHITA KS. Be set the underlying formation. RECEIVED KANSAS CORPORATION COMMISSION WICHITA KS. Be set the underlying formation. RECEIVED KANSAS CORPORATION COMMISSION WICHITA KS. Be set the underlying formation. RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the description of the set of	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION RUGGING of this well will comply with K.S.A. 55 et. seg. JUN 0 8 2007 CONSERVATION DIVISION WICHITA KS. If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the description of the set of	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION RUGging of this well will comply with K.S.A. 55 et. seg. JUN 0 8 2007 CONSERVATION DIVISION WICHITA KS. be set the underlying formation. RECEIVED KANSAS CORPORATION COMMISSION OF CONSERVATION DIVISION WICHITA KS. be set the underlying formation. RECEIVED KANSAS CORPORATION COMMISSION WICHITA KS. be set the underlying formation. Received Received WICHITA KS. be set the underlying formation. Received Received
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of the second and the interval of the second and the interval of the well is dry hole, an agreement between the operator and the control of the interval	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION RUGGING of this well will comply with K.S.A. 55 et. seg. CONSERVATION DIVISION WICHITA KS. be set the underlying formation. RECEIVED KANSAS CORPORATION COMMISSION WICHITA KS. be set The underlying formation. Received Received CONSERVATION DIVISION WICHITA KS. be set The underlying formation. Received Received WICHITA KS. be set The underlying formation. Received Receiv
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the interval of the well is dry hole, an agreement between the operator and the constant of the interval of the in	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION RUgging of this well will comply with K.S.A. 55 et. sag. CONSERVATION DIVISION WICHITA KS III be set the underlying formation. RECEIVED KANSAS CORPORATION COMMISSION ON B 2007 CONSERVATION DIVISION WICHITA KS III be set the underlying formation. Received In all cases surface pipe shall be set If yes V No RECEIVED KANSAS CORPORATION COMMISSION WICHITA KS III be set WICHITA KS III be set The underlying formation. Received In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the description of the approved notice of intent to drill <i>shall be</i> posted on each and the description of the desc	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION RUgging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION WICHITA KS WICHITA KS WICHITA KS In underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the interval of the well is dry hole, an agreement between the operator and the constitution of the interval of t	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION RUgging of this well will comply with K.S.A. 55 et. seg CONSERVATION DIVISION WICHITA KS The underlying formation. Ristrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the interval of the well is dry hole, an agreement between the operator and the constitution of the interval of t	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION RUgging of this well will comply with K.S.A. 55 et. sag. CONSERVATION DIVISION WICHITA KS III be set the underlying formation. RECEIVED KANSAS CORPORATION COMMISSION ON B 2007 CONSERVATION DIVISION WICHITA KS III be set the underlying formation. Received In all cases surface pipe shall be set If yes V No RECEIVED KANSAS CORPORATION COMMISSION WICHITA KS III be set WICHITA KS III be set The underlying formation. Received In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the intensity of the approved notice of intent to drill <i>shall be</i> posted on each and the intensity of the intensity of the appropriate of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the intensity of the well is dry hole, an agreement between the operator and the constitution of the intensity of the intensity of the specified below of the specified becomes the completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best on the specified below in the intensity of the spud date or the well shall thereby certify that the statements made herein are true and to the best on the intensity of the spud date or the well shall the intensity of the spud date or the well shall the intensity of the spud date or the well shall the intensity of the spud date or the well shall the intensity of the spud date or the well shall the intensity of the spud date or the well shall the intensity of the spud date or the well shall the statements made herein are true and to the best of the spud date or the well shall the statements made herein are true and to the best of the spud date or the well shall the statements made herein are true and to the best of the spud date or the well shall the statements made herein are true and to the best of the spud date or the well shall the statements made herein are true and to the best of the spud date or the well shall the statements are the spud date or the spud date or the well shall the statements are the spud date or the spud dat	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION RUgging of this well will comply with K.S.A. 55 et. seg. JUN 0 8 2007 CONSERVATION DIVISION WICHITA KS The underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; gled or production casing is cernented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an each and the drill and the statements are true and the drill shall be posted on each and the drill shall be posted on each and the drill shall be posted on each and the drill shall be drill be statement and the drill shall be statement between the operator and the drill shall be drill be notified before well is either plug to the shall be completed before well is either plug to the shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be the plug to the shall be completed within 30 days of the spud date or the well shall be posted to the best of the shall be completed within 30 days of the spud date or the well shall be posted to the best of the shall be provided that the statements made herein are true and to the best of the plant the statements made herein are true and to the best of the plant the statements and the plant the statements are true and to the best of the plant the statements and the plant the plant that the statements are true and to the best of the plant that the statements are true and to the best of the plant that the statements are true and to the best of the plant that the statements are true and to the best of the plant that the statements are true and to the best of the plant that the statements are true and to the best of the plant that the statements are true and to the best of the plant that the statements are true and to the best of the plant that the statements are true and the plant that the plant that the statements are true and the plant that the plant that the plant that the plant that	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION RUGging of this well will comply with K.S.A. 55 et. seg. CONSERVATION DIVISION WICHITA KS. WICHIT
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drilling and the sear through all unconsolidated materials plus a minimum of 20 feet into the search and the drilling and the dri	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION RUgging of this well will comply with K.S.A. 55 et. sag. CONSERVATION DIVISION WICHITA KS. WICHIT
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an each and the drilling and the search and the drilling and the search and the drilling and the drillin	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION RUgging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION WICHITA KS. WICHIT
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each as through all unconsolidated materials plus a minimum of 20 feet into the second and the construction of the statement between the operator and the construction of the statement between the operator and the construction of the statement of the statement of the statement of the spuddate or the well is either plug to the spuddate or the well shall be completed within 30 days of the spuddate or the well shall in hereby certify that the statements made herein are true and to the best of the plug to the spuddate or the well shall in hereby certify that the statements made herein are true and to the best of the plug to the spuddate or the well shall in hereby certify that the statements made herein are true and to the best of the plug to the spuddate or the well shall in hereby certify that the statements made herein are true and to the best of the plug to the spuddate or the well shall be completed. For KCC Use ONLY API # 15	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION RUgging of this well will comply with K.S.A. 55 et. sag. CONSERVATION DIVISION WICHITA KS.II be set the underlying formation. Ristrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Operations Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION RECIPIED William of this well will comply with K.S.A. 55 et. seg. JUN 08 2007 CONSERVATION DIVISION WICHITA KSII be set to be underlying formation. Identifying formation. Identify for to plugging; Identify days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Operations Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION RECIPIED Was Valor RECEIVED KANSAS CORPORATION COMMISSION RECIPIED CONSERVATION DIVISION WICHITA Kail be set to be underlying formation. Recipied or production casing is cemented in; and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Operations Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the drill unconsolidated materials plus a minimum of 20 feet into the season of the well is dry hole, an agreement between the operator and the drilling of the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the plug to the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of Date: June 7, 2007	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION lugging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION WICHITA KS If by circulating cement to the top; in all cases surface pipe shall be set to be underlying formation. Identification casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Operations Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the drill unconsolidated materials plus a minimum of 20 feet into the season of the well is dry hole, an agreement between the operator and the drilling of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date: June 7, 2007	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION RECIPIED William to the top; in all cases surface pipe shall be set to underlying formation. Recipied on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Operations Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the drill unconsolidated materials plus a minimum of 20 feet into the season of the well is dry hole, an agreement between the operator and the drilling of the plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of Date: Date: June 7, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - /51 - 222 75 - 0000 Conductor pipe required feet Minimum surface pipe required feet Minimum surface pipe required feet per Alt Approved by: Minimum surface pipe required feet per Alt Approved by: Minimum surface pipe required feet per Alt Approved by: Minimum surface pipe required feet per Alt Approved by: Minimum surface pipe required feet per Alt Approved by: Minimum surface pipe required feet per Alt Approved by: Minimum surface pipe required feet per Alt Approved by: Minimum surface pipe required feet per Alt Approved by: Minimum surface pipe required feet per Alt Approved by: Minimum surface pipe required feet per Alt Approved by: Minimum surface pipe required feet per Alt Approved by: Minimum surface pipe required feet per Alt Approved by: Minimum surface pipe required feet per Alt Approved by: Minimum surface pipe required feet per Alt Approved by: Minimum surface pipe required feet per Alt Approved by: Minimum surface pipe required feet per Alt Approved by: Minimum surface pipe required feet per Alt Approve	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION lugging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION WICHITA KS If by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. listrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Operations Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the drill unconsolidated materials plus a minimum of 20 feet into the season of the well is dry hole, an agreement between the operator and the drilling of the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date: June 7, 2007	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION lugging of this well will comply with K.S.A. 55 et. seg. CONSERVATION DIVISION WICHITA KS. WICHITA KS. In by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Iistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Operations Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 151-22275-0000	Location of Well: County: Pawnee
Operator: Carmen Schmitt Inc.	feet from VN / S Line of Section
Lease: Ford	feet from ☐ E / ✓ W Line of Section
Well Number: 1	Sec. 06 Twp. 22 S. R. 15 East V We
Field: WC	 Is Section: ☐ Regular or ✓ Irregular
Number of Acres attributable to well:	
QTR / QTR / QTR of acreage: 65' N of N/2 N/2 - N/2 N/2 -	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW
,	PLAT hade attributable acreage for prorated or spaced wells.) the nearest lease or unit boundary line.)
264 - ×	
	RECEIVED KANSAS CORPORATION COMMISSION
	JUN 0 8 2007
	CONSERVATION DIVISION WICHITA, KS
	EXAMPLE
	1980
	. 10 10
	3390'

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

SEWARD CO.

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Carmen Schmitt Inc.		License Number: 6569			
Operator Address: PO Box 47, Great Bend, KS 67530					
Contact Person: Jacob Porter		Phone Number: (620) 793 - 5100			
Lease Name & Well No.: Ford #1		Pit Location (QQQQ):			
Type of Pit:	Pit is:		N/2 _ N/2 _ NW _ NW		
Emergency Pit Burn Pit	Proposed Existing		Sec. 06 Twp. 22s R 15 ☐ East ✓ West		
Settling Pit	If Existing, date constructed:		Feet from 🗸 North / 🗌 South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		Feet from East / 🗸 West Line of Section		
(If WP Supply API No. or Year Drilled) 1500		(bbls)	PAWNEE County		
Is the pit located in a Sensitive Ground Water	Is the pit located in a Sensitive Ground Water Area? Ves No		Chloride concentration:mg/l		
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?		
Yes No	Yes ✓	No	natural clays and bentonite		
Pit dimensions (all but working pits):	DO Length (fe	eet) 100	Width (feet) N/A: Steel Pits		
Depth from ground level to deepest point: 4 (feet)					
If the pit is lined give a brief description of the		Describe proce	dures for periodic maintenance and determining ncluding any special monitoring.		
material, thickness and installation procedure			KANSAS CORPORATION COMMISSION		
visual insp		JUN 0 8 2007			
			CONSERVATION DIVISION		
		west fresh water 28 feet.			
			Source of information: measured well owner electric log KDWR		
		Drilling, Work	Drilling, Workover and Haul-Off Pits ONLY:		
Producing Formation: Type o		Type of materia	Type of material utilized in drilling/workover: Bentonite		
Number of producing wells on lease: Number		Number of wor	lumber of working pits to be utilized: 4		
Barrels of fluid produced daily: Abandonr		Abandonment	bandonment procedure: Evaporate and backfill		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
lune 7 2007 hard L Porter					
June 7, 2007 Date June 7, 2007 Signature of Applicant or Agent					
KCC OFFICE USE ONLY					
	KCC	OFFICE USE OI	NLY RFASAC		



Kathleen Sebelius, Governor Brian J. Moline, Chair Robert E. Krehbiel, Commissioner Michael C. Moffet, Commissioner

June 12, 2007

Mr. Jacob Porter Carmen Schmitt, Inc. PO Box 47 Great Bend, KS 67530

RE: Drilling Pit Application Ford Lease Well No. 1 NW/4 Sec. 06-22S-15W Pawnee County, Kansas

Dear Mr. Porter:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kally Haynes
Kathy Haynes

Department of Environmental Protection and Remediation

cc: File