

For KCC Use:	1.10.07
Effective Date:	6-18-07
District # 1	
0040 Dv.	. VI.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1009921

Form C-1 November 2005 Form must be Typed Form must be Signed All blanks must be Filled

District #	Form must be Signed All blanks must be Filled		
Expected Sould Pate: 07/30/2007		On the Proposition	
Expected Spud Date: 07/30/2007 month day	year	Spot Description:	0 0 0 33 □- □-
32309	•	W2 NW NW NE Sec. 2 Twp. 25 (a/a/a/a) 660 feet from 2	
OPERATOR: License#		2,310 feet from	N / S Line of Section
Name: Presco Western LLC		Is SECTION: Regular Irregular?	S E / LINE OF Section
Address 1: 5665 Flatiron Parkway		-	
Address 2: City: Boulder State: CO Z	ip: 80301 +	(Note: Locate well on the Section Plat	
Contact Person: Randy M. Verret	•	County: Haskell Lease Name: Diaden Farms	м-п и. 1-B2-29-33
		Field Name: U. S. 83 NORTHWEST	vveii #: / ==
CONTRACTOR: License# 33793			Yes X No
Name: H2 Drilling LLC		Is this a Prorated / Spaced Field? Target Formation(s): St. Louis	Tires Milvo
		Nearest Lease or unit boundary line (in footage):	
Well Drilled For: Well Class:	Type Equipment:	2052	feet MSL
◯ Oil Enh Rec Infield	Mud Rotary	Water well within one-quarter mile:	Yes No
Gas Storage X Pool Ext.	Air Rotary	Public water supply well within one mile:	Yes No
Disposal Wildcat	Cable	Depth to bottom of fresh water: 600	
Seismic ; # of Holes Other		Depth to bottom of usable water: 740	
Other:		Surface Pipe by Alternate: III	
If OWWO: old well information as follows:		760	
_			
Operator:		6000	
Well Name: Original Completion Date: Original Completion	al Total Donth:	Formation at Total Depth: St. Louis	
Original Completion Date: Original	я тогат Беріп	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Yes No	Well Farm Pond Nother: Trucked	n
If Yes, true vertical depth:		DWR Permit #:	
Bottom Hole Location:		(Note: Apply for Permit with D	WR)
KCC DKT #:		Will Cores be taken?	Yes ⊠No
PRORATED & SPACED: HUGOTON & PA	ANOMA	If Yes, proposed zone:	- DEMENSON -
			S CORPORATION COMMISSION
	AFF	IDAVIT	
The undersigned hereby affirms that the drilling, of	completion and eventual plug	gging of this well will comply with K.S.A. 55 et. seq.	JUN 1 3 2007
It is agreed that the following minimum requireme	ents will be met:		JOI4 1 J 2007
Notify the appropriate district office <i>prior</i> to	o spudding of well:	(ONSERVATION DIVISION
2. A copy of the approved notice of intent to d	drill shall be posted on each	drilling rig;	WICHITA, KS
3. The minimum amount of surface pipe as sp	pecified below shall be set b	by circulating cement to the top; in all cases surface	pipe shall be set
through all unconsolidated materials plus a			prior to plugging:
 If the well is dry hole, an agreement between the superprint of the sup	en the operator and the distr ad before well is either plugg:	rict office on plug length and placement is necessary ed or production casing is cemented in:	prior to progging;
6. If an ALTERNATE II COMPLETION, produ	iction pipe shall be cemented	from below any usable water to surface within 120	DAYS of spud date.
Or pursuant to Appendix "B" - Eastern Kan	nsas surface casing order #10	33,891-C, which applies to the KCC District 3 area,	alternate II cementing
,	•	plugged. In all cases, NOTIFY district office prior	to any cementing.
I hereby certify that the statements made herein	are true and to the best of 17	knowledge and belief.	
- 6/12/07		III had m	maner Busines
Date: 6//2/07 Signature of Oper	rator or Agent:	Title:	enager-Business
		Remember to:	NEW TOTAL
For KCC Use ONLY	N.O.	- File Drill Pit Application (form CDP-1) with Intent	
API # 15 - 081-21747-00C	<i>\(\mathcal{D}\)</i>	- File Completion Form ACO-1 within 120 days of	spud date:
Conductor pipe required 0	feet	File acreage attribution plat according to field pro Notify appropriate district affice 48 hours prior to	
Minimum surface pipe required 760	feet per ALT. I	 Notify appropriate district office 48 hours prior to Submit plugging report (CP-4) after plugging is of 	ompleted (within 60 days):
Approved by: Lat U-13 0-1	noor bei Acti [2]	Obtain written approval before disposing or injection.	
10 12 00		If this permit has expired (See: authorized expiration)	-
This authorization expires: 12-/3-07	months of approval data !	check the box below and return to the address b	
(This authorization void if drilling not started within 6	monins of approval date.)	Well Not Drilled - Permit Expired Date:	
Shud date: Agent:		Signature of Operator or Agent:	Ϊ́ΧΙ
Spud date: Agent:		1	لکیا



IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - <i>081-21747-000</i> Operator: Presco Western LLC	Location of Well: County: Haskell		
Lease: Diaden Farms	660	feet from N / S Line of Section feet from E / W Line of Section	
Well Number: T-D2-23-33 Field: U. S. 83 NORTHWEST	Sec. 2 Twp. 2		
Number of Acres attributable to well: QTR/QTR/QTR of acreage: W2 - NW - NW . NE	Is Section: X Regu	lar or Irregular	
	If Section is Irregular, Section corner used:	locate well from nearest corner boundary. NE NW SE SW	

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

JUN 13 2007

CONSERVATION DIVISION WICHITA, KS

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).




070706-P

ROBINSON SERVICES

Oil Field & Construction Staking P.O. Box 2324

Garden City, Kansas 67846



Office/Fax: (620) 276-6159 Cell: (620) 272-1499 **Diaden Farms #1-B2-29-33** Presco Western, LLC. LEASE NAME OPERATOR Main Loc. = 660'FNL - 2310'FEL = 2949.9'gr. Alt. #1 = 660'FNL - 2317'FEL = 2950.0'gr. 33w Haskell Co., KS. COUNTY = 660'FNL - 2360'FEL = 2949.8'gr. D.F.: -1" =1000' July 7, 2006 **Directions:** From the West side of Sublette, KS. (at the intersection of Hwy. 56 and Hwy. 83) Now go 6 miles **Tom West** MEASURED BY: North on Hwy. 83 - Now go 1 mile West on Hwy 160 to D. Mader DRAWN BY: the Northeast corner of section 2 - Now go on West 0.5 AUTHORIZED BY: Len W. mile to ingress stake Southeast into - Now go approx. 540 ft. (0.1 mile) on existing field entrance - Now go approx. 300 ft. Southeast into staked location through crp. This drawing is for construction purposes only ALT. #2 Staked location = 660'FNL - 2360'FEL = 2949.8'gr. Approx. Long. / Lat. scaled from map: 2946 2647.16° **US NAD 83** Latitude = N37'33'37.12" Longitude = W100`53' 51.39" INGRESS STAKE / Southeast into NEc pin I staked location with a 4 ft. wood painted all ELECTRIC LINE blue with orange flagging. Drill pad will require 106 ft. East of staked location approx. 1 to 2 ft. cut / fill in any direction. PELINES **EDGE of WHEAT STUBBLE DIADEN FARMS #1-B2-29-33** 176 ft. Southwest of Main Location Staked location = 660'FNL - 2310'FEL = 2949.9'gr. 174 ft. Southwest of Alt. Stake #1 US NAD 83 168 ft. Southwest of Alt. Stake #2 Approx. Long. / Lat. scaled from map: Latitude = N37' 33' 37.13" Longitude = W100` 53 50.76" TRACK 218.0 ft. Southwest of Main Location staked location with a 7 ft. wood painted orange 207.5 ft. Southwest of Alt. #1 and blue. Location falls in crp sprinkler corner. 201.4 ft. Southwest of Alt. #2 2946 las Well GAS LINE (per OneCall flagging) 280.4 ft. South of Main Locatioin 5321 ,01. ALT. #1 Staked location = 660'FNL - 2317'FEL = 2950.0'gr Approx. Long. / Lat. scaled from map: **US NAD 83** Latitude = N37` 33' 37.13" scale: 1° = 1000* Longitude = W100' 53' 50.85" I staked location with a 4 ft. wood painted all orange and blue flagging. Drill pad will require approx. 1 to 2 ft. cut / fill in any direction. SEc pin 🕃 MEIVEL

KANSAS CORPORATION COMMISSIO



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1009921

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Presco Western LLC			License Number: 32309		
Operator Address: 5665 Flatiron Parkway			Boulder CO 80301		
Contact Person: Randy M. Verret			Phone Number: 303-444-8881		
Lease Name & Well No.: Diaden Farms 1-B2-29-33			Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>W2 _ NW _ NW _ NE</u>		
Emergency Pit Burn Pit	Proposed	Existing	Sec. 2 Twp. 29 R. 33 East West		
Settling Pit Drilling Pit	If Existing, date or	onstructed:	660 South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		2,310 Feet from East / West Line of Section		
(If WP Supply API No. or Year Drilled)	5,000	(bbls)	Haskell County		
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l		
Is the bottom below ground level?	Artificial Liner?	· · · · - · ·	(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?		
Yes No	Yes X	No	Natural Mud Seal		
Pit dimensions (all but working pits):	25 Length (fe	et) 125	Width (feet) N/A: Steel Pits		
Depth fr	rom ground level to de	eepest point:	5 (feet) No Pit		
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance and determining ncluding any special monitoring.		
N/A	•	micr magnity,	any operational state of the st		
14/4					
Distance to nearest water well within one-mile of pit		,	west fresh water300feet.		
1008 feet Depth of water well 368 feet		Source of informeasu			
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in drilling/workover: Native Mud			
Number of producing wells on lease:		Number of working pits to be utilized:1			
Barrels of fluid produced daily:		Abandonment	procedure: Air Evaporation & Backfill		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
KAMSAS CORPORATION COMMISSION					
6/12/07					
			CONSERVATION DIVISION		
KCC OFFICE USE ONLY Steel Pit RFAC RFAC RFAC					
Date Received: 4/13/07 Permit Number: Permit Date: 4/13/07 Lease Inspection: Yes No					



Kathleen Sebelius, Governor Brian J. Moline, Chair Robert E. Krehbiel, Commissioner Michael C. Moffet, Commissioner

NOTICE TO OPERATORS DRILLING IN THE PANOMA-COUNCIL GROVE GAS POOL SPACED AREA

The enclosed intent is located within the Panoma-Council Grove gas pool space area. In May 1978, Panoma-Council Grove Proration Order (as amended), Docket No. 60,024-C (C-7058) under FINDINGS OF FACT AND LAW on page 31, the following language is stated that:

- "The Commission finds that in order to prevent waste and protect correlative rights, the following stated rules pertaining to wells already completed, in the process of being drilled or for future wells to be drilled in the Panoma Council Grove Gas Pool Spaced area, and for wells producing from the Council Grove Formation outside of the Panoma Council Grove Gas Pool Spaced area within the Hugoton Gas Field, should be adopted."
- 1. "No dual completions between the Chase (Hugoton) and Council Grove Formations will be permitted for future wells drilled."
- 2. "Casing shall not be set above the top of the Council Grove Formation for a Council Grove producing well."
- 3. "The production casing of all new Council Grove wells should be cemented with a calculated volume of cement sufficient to encase the casing from the bottom of the casing to a point 500 feet above the Chase Formation."
- 4. "The casing shall be encased in cement in the interval between the base of the Council Grove and the top of the Chase Formation on all wells, irrespective of depth, completed below the Council Grove Formation, if they are located within the space area."
- 5. "The cement coverage heretofore required shall be confirmed by the running of a recognized survey, such as a temperature survey or cement bond log."

A copy of this survey and the cement tickets(s) showing that all cement work has been completed, must be filed with the ACO-1 Completion Report within 120 days from the wells "spud date."

Failure to comply with these provisions may cause the well to be shut-in until compliance has been achieved.

If you have any questions, please feel free to contact the Conservation Division's Production Department at (316) 337-6200.