

For KCC Use: Effective Date: _ District # SGA? XYes No

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

Form C-1 November 2005 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five	(a) days prior to commencing well
Evancted Saud Date: 06/25/2007	Spot Description: _100'W
Expected Spud Date:	- SW - SE - SW Sec. 14 Twp. 20 S. R. 13 TE XW
4058	(A.D. (A.D.)
OPERATOR: License#	330 feet from N / X S Line of Section
Name: American Warrior, Inc.	1,880 feet from E / W Line of Section Is SECTION: Regular Irregular?
Address 1: PO Box 399	is SECTION: Megular megular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Cecil O'Brate	County: Barton
Phone: 620-275-9231	Lease Name: BUSHNELL Well #: 1-14
	Field Name: Wildcat
CONTRACTOR: License# 5929	Is this a Prorated / Spaced Field?
Name: Duke Drilling Co., Inc.	Target Formation(s): Arbuckle
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 330
☑Oil Enh Rec Infield ☑Mud Rotary	Ground Surface Elevation: 1865 feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal XWildcat Cable	Public water supply well within one mile:
Seismic; # of Holes Other	Depth to bottom of fresh water: 120
Other:	Depth to bottom of usable water: 240
	Surface Pipe by Alternate: XI IIII
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 260
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth: 3600
Original Completion Date: Original Total Depth:	Formation at Total Depth: Arbuckle
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	
	(Note: Apply for Permit with DWR)
KCC DKT #:	
KCC DKT #:	
KCC DKT #:	Will Cores be taken?
AFF	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORATION COMMISSION IDAVIT
AFF	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORATION COMMISSION IDAVIT
	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORATION COMMISSION IDAVIT
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. JUN 1 4 2007 CONSERVATION DIVISION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. JUN 1 4 2007 CONSERVATION DIVISION WICHITA, KS
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. JUN 1 4 2007 CONSERVATION DIVISION WICHITA, KS In circulating cement to the top; in all cases surface pipe shall be set
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the state of the	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. JUN 1 4 2007 CONSERVATION DIVISION WICHITA, KS by circulating cement to the top; in all cases surface pipe shall be set underlying formation.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the drill intention of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the district of the well is dry hole, an agreement between the operator and the district of the state of the st	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. JUN 1 4 2007 CONSERVATION DIVISION WICHITA, KS by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugalna:
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the distribution of the approved notice of intent to drill <i>shall be</i> posted on each of the distribution o	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. JUN 1 4 2007 CONSERVATION DIVISION WICHITA, KS In or office on plug length and placement is necessary prior to plugging; d or production casing is cemented in;
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the intention of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the set of the intention of	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. JUN 1 4 2007 CONSERVATION DIVISION WICHITA, KS Y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the se	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. JUN 1 4 2007 CONSERVATION DIVISION WICHITA, KS Y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of a copy of the approved notice of intent to drill <i>shall be</i> posted on each of a copy of the approved notice of intent to drill <i>shall be</i> posted on each of a copy of the approved notice of intent to drill <i>shall be</i> posted on each of a copy of the approved notice of intent to drill <i>shall be</i> set by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the spunding the set of the spunding order and the distriction of the spunding order and	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. JUN 1 4 2007 CONSERVATION DIVISION WICHITA, KS In y circulating cement to the top; in all cases surface pipe shall be set underlying formation. In office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 5. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided by the complete of the statements made herein are true and to the best of my	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. JUN 1 4 2007 CONSERVATION DIVISION WICHITA, KS In y circulating cement to the top; in all cases surface pipe shall be set underlying formation. In office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of a copy of the approved notice of intent to drill <i>shall be</i> posted on each of a copy of the approved notice of intent to drill <i>shall be</i> posted on each of a copy of the approved notice of intent to drill <i>shall be</i> posted on each of a copy of the approved notice of intent to drill <i>shall be</i> set by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the spunding the set of the spunding order and the distriction of the spunding order and	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. JUN 1 4 2007 CONSERVATION DIVISION WICHITA, KS In y circulating cement to the top; in all cases surface pipe shall be set underlying formation. In office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. 5. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided by the complete of the statements made herein are true and to the best of my	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. JUN 1 4 2007 CONSERVATION DIVISION WICHITA, KS Y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of a copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard of the set of the specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the set of the specified district office will be notified before well is either plugge for the appropriate district office will be notified before well is either plugge for the appropriate district office will be notified before well is either plugge for the appropriate of the specified before well is either plugge for the appropriate of the specified before well is either plugge for the appropriate of the specified before well is either plugge for th	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. JUN 1 4 2007 CONSERVATION DIVISION WICHITA, KS Y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. Knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the state of th	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORATION COMMISSION KANSAS CORPORATION COMMISSION CONSERVATION DIVISION WICHITA, KS Vicinculating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the appropriate district office pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the state well is drived the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be produced to the well shall be produced by the statements made herein are true and to the best of my Date: Apple	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORATION COMMISSION KANSAS CORPORATION COMMISSION CONSERVATION DIVISION WICHITA, KS Vicinculating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the state of th	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. JUN 1 4 2007 CONSERVATION DIVISION WICHITA, KS If y circulating cement to the top; in all cases surface pipe shall be set underlying formation. It office on plug length and placement is necessary prior to plugging; Id or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. It knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the appropriate of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the distriction. The appropriate district office will be notified before well is either plugge for the first office will be notified before well is either plugge or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided by the statements made herein are true and to the best of my Date: Por KCC Use ONLY	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. JUN 1 4 2007 CONSERVATION DIVISION WICHITA, KS If y circulating cement to the top; in all cases surface pipe shall be set underlying formation. It office on plug length and placement is necessary prior to plugging; Id or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It knowledge and belief. Title: Remember to: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the state of the set of the specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the state of the specified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be produced by that the statements made herein are true and to the best of my Date: For KCC Use ONLY	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORATION COMMISSION KANSAS CORPORATION COMMISSION CONSERVATION DIVISION WICHITA, KS Vicinculating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; do r production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Knowledge and belief. Title: Remember to: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved in the statements of the specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the statements of the district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be produced by that the statements made herein are true and to the best of my Date: For KCC Use ONLY	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION DAVIT Iging of this well will comply with K.S.A. 55 et. seq. JUN 1 4 2007 CONSERVATION DIVISION WICHITA, KS drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. I knowledge and belief. Title: Remember to: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the state of the set of the specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the state of the specified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be produced by that the statements made herein are true and to the best of my Date: For KCC Use ONLY	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION DAVIT Iging of this well will comply with K.S.A. 55 et. seq. JUN 1 4 2007 CONSERVATION DIVISION WICHITA, KS drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. I knowledge and belief. Title: Remember to: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the state of the specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the distriction of the specified before well is either plugge of the specified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate distriction of the specified production pipe shall be completed or pressure to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided by the specified production of the specified production of the best of my signature of Operator or Agent: Date:	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION CONSERVATION DIVISION Wichita, KS drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Date: Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. Well Not Drilled - Permit Expired Date:
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved in the statements below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the statement between the operator and the distriction of the appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be produced by that the statements made herein are true and to the best of my Date: Date:	Will Cores be taken? If Yes, proposed zone: RECEIVED KANSAS CORPORATION COMMISSION RECEIVED KANSAS CORPORATION COMMISSION CONSERVATION DIVISION WICHITA, KS Y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing llugged. In all cases, NOTIFY district office prior to any cementing. I knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.



IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 009-25067-0000	
Operator: American Warrior, Inc.	Location of Well: County: Barton
Lease: BUSHNELL	330 feet from N / S Line of Section
Well Number: 1-14	1,880 feet from E / W Line of Section
Field: Wildcat	Sec. <u>14</u> Twp. <u>20</u> S. R. <u>13</u> E 🔀 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	:	:	:		:	:	:
	 : :	:	: 		: :	:	:
	 	:					
			1	4			
	 			•••••			*******
	 			•••••			
	 	*******		*******			
1880 ft		locate tre) 				



330 ft.

In plotting the proposed location of the well, you must show:

JUN 14 2007

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, WICHITA, KS 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1009923

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: American Warrior, Inc.		License Number: 4058				
Operator Address: PO Box 399			Garden City KS 67846			
Contact Person: Cecil O'Brate			Phone Number: 620-275-9231			
Lease Name & Well No.: BUSHNELL	1-1	14	Pit Location (QQQQ):			
Type of Pit:	Pit is:		SWSESW_			
Emergency Pit Burn Pit	Proposed Existing		Sec. 14 Twp. 20 R. 13 East West			
Settling Pit	If Existing, date of	constructed:	330 Feet from North / South Line of Section			
Workover Pit Haul-Off Pit	Pit capacity:		1,880 Feet from East / West Line of Section			
(If WP Supply API No. or Year Drilled)	4,800	(bbls)	Barton			
Is the pit located in a Sensitive Ground Water	Area? Yes		Chloride concentration:mg/l			
			(For Emergency Pits and Settling Pits only)			
is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?			
		l	Drilling clay and mud			
Pit dimensions (all but working pits):1	00 Length (fe	eet)100	Width (feet) N/A: Steel Pits			
Depth fr	om ground level to de	eepest point:	4 (feet) No Pit			
If the pit is lined give a brief description of the material, thickness and installation procedure			dures for periodic maintenance and determining ncluding any special monitoring.			
and magny						
Distance to peacest water well within one mile	of nit	Donth to challe	weet fresh water 30 feet			
Distance to nearest water well within one-mile of pit Depth to shallo Source of infor		Swest liesh waterleet.				
665 feet Depth of water well 62 feet me			red well owner electric log KDWR			
		over and Haul-Off Pits ONLY:				
Producing Formation: Type of material		al utilized in drilling/workover: Fresh				
		rking pits to be utilized: 3				
Barrels of fluid produced daily: Abandonment		procedure: Dry then backfill in 365 days				
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		pe closed within 365 days of spud date.				
I hereby certify that the above state	ments are true and o	correct to the best				
. f 1	Q		KANSAS CORPORATION COMMIS			
6/14/07	00	elly 5	Typers JUN 1 4 2007			
/ Date		Si	gnature of Applicant or Agent CONSERVATION DIVISION			
	KCC (OFFICE USE ON	- WICHITA KE			
Date Received: 6/14/67 Permit Numb	oer:	Permit	Date: 4/14/67 Lease Inspection: X Yes No			



Kathleen Sebelius, Governor Brian J. Moline, Chair Robert E. Krehbiel, Commissioner Michael C. Moffet, Commissioner

June 13, 2007

Cecil O'Brate American Warrior, Inc. PO Box 399 Garden City, KS67846--0399

Re: Drilling Pit Application
BUSHNELL Lease Well No. 1-14
SW/4 Sec.14-20S-13W
Barton County, Kansas

Dear Cecil O'Brate:

District staff has inspected the above referenced location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined with bentonite or native clay, constructed **without slots**, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (785) 625-0550 when the fluids have been removed. Please file form CDP-5, Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms/

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (785) 625-0550.

RECEIVED KANSAS CORPORATION COMMISSION

JUN 14 2007

CONSERVATION DIVISION WICHITA, KS