For KCC Use:

Effective Date: 6-/9-07

District # 4

SGA? Yes X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Expected Spud DateJune 25, 2007	0
month day year	Spot East 150' W NW/NE SW Soc 36 Tun 15 S. D. 14 // Week
	- Sec West
OPERATOR: License# 32325	1470 Line of Section
Name: POPP OPERATING, INC Address: PO BOX 187	1470 feet from ☐ E / ✔ W Line of Section Is SECTION
Address: HOISINGTON, KS 67544	Is SECTIONRegularIrregular?
City/State/Zip:	(Note: Locate well on the Section Plat on reverse side)
Contact Person: RICKEY POPP Phone: 620-786-5514	County: RUSSELL
Phone: 450 750 5514	Lease Name: DUMLER Well #: 1
CONTRACTOR: License# 31548	Field Name: TRAPP
Name: DISCOVERY DRILLING CO., INC	Is this a Prorated / Spaced Field?
	Target Formation(s): ARBUCKLE
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 330
Oil Enh Rec Infield Infield Mud Rotary	Ground Surface Elevation: 1860 feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
OWWO Disposal Wildcat Cable	Public water supply well within one mile:
Seismic; # of Holes Other	Depth to bottom of fresh water: 210'
Other	Depth to bottom of usable water: 380'
	Surface Pipe by Alternate: 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe required: NONE
Well Name:	Projected Total Depth: 3400'
Original Completion Date:Original Total Depth:	Formation at Total Depth: ARBUCKLE
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Water Source for Drilling Operations:
	Well Farm Pond Other HAUL WATER
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR ✓)
KOO DICT II	(
KCC DKT #:	Will Cores be taken?
KCC DKT #:	Will Cores be taken? Yes ✓ No
	Will Cores be taken?
AFF	Will Cores be taken? If Yes, proposed zone: IDAVIT Yes ✓ No
AFF The undersigned hereby affirms that the drilling, completion and eventual pl	Will Cores be taken? If Yes, proposed zone: IDAVIT Yes ✓ No
AFF The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:	Will Cores be taken? If Yes, proposed zone: IDAVIT ugging of this well will comply with K.S.A. 55 et. seq.
AFF The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well;	Will Cores be taken? If Yes, proposed zone: IDAVIT ugging of this well will comply with K.S.A. 55 et. seq.
AFF The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i>	Will Cores be taken? If Yes, proposed zone: IDAVIT ugging of this well will comply with K.S.A. 55 et. seq. ch drilling rig; the by circulating cement to the top; in all cases surface pine shall be set.
AFF The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	Will Cores be taken? If Yes, proposed zone: IDAVIT ugging of this well will comply with K.S.A. 55 et. seq. Ch drilling rig; If ye leading the set is the top; in all cases surface pipe shall be set in the underlying formation.
AFF The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall</i> be posted on ead 3. The minimum amount of surface pipe as specified below <i>shall</i> be see through all unconsolidated materials plus a minimum of 20 feet into the design of the second o	Will Cores be taken? If Yes, proposed zone: IDAVIT ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set to be underlying formation. In the underlying formation.
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the description of the approved notice of intent to drill <i>shall be</i> posted on each and the description of the second of the description of the descripti	Will Cores be taken? If Yes, proposed zone: IDAVIT ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set to be underlying formation. In istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in:
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the description of the approved notice of intent to drill <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well is either plug to the appropriate district office will be notified before well in the appropriate district office will be notified before well in the appropriate district office will be notified before well in the appropriate district office will be notified before well in the appropriate district office will be notified before well in the appropriate district office will be notified before well in the appropriate district office will be notified before well in the appropriate district office wil	Will Cores be taken? If Yes, proposed zone: IDAVIT ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set to be underlying formation. In istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date.
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It is in the underlying formation. It is in the underlying formation. It is in the complete on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133.891-C. which applies to the KCC District 3 area, alternate II cementing.
AFF The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the drill shall be district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before completed within 30 days of the spud date or the well shall the completed within 30 days of the spud date or the well shall the completed within 30 days of the spud date or the well shall the completed within 30 days of the spud date or the well shall the completed within 30 days of the spud date or the well shall the completed within 30 days of the spud date or the well shall the completed within 30 days of the spud date or the well shall the completed within 30 days of the spud date or the well shall the completed within 30 days of the spud date or the well shall the completed within 30 days of the spud date or the well shall the complete within 30 days of the spud date or the well shall the complete within 30 days of the spud date or the well shall the complete within 30 days of the spud date or the well shall the complete within 30 days of the spud date or the well shall the complete within 30 days of the spud date or the well shall the complete within 30 days of the spud date or the well shall the complete within 30 days of the spud date or the well shall the complete within 30 days of the spud date or the well shall the complete within 30 days of the spud date or the well shall the complete within 30 days of the spud date or the well shall the complete within 30 days of the spud date or the well shall the complete within 30 days of the s	Will Cores be taken? If Yes, proposed zone: IDAVIT ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set to en underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each at through all unconsolidated materials plus a minimum of 20 feet into the standard of the well is dry hole, an agreement between the operator and the description of the standard district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of	Will Cores be taken? If Yes, proposed zone: IDAVIT ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set to en underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
AFF The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the drill shall be district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before completed within 30 days of the spud date or the well shall the completed within 30 days of the spud date or the well shall the completed within 30 days of the spud date or the well shall the completed within 30 days of the spud date or the well shall the completed within 30 days of the spud date or the well shall the completed within 30 days of the spud date or the well shall the completed within 30 days of the spud date or the well shall the completed within 30 days of the spud date or the well shall the completed within 30 days of the spud date or the well shall the completed within 30 days of the spud date or the well shall the complete within 30 days of the spud date or the well shall the complete within 30 days of the spud date or the well shall the complete within 30 days of the spud date or the well shall the complete within 30 days of the spud date or the well shall the complete within 30 days of the spud date or the well shall the complete within 30 days of the spud date or the well shall the complete within 30 days of the spud date or the well shall the complete within 30 days of the spud date or the well shall the complete within 30 days of the spud date or the well shall the complete within 30 days of the spud date or the well shall the complete within 30 days of the spud date or the well shall the complete within 30 days of the s	Will Cores be taken? If Yes, proposed zone: IDAVIT ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set to en underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill and the search of the posted on each through all unconsolidated materials plus a minimum of 20 feet into the search of the well is dry hole, an agreement between the operator and the drill the well is dry hole, an agreement between the operator and the drill the search of the well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the spurious to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the plug of the spud date or the well shall be the plug of the spud date or the well shall be the plug of the spud date or the well shall be the plug of the spud date or the well shall be the plug of the spud date or the well shall be the plug of the spud date or the well shall be the plug of the spud date or the well shall be the plug of the spud date or the well shall be the plug of the spud date or the well shall be the plug of the spud of the spud date or the well shall be the plug of the spud of	Will Cores be taken? If Yes, proposed zone: IDAVIT ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; In by circulating cement to the top; in all cases surface pipe shall be set to en underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: PRESIDENT
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill and the drill and the drill unconsolidated materials plus a minimum of 20 feet into the search and the drill the well is dry hole, an agreement between the operator and the drill and the	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; In the by circulating cement to the top; in all cases surface pipe shall be set to eneunderlying formation. In istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: PRESIDENT Remember to:
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill and the drill and the drill unconsolidated materials plus a minimum of 20 feet into the search and the drill the well is dry hole, an agreement between the operator and the drill and the	Will Cores be taken? If Yes, proposed zone: IDAVIT ugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set to be underlying formation. In istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing. Title: PRESIDENT Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill unconsolidated materials plus a minimum of 20 feet into the season of the well is dry hole, an agreement between the operator and the drill appropriate district office will be notified before well is either plug of the interest of the season of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be determined by certify that the statements made herein are true and to the best of the spuddate of the spuddate of the spuddate of the well shall be determined by the spuddate of the spuddate of the well shall be determined by the spuddate of the well shall be determined by the spuddate of the well shall be determined by the spuddate of the well shall be determined by the spuddate of the well shall be determined by the spuddate of the well shall be determined by the spuddate of the well shall be determined by the spuddate of the well shall be determined by the spuddate of the well shall be determined by the spuddate of the spuddate of the well shall be determined by the spuddate of the spudd	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; In the by circulating cement to the top; in all cases surface pipe shall be set to eneunderlying formation. In istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: PRESIDENT Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the season of the well is dry hole, an agreement between the operator and the description of the season of the specific plus of the spropriate district office will be notified before well is either plus of the first appropriate district office will be notified before well is either plus of the first appropriate district office will be notified before well is either plus of the first appropriate district office will be notified before well is either plus of the plus of the spud date or the well shall in the plus of the spud date or the plus of the spud date or the well shall be plus of the spud date or the well shall be plus of the spud date or the plus of the spud date	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to be underlying formation. Is istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing. Implication (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the search of the well is dry hole, an agreement between the operator and the description of the subject of the plus of the subject of the sub	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; In the production casing is cernented in; If yes with the complete set of the complete set of the underlying formation. In a complete set of the complete set of the complete set of the underlying formation. It is the complete set of the complete set of the underlying formation. If yes with the complete set of t
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the dot. The appropriate district office will be notified before well is either plug of if an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: For KCC Use ONLY	Will Cores be taken? If Yes, proposed zone: IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; In the production casing is cernented in; If yes is the production casing is cernented in; If yes is the complete shall be set to be underlying formation. It is the underlying formation is the underlying formation orders. It is the underlying formation is the underlying formation orders. It is the underlying formation is the underlying formation orders. It is the underlying formation is the underlying formation orders. It is the underlying formation is the underlying formation orders. It is the underlying formation is the underlying formation orders. It is the underlying formation is the underlying formation orders. It is the underlying formation is the underlying formation orders. It is the underlying formation is the underlying formation orders. It is the underlying formation is the underlying formation is the underlying formation is the underlying formation. It is the underlying formation is the underly
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the dot. The appropriate district office will be notified before well is either plug of if an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: For KCC Use ONLY	Will Cores be taken? If Yes, proposed zone: IDAVIT ugging of this well will comply with K.S.A. 55 et. seq. If by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate If cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: PRESIDENT Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the search of the well is dry hole, an agreement between the operator and the description of the subject of the plus of the subject of the sub	Will Cores be taken? If Yes, proposed zone: West No IDAVIT Uugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set to be underlying formation. In istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate If cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: PRESIDENT Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each at through all unconsolidated materials plus a minimum of 20 feet into the statements and the description of the well is dry hole, an agreement between the operator and the description of the appropriate district office will be notified before well is either plug and the statements of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed. 1 hereby certify that the statements made herein are true and to the best of the spud date or the well shall be completed. 2 Signature of Operator or Agent: 3 For KCC Use ONLY API # 15 - 167-234/39-0000 Conductor pipe required 100 feet per Alt 1 Approved by: 141-41-01 This authorization expires: 12-14-07	Will Cores be taken? If Yes, proposed zone: IDAVIT ugging of this well will comply with K.S.A. 55 et. seq. If by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate If cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: PRESIDENT Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 167-23439-0000	Location of Well: County: RUSSELL
Operator: POPP OPERATING, INC	2310 feet from N / V S Line of Section
Lease: DUMLER	1470 feet from E / W Line of Section
Well Number: 1 Field: TRAPP	Sec. 36 Twp. 15 S. R. 14 East Wes
Number of Acres attributable to well: QTR / QTR / QTR of acreage: 150'W - NW/NE - SW	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

			,				
	·						
	•		•				•
i							
-					. ,		-
-							
ĺ							
			•		• .		•
	•		•		• .		•
							•
_	-						
					, .		
	·						
į .	•					•	•
		1				•	•
	70' :			<i></i>			
14	10						
<i></i>		. •		ı			
	_ /	A			•		
		1)					
		ı					
		1	•	i			•
		1 .	•		٠.		
	1	<i>I</i> .					
	-						
	2310						
							•
_	<u> </u>	l .					
	~~	1			•		•
		1					
	•						
		1			• .		-
	•	I					
	· v	V Direct	ell Co				
	•			,			



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: POPP OPERATING INC		License Number: 32325				
Operator Address: PO BOX 187	HOISINGTON	4				
Contact Person: RICKEY POPP			Phone Number: (620) 786 - 5514			
Lease Name & Well No.: DUMLER #1		Pit Location (QQQQ):				
Type of Pit:	Pit is:		150'W - NW - NE - SW			
Emergency Pit Burn Pit	Proposed Existing		Sec. 36 Twp. 15 R. 14 ☐ East ✓ West			
Settling Pit	If Existing, date constructed:		2310 Feet from North / South Line of Section			
Workover Pit Haul-Off Pit	Pit capacity:		1470 Feet from East / 🗸 West Line of Section			
(If WP Supply API No. or Year Drilled)	1	(bbis)	DUOCELL			
Is the pit located in a Sensitive Ground Water	1	/ No	Chloride concentration:mg/l			
Is the best of the last of the	T		(For Emergency Pits and Settling Pits only)			
Is the bottom below ground level? Yes No	Artificial Liner? Yes ✓	No	How is the pit lined if a plastic liner is not used?			
			NATIVE CLAY			
Pit dimensions (all but working pits):			Width (feet) N/A: Steel Pits			
Depth fr	rom ground level to d	eepest point: 4	(feet)			
MONITOR		FOR DRYNESS, BACKFILL AS SOON AS				
Distance to nearest water well within one-mile of pit Depth to shallou		owest fresh water 40feet.				
1			ource of information: measured well owner electric log KDWR			
		Drilling, Work	rkover and Haul-Off Pits ONLY:			
		Type of materia	ype of material utilized in drilling/workover: CHEMICAL MUD			
		king pits to be utilized: 3				
Barrels of fluid produced daily: Abandonment p		procedure: ALLOW FLUIDS TO DRY, BACKFILL AS SOON AS POSSIBLE				
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits		Drill pits must t	pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.						
6/12/07 Date		Ruk	lignature of Applicant or Agent 13 2007			
KCC OFFICE USE ONLY						
Date Received: 4/13/07 Permit Num	ber:	Permi	it Date: 4/13/07 Lease Inspection: Yes [V] No			