

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Expected Spud Date June 19, 2007	Spot ✓ East				
month day year	NW - NW - NW Sec. 6 Twp. 29 S. R. 6 Wes				
33401	330feet from ✓ N / S Line of Section				
OPERATOR: License# 33401 Name: Ernst Oil Company	330feet from E / ✓ W Line of Section				
123 Walker Avenue	is SECTION Regularirregular?				
Address: City/State/Zip: Walker, KS 67674	(Note: Locate well on the Section Plat on reverse side)				
City/State/2ip: Contact Person: Fred Emst	County: Butler				
Phone: (785) 324-0146	Lease Name: Ernst Well #: 1				
	Field Name: wildcat				
CONTRACTOR: License# 32701	Is this a Prorated / Spaced Field?				
Name: C&G Drilling, Inc.	Target Formation(s): Mississippian				
	Nearest Lease or unit boundary: 330'				
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: n/a feet MS				
Oil Chh Rec Infield Mud Rotary	Water well within one-quarter mile: Yes ✓ N				
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:				
OWWO Disposal V Wildcat Cable	Depth to bottom of fresh water: 180'				
Seismic;# of Holes Other	Depth to bottom of usable water: 180'				
Other	Surface Pipe by Alternate: 1 \(\sqrt{2} \)				
W CHANGE and a self-transplant of following	Length of Surface Pipe Planned to be set: 200'				
If OWWO: old well information as follows:	Length of Conductor Pipe required: none				
Operator:	Projected Total Depth: 3,000'				
Well Name:	Formation at Total Depth: Mississippian				
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:				
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other haul				
If Yes, true vertical depth:	DWR Permit #:				
Bottom Hole Location:	(Note: Apply for Permit with DWR)				
KCC DKT #:	Will Cores be taken? Yes ✓ No				
	If Yes, proposed zone:				
AFF	RECEIVED				
	DAVIT RECEIVED KANSAS CORPORATION COMMISSION				
The undersigned hereby affirms that the drilling, completion and eventual pl	DAVIT KANSAS CORPORATION COMMISSION ugging of this well will comply with K.S.A. 55 et. seq.				
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:	DAVIT RECEIVED KANSAS CORPORATION COMMISSION				
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	DAVIT KANSAS CORPORATION COMMISSION ugging of this well will comply with K.S.A. 55 et. seq. JUN 14 2007				
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	DAVIT KANSAS CORPORATION COMMISSION ugging of this well will comply with K.S.A. 55 et. seq. JUN 14 2007				
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	RECEIVED KANSAS CORPORATION COMMISSION ugging of this well will comply with K.S.A. 55 et. seq. JUN 14 2007 ch drilling rig; CONSERVATION DIVISION the by circulating cement to the top; in all cases surfage pipe set				
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drilling and the second all unconsolidated materials plus a minimum of 20 feet into the drilling and the drilling	RECEIVED KANSAS CORPORATION COMMISSION ugging of this well will comply with K.S.A. 55 et. seq. JUN 14 2007 th drilling rig; CONSERVATION DIVISION the by circulating cement to the top; in all cases surface of the set in a underlying formation. istrict office on plug length and placement is necessary prior to plugging;				
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description. The appropriate district office will be notified before well is either plug	RECEIVED KANSAS CORPORATION COMMISSION ugging of this well will comply with K.S.A. 55 et. seq. JUN 1 4 2007 The drilling rig; CONSERVATION DIVISION to by circulating cement to the top; in all cases surface of the set of the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;				
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill shall be posted on each through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the drilling that the district office will be notified before well is either plug that an ALTERNATE II COMPLETION, production pipe shall be cement.	RECEIVED KANSAS CORPORATION COMMISSION ugging of this well will comply with K.S.A. 55 et. seq. JUN 14 2007 The drilling rig; CONSERVATION DIVISION the by circulating cement to the top; in all cases surface of the set ne underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date.				
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the approved notice of intent to drill <i>shall be</i> posted on each through all unconsolidated materials plus a minimum of 20 feet into the second of the se	RECEIVED KANSAS CORPORATION COMMISSION ugging of this well will comply with K.S.A. 55 et. seq. JUN 1 4 2007 The drilling rig; CONSERVATION DIVISION the by circulating cement to the top; in all cases surface of the set of the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementin				
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drilling of the approved notice of intent to drill <i>shall be</i> posted on each and the drilling of the drilling of the approved notice of intent to drilling of the second of the drilling of the approved on the second of the drilling of the second of the drilling of the second of the drilling of the second of the secon	RECEIVED KANSAS CORPORATION COMMISSION ugging of this well will comply with K.S.A. 55 et. seq. JUN 14 2007 th drilling rig; CONSERVATION DIVISION the production cannot be top; in all cases surface of the set in a underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.				
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the approved notice of intent to drill <i>shall be</i> posted on each through all unconsolidated materials plus a minimum of 20 feet into the second of the se	RECEIVED KANSAS CORPORATION COMMISSION ugging of this well will comply with K.S.A. 55 et. seq. JUN 1 4 2007 The drilling rig; CONSERVATION DIVISION the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.				
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the specified before well is either plug that the statements of the spud date or the well shall be completed within 30 days of the spud date or the well shall be the sput of the spud date or the well shall be completed within 30 days of the spud date or the well shall be set or the spud date.	RECEIVED KANSAS CORPORATION COMMISSION ugging of this well will comply with K.S.A. 55 et. seq. JUN 14 2007 The drilling rig; CONSERVATION DIVISION to by circulating cement to the top; in all cases surface the set of the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.				
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the complete second of the second of the complete second of the second of the complete second of the second of the complete second of the second of the complete second of the	RECEIVED KANSAS CORPORATION COMMISSION ugging of this well will comply with K.S.A. 55 et. seq. JUN 1 4 2007 The drilling rig; CONSERVATION DIVISION the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent				
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each through all unconsolidated materials plus a minimum of 20 feet into the statement of the well is dry hole, an agreement between the operator and the first the appropriate district office will be notified before well is either plug of the an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the production of the well shall be set of the spud date. 1. Date: June 14, 2007 Signature of Operator or Agent: June 14, 2007	RECEIVED KANSAS CORPORATION COMMISSION ugging of this well will comply with K.S.A. 55 et. seq. JUN 14 2007 The drilling rig; CONSERVATION DIVISION the production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to:				
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the specified below <i>shall be second</i> all unconsolidated materials plus a minimum of 20 feet into the second of	RECEIVED KANSAS CORPORATION COMMISSION ugging of this well will comply with K.S.A. 55 et. seq. JUN 14 2007 The drilling rig; CONSERVATION DIVISION the production cannot be top; in all cases surface of the set of the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date:				
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the specified below <i>shall be</i> second all unconsolidated materials plus a minimum of 20 feet into the second of	RECEIVED KANSAS CORPORATION COMMISSION ugging of this well will comply with K.S.A. 55 et. seq. JUN 14 2007 The drilling rig; CONSERVATION DIVISION the production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to:				
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a complete of intent to drill <i>shall be</i> posted on each and the search of the searc	RECEIVED KANSAS CORPORATION COMMISSION ugging of this well will comply with K.S.A. 55 et. seq. JUN 14 2007 th drilling rig; CONSERVATION DIVISION the production cannot be top; in all cases surface of the set of the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Implementation Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;				
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the description of the well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the post of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of the post	RECEIVED KANSAS CORPORATION COMMISSION ugging of this well will comply with K.S.A. 55 et. seq. JUN 14 2007 th drilling rig; CONSERVATION DIVISION the production cannot be top; in all cases surface of the set of the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. **Remember to:* File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;				
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the description of the well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the post of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of the post	RECEIVED KANSAS CORPORATION COMMISSION ugging of this well will comply with K.S.A. 55 et. seq. JUN 14 2007 The drilling rig; CONSERVATION DIVISION the production cannot be top; in all cases surface of the set of the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. **Remember to:* File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.				
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the determinant of the well is dry hole, an agreement between the operator and the decrease of the well is dry hole, an agreement between the operator and the decrease of the well is either plug to the spudding of the spudding or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spuddate or the well shall be the properties of the spuddate or the well shall be completed. I hereby certify that the statements made herein are true and to the best of the plants. For KCC Use ONLY API # 15 - O/S - 23 73 9 - OOO - Geet the properties of the properties o	RECEIVED KANSAS CORPORATION COMMISSION ugging of this well will comply with K.S.A. 55 et. seq. JUN 14 2007 The drilling rig; CONSERVATION DIVISION the production cannot be top; in all cases surface of the set of the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please				
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the description of the well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the post of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of the post	RECEIVED KANSAS CORPORATION COMMISSION ugging of this well will comply with K.S.A. 55 et. seq. JUN 14 2007 The drilling rig; CONSERVATION DIVISION the production cannot be top; in all cases surface the set of the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.				
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the minimum amount of surface pipe as specified below shall be seen through all unconsolidated materials plus a minimum of 20 feet into the seen that the well is dry hole, an agreement between the operator and the description of the spudding of the spudding of the spudding or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spuddate or the well shall be laterally that the statements made herein are true and to the best of the plants. 1. Por KCC Use ONLY API # 15 - O/S - 23 73 9 - OOO - feet per Alt 1 Approved by: Interview of the prior of the per Alt 1 Approved by: Interview of the prior of the per Alt 1 Approved by: Interview of the prior of the per Alt 1 Approved by: Interview of the prior of the per Alt 1 Approved by: Interview of the prior of the prior of the per Alt 1 Approved by: Interview of the prior of the prior of the per Alt 1 Approved by: Interview of the prior of the perior of	RECEIVED KANSAS CORPORATION COMMISSION ugging of this well will comply with K.S.A. 55 et. seq. JUN 14 2007 The drilling rig; CONSERVATION DIVISION the production cannot be top; in all cases surface the set of the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Wetl Not Drilled - Permit Expired				
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the minimum amount of surface pipe as specified below shall be seen through all unconsolidated materials plus a minimum of 20 feet into the seen that the well is dry hole, an agreement between the operator and the description of the spudding of the spudding of the spudding or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spuddate or the well shall be laterally that the statements made herein are true and to the best of the plants. 1. Por KCC Use ONLY API # 15 - O/S - 23 73 9 - OOO - feet per Alt 1 Approved by: Interview of the prior of the per Alt 1 Approved by: Interview of the prior of the per Alt 1 Approved by: Interview of the prior of the per Alt 1 Approved by: Interview of the prior of the per Alt 1 Approved by: Interview of the prior of the prior of the per Alt 1 Approved by: Interview of the prior of the prior of the per Alt 1 Approved by: Interview of the prior of the perior of	RECEIVED KANSAS CORPORATION COMMISSION ugging of this well will comply with K.S.A. 55 et. seq. JUN 14 2007 The drilling rig; CONSERVATION DIVISION the production cannot be top; in all cases surface the set of the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.				

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 015-23739-0000	Location of Well: County: Butler
Operator: Ernst Oil Company	330 feet from N / S Line of Section
Lease: Ernst	330 feet from E / W Line of Section
Well Number: 1	Sec. 6 Twp. 29 S. R. 6 ✓ East Wes
Number of Acres attributable to well: QTR / QTR / QTR of acreage: NW - NW - NW	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

		· •	
 · · · · · · · · · · · · · · · · · · ·	· · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·
 ·	•		
 ·			
· · ·	•	· · · · · · · · · · · · · · · · · · ·	
 ·			
 · ·			
 	•		



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Ernst Oil Company		License Number: 33401		
Operator Address: 123 Walker Ave		KS 67674		
Contact Person: Fred Ernst			Phone Number: (785) 324	0146
Lease Name & Well No.: Ernst #1	1,1**1		Pit Location (QQQQ):	
Type of Pit:	Pit is:		<u>_NWNW</u>	
Emergency Pit Burn Pit	Proposed Existing If Existing, date constructed:		Sec. 6 Twp. 29 R 6 Feast West 330 Feet from North / South Line of Section	
Settling Pit Drilling Pit				
Workover Pit Haul-Off Pit			330	t / ✓ West Line of Section
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Butler	County
		(0013) YNo	Chloride concentration:	······································
Is the pit located in a Sensitive Ground Water	r Area? Yes] NO	(For Emergency Pits an	_
is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic line	r is not used?
Yes No	☐ Yes ✓	No	native clay	
Pit dimensions (all but working pits):	60 Length (fe	eet)10	Width (feet)	N/A: Steel Pits
Depth f	from ground level to de	eepest point: 4	(feet)	
Distance to nearest water well within one-mile of pit Depth to shallo Source of infor		owest fresh waterfeet.		
N/A feet Depth of water well_	feet	measu	measuredwell owner electric logKDWR	
Emergency, Settling and Burn Pits ONLY	4	1	Drilling, Workover and Haul-Off Pits ONLY:	
Producing Formation: Type of ma		Type of materi	pe of material utilized in drilling/workover: drilling mud	
taran da antara da a		orking pits to be utilized: 4		
Barrels of fluid produced daily:		Abandonment procedure: air dry and backfill		
Does the slope from the tank battery allow all spilled fluids to flow into the pit?		be closed within 365 days of spud date.		
I hereby certify that the above stat	tements are true and	correct to the bes	t of my knowledge and belief.	RECEIVED
June 14, 2007 Date		onna	Manda Gignature of Applicant or Agent	JUN 1 4 2007
		OFFICE USE A	AH V	CONSERVATION DIVISION WICHITA, KS
	KCC	OFFICE USE O	NLY	
Date Received: 4/62 Permit Nur	mber:		it Date: 4/14/67 Lease Ins	pection: Yes 🖟 No