For KCC Usc: 4-20-07 Effective Date: 4 District # SGA? Yes X No

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date June 21, 2007 month day year	Spot
, ,	- SW - NW Sec. 26 Twp. 29 S. R. 18 West
OPERATOR: License# 33344	feet from N / S Line of Section 660 Feet from E / W Line of Section
Name: Quest Cherokee LLC	Is SECTION ✓ RegularIrregular?
Address: 9520 North May Avenue, Suite 300 City/State/Zip: Oklahoma City, Oklahoma 73120	is SECTIONnegularirregular?
City/State/Zip: Chandina City, Chandina 73 (20	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Richard Marlin	County: Neosho
Phone: (405) 463-6880	Lease Name: Goins Trust Well #: 26-4 Field Name: Cherokee Basin CBM
CONTRACTOR: License# Will be licensed by the KCC	
Name: Will advise on the ACO-1	Is this a Prorated / Spaced Field?Yes
	Target Formation(s): Cherokee Coals
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 660
Oil Enh Rec / Infield Mud Rotary	Ground Surface Elevation: 1034 feet MSL
✓ Gas	Water well within one-quarter mile:
OWO Disposal Wildcat Cable	Public water supply well within one mile: Yes ✓ No
Seismic;# of Holes Other	Depth to bottom of fresh water: 100 / Depth to bottom of usable water: 200 /
✓ Other Coalbed Methane	Surface Pipe by Alternate: 1 / 2 /
	Length of Surface Pipe Planned to be set: 25
f OWWO: old well information as follows:	Length of Conductor Pipe required:
Operator:	Projected Total Depth: 1300
Well Name:	Formation at Total Depth: Cherokee Coals
Original Completion Date: Original Total Depth:	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other Air
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone: RECEIVED
	KANSAS CORPORATION COMMISSION
	KANSAS CORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual	KANSAS CORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual	FIDAVIT plugging of this well will comply with K.S.A. 55 et. seqJUN 1 5 2007
The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	KANSAS CORPORATION COMMISSION FIDAVIT plugging of this well will comply with K.S.A. 55 et. seqJUN 1 5 2007 CONSERVATION DIVISION WICHTA KS
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e	KANSAS CORPORATION COMMISSION FIDAVIT plugging of this well will comply with K.S.A. 55 et. seqJUN 1 5 2007 CONSERVATION DIVISION WICHITA, KS
The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> s	KANSAS CORPORATION COMMISSION FIDAVIT plugging of this well will comply with K.S.A. 55 et. seqJUN 1 5 2007 CONSERVATION DIVISION WICHITA, KS eet by circulating cement to the top; in all cases surface pipe shall be set
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into	KANSAS CORPORATION COMMISSION FIDAVIT plugging of this well will comply with K.S.A. 55 et. seqJUN 1 5 2007 CONSERVATION DIVISION WICHITA, KS set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into	KANSAS CORPORATION COMMISSION FIDAVIT plugging of this well will comply with K.S.A. 55 et. seqJUN 1 5 2007 CONSERVATION DIVISION WICHITA, KS set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemei	KANSAS CORPORATION COMMISSION FIDAVIT plugging of this well will comply with K.S.A. 55 et. seqJUN 1 5 2007 CONSERVATION DIVISION WICHITA, KS set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date.
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemely or pursuant to Appendix "B" - Eastern Kansas surface casing order	KANSAS CORPORATION COMMISSION FIDAVIT plugging of this well will comply with K.S.A. 55 et. seqJUN 1 5 2007 CONSERVATION DIVISION WICHITA, KS set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; attended from below any usable water to surface within 120 days of spud date. It is a surface within 120 days of spud date. The surface within 120 days of spud date. The surface within 120 days of spud date.
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> a through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemel Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	KANSAS CORPORATION COMMISSION FIDAVIT plugging of this well will comply with K.S.A. 55 et. seqJUN 1 5 2007 CONSERVATION DIVISION WICHITA, KS set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; igged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemel Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best	KANSAS CORPORATION COMMISSION FIDAVIT plugging of this well will comply with K.S.A. 55 et. seqJUN 1 5 2007 CONSERVATION DIVISION WICHITA, KS set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; attended from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> sthrough all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemel Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best	KANSAS CORPORATION COMMISSION FIDAVIT plugging of this well will comply with K.S.A. 55 et. seqJUN 1 5 2007 CONSERVATION DIVISION WICHITA, KS set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; attended from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemel Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best	KANSAS CORPORATION COMMISSION FIDAVIT plugging of this well will comply with K.S.A. 55 et. seqJUN 1 5 2007 CONSERVATION DIVISION WICHITA, KS set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; attended from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> shall through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plue 6. If an ALTERNATE II COMPLETION, production pipe shall be cemel or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: Date: June 14, 2007 Signature of Operator or Agent:	KANSAS CORPORATION COMMISSION FIDAVIT plugging of this well will comply with K.S.A. 55 et. seqJUN 1 5 2007 CONSERVATION DIVISION WICHITA, KS set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; rigged or production casing is cemented in; nted from below any usable water to surface within 120 days of spud date. r #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: VP
The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either pluch of the appropriate district office will be notified before well be cemeral. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best shall be supported by the statements of the operator of Agent: Date: June 14, 2007	CONSERVATION DIVISION WICHITA, KS set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; attended from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: Rem
The undersigned hereby affirms that the drilling, completion and eventual it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> shall through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plue 6. If an ALTERNATE II COMPLETION, production pipe shall be cemel or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: Date: June 14, 2007 Signature of Operator or Agent:	CONSERVATION DIVISION WICHITA, KS ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; attended from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: Page 16 (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plue 6. If an ALTERNATE II COMPLETION, production pipe shall be cemely or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: Date: June 14, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 26980 - 0000	KANSAS CORPORATION COMMISSION FIDAVIT plugging of this well will comply with K.S.A. 55 et. seqJUN 1 5 2007 CONSERVATION DIVISION WICHITA, KS set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; attended from below any usable water to surface within 120 days of spud date. The plugged in all cases, NOTIFY district office prior to any cementing to be plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plue. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best. Date: June 14, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 26980 - 0000 Conductor pipe required	KANSAS CORPORATION COMMISSION FIDAVIT plugging of this well will comply with K.S.A. 55 et. seqJUN 1 5 2007 CONSERVATION DIVISION WICHITA, KS ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; attended from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing to be plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plue. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer. 7. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best plate: 8. June 14, 2007 Signature of Operator or Agent: 8. For KCC Use ONLY API # 15 - 133 - 26980 - 0000 Conductor pipe required 7. Ponce feet Minimum surface pipe required 7. June 14, 2007 Feet per Alt. **	KANSAS CORPORATION COMMISSION FIDAVIT plugging of this well will comply with K.S.A. 55 et. seqJUN 1 5 2007 CONSERVATION DIVISION WICHITA, KS ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; tigged or production casing is cemented in; titled from below any usable water to surface within 120 days of spud date. r #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. of my knowledge and belief. Title: VP Remember to: Title: VP Remember to: Title: VP Remember to: Title: VP Remember to: Title: VP Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plue. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best plate: Date: June 14, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 26980 - 0000 Conductor pipe required	RANSAS CORPORATION COMMISSION FIDAVIT plugging of this well will comply with K.S.A. 55 et. seqJUN 1 5 2007 CONSERVATION DIVISION WICHITA, KS ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; atted from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual tis agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plue 6. If an ALTERNATE II COMPLETION, production pipe shall be cemerally or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best plate: June 14, 2007	KANSAS CORPORATION COMMISSION FIDAVIT plugging of this well will comply with K.S.A. 55 et. seqJUN 1 5 2007 CONSERVATION DIVISION WICHITA, KS ach drilling rig; ach drilling r
The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plue. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best that the statements made herein are true and to the best state: Date: June 14, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 26980 - 0000 Conductor pipe required	RANSAS CORPORATION COMMISSION FIDAVIT plugging of this well will comply with K.S.A. 55 et. seqJUN 1 5 2007 CONSERVATION DIVISION WICHITA, KS ach drilling rig; ach drilling r
The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on e 3. The minimum amount of surface pipe as specified below <i>shall be</i> sthrough all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plue 6. If an ALTERNATE II COMPLETION, production pipe shall be cemerally or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: Date: June 14, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 26980 - 0000 Conductor pipe required Minimum surface pipe required Approved by: 58 6-15-07 This authorization expires: 12 - 15-07	KANSAS CORPORATION COMMISSION FIDAVIT plugging of this well will comply with K.S.A. 55 et. seqJUN 1 5 2007 CONSERVATION DIVISION WICHITA, KS ach drilling rig; ach drilling r

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 133 - 26980 - 0000	Location of Well: County: Neosho
Operator: Quest Cherokee LLC	1940 feet from V / S Line of Section
Lease: Goins Trust	660 feet from E / V W Line of Section
Well Number: 26-4	Sec. 26 Twp. 29 S. R. 18 ✓ East Wes
Field: Cherokee Basin CBM	
Number of Acres attributable to well: QTR / QTR / QTR of acreage:	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

				·
Operator Name: Quest Cherokee LLC		License Number: 33344		
Operator Address: 9520 North May	y Avenue, Su	ite 300 Ok	lahoma City, Oklahoma	a 73120
Contact Person: Richard Marlin		Phone Number: (405) 463 - 6880		
Lease Name & Well No.: Goins Trust #26-4		Pit Location (QQQQ):		
Type of Pit:	Pit is:			
Emergency Pit Burn Pit	Proposed	Existing	Sec. 26 Twp. 29 R. 18 📝 East 🗌 West	
Settling Pit	If Existing, date constructed:		1940 Feet from 🗸 North / South Line of Section	
Workover Pit Haul-Off Pit			660 Feet from East / West Line of Section	
(If WP Supply API No. or Year Drilled)	Pit capacity: 300	(bbls)	Neceho	County
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration:	mg/l
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner	
Pit dimensions (all but working pits):	30 Length (f	eet) 10	Width (feet)	N/A: Steel Pits
Depth f	rom ground level to d	eepest point:	(feet)	
		Air Drilling	Operation Lasting Approx	3 Days
Distance to nearest water well within one-mile of pit Depth to shallo Source of infor		owest fresh waterfeet.		
		measu	uredwell owner electric logKDWR	
Emergency, Settling and Burn Pits ONLY		_	cover and Haul-Off Pits ONLY:	
Producing Formation: Type of mat			of material utilized in drilling/workover: Air Drilled	
		rking pits to be utilized: One		
Barrels of fluid produced daily: Abandonment p		procedure: Air Dry, Back Fill and Cover		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		be closed within 365 days of spud da	RECEIVED ANSAS CORPORATION COMMISSION	
I hereby certify that the above stat	ements are true and	correct to the bes	t of my knowledge and belief.	JUN 15 2007
June 14, 2007 Date		A scha	ignature of Applicant or Agent Dy	CONSERVATION DIVISION WICHITA, KS
	ксс	OFFICE USE O	NLY	
Date Received: 4/5/07 Permit Nun	nber:	Perm	it Date: 6/15/07 Lease Insp	ection: Yes 🛂 No