For KCC Use: Effective Date: District # SGA? Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date June 21, 2007 day year	Spot
22244	1980 feet from V N / S Line of Section **
OPERATOR: License# 33344	2060feet from ✓ E / W Line of Section ◄
Name: Quest Cherokee LLC Address: 9520 North May Avenue, Suite 300	Is SECTION Regular Irregular?
Address: Oklahoma City, Oklahoma 73120	
City/State/Zip:	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Richard Marlin Phone: (405) 463-6880	County: Neosho Lease Name: John, Robert K. Well #: 33-2
Phone: 400) 400-0000	Field Name: Cherokee Basin CBM
CONTRACTOR: License# Will be licensed by the KCC	
Name: Will advise on the ACO-1	Is this a Prorated / Spaced Field? Target Formation(s): Cherokee Coals Yes ✓ N
14/10	Nearest Lease or unit boundary: 580
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 1033feet MS
Oil Enh Rec 🗸 Infield 🖊 Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. ✓ Air Rotary ✓	Public water supply well within one mile:
CWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100
Seismic;# of Holes Other	Depth to bottom of usable water: 200
✓ Other Coalbed Methane	Surface Pipe by Alternate: 1 1 2
	Length of Surface Pipe Planned to be set: 25
f OWWO: old well information as follows:	Length of Conductor Pipe required:
Operator:	Projected Total Depth: 1300
Well Name:	Formation at Total Depth: Cherokee Coals
Original Completion Date:Original Total Depth:	Make Cause for Drilling Operations
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Water Source for Drilling Operations. Well Farm Pond Other Air
f Yes, true vertical depth:	
r fes, tide vertical deptil.	DWR Permit #:
Pottom Hole Logation:	(Niete Apply for Parmit with DIVID
	(Note: Apply for Permit with DWR)
	Will Cores be taken? Yes ✓ N
	Will Cores be taken? Yes ✓ N If Yes, proposed zone:
AFF	Will Cores be taken? If Yes, proposed zone: IDAVIT RECEIVED
CCC DKT #:AFF	Will Cores be taken? Yes ✓ N If Yes, proposed zone:
AFF The undersigned hereby affirms that the drilling, completion and eventual p	Will Cores be taken? If Yes, proposed zone: IDAVIT RECEIVED RECEIVED RECEIVED RECEIVED RECEIVED RECEIVED
AFF The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met:	Will Cores be taken? If Yes, proposed zone: IDAVIT RECEIVED
AFF The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea	Will Cores be taken? If Yes, proposed zone: IDAVIT RECEIVED RUGging of this well will comply with K.S.A. 55 eKANSAS CORPORATION COMMISS JUN 15 2007 ch drilling rig;
AFF The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be so</i>	Will Cores be taken? If Yes, proposed zone: IDAVIT RECEIVED Illugging of this well will comply with K.S.A. 55 eKANSAS CORPORATION COMMISS JUN 1 5 2007 In the complete of the control of the contro
AFF The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into t	Will Cores be taken? If Yes, proposed zone: IDAVIT RECEIVED RUGGING of this well will comply with K.S.A. 55 eKANSAS CORPORATION COMMISS JUN 15 2007 Ch drilling rig; et by circulating cement to the top; in all cases surface (SISTEMATION COVER) he underlying formation.
AFF The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the	Will Cores be taken? If Yes, proposed zone: IDAVIT RECEIVED Illugging of this well will comply with K.S.A. 55 eKANSAS CORPORATION COMMISS JUN 15 2007 In the drilling rig; If the property of the top; in all cases surface the content of the underlying formation. In the underlying formation and placement is necessary prior to plugging;
AFF The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be so</i> through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plus	Will Cores be taken? If Yes, proposed zone: IDAVIT RECEIVED RUGGING of this well will comply with K.S.A. 55 eKANSAS CORPORATION COMMISS JUN 15 2007 Ch drilling rig; et by circulating cement to the top; in all cases surface (SERVATION COVER) the underlying formation. WICHITA, KS district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in;
AFF The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order	Will Cores be taken? If Yes, proposed zone: IDAVIT RECEIVED RUGGING of this well will comply with K.S.A. 55 eKANSAS CORPORATION COMMISS JUN 15 2007 Ch drilling rig; et by circulating cement to the top; in all cases surface place of the underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing
AFF The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order	Will Cores be taken? If Yes, proposed zone: IDAVIT RECEIVED RUGGING of this well will comply with K.S.A. 55 eKANSAS CORPORATION COMMISS JUN 15 2007 Ch drilling rig; et by circulating cement to the top; in all cases surface (SERVATION COVER) the underlying formation. WICHITA, KS district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in;
AFF The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	If Yes, proposed zone: IDAVIT RECEIVED Illugging of this well will comply with K.S.A. 55 eKANSAS CORPORATION COMMISS JUN 1 5 2007 In the complete of the control of th
AFF The undersigned hereby affirms that the drilling, completion and eventual pet is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into t. 4. If the well is dry hole, an agreement between the operator and the c. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of	If Yes, proposed zone: IDAVIT RECEIVED Illugging of this well will comply with K.S.A. 55 eKANSAS CORPORATION COMMISS JUN 1 5 2007 ch drilling rig; et by circulating cement to the top; in all cases surface NSERVATAN DIVISION he underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.
AFF The undersigned hereby affirms that the drilling, completion and eventual pet is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into temperature. 4. If the well is dry hole, an agreement between the operator and the centre of the surface district office will be notified before well is either pluging the analysis of the spunding order must be completed within 30 days of the spunding or the well shall hereby certify that the statements made herein are true and to the best of	If Yes, proposed zone: IDAVIT RECEIVED Illugging of this well will comply with K.S.A. 55 eKANSAS CORPORATION COMMISS JUN 1 5 2007 ch drilling rig; et by circulating cement to the top; in all cases surface NSERVATAN DIVISION he underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.
AFF The undersigned hereby affirms that the drilling, completion and eventual pet is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into t. 4. If the well is dry hole, an agreement between the operator and the c. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of	If Yes, proposed zone: IDAVIT RECEIVED Illugging of this well will comply with K.S.A. 55 eKANSAS CORPORATION COMMISS JUN 1 5 2007 ch drilling rig; et by circulating cement to the top; in all cases surface NSERVATAN DIVISION he underlying formation. district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.
AFF The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be so</i> through all unconsolidated materials plus a minimum of 20 feet into t. 4. If the well is dry hole, an agreement between the operator and the c. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the complete of the statements of the operator of Agent: June 14, 2007	If Yes, proposed zone: IDAVIT RECEIVED Illugging of this well will comply with K.S.A. 55 eKANSAS CORPORATION COMMISS JUN 15 2007 In the underlying formation. In the underlying formation. In the underlying formation are underlying formation. It is trict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; are the from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate 11 cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP
AFF The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the control of the statements of the spud date of the statements of the spud date of the statements of the spud date of the spud date. For KCC Use ONLY	Will Cores be taken? If Yes, proposed zone: IDAVIT RECEIVED RECEIVED Received Received JUN 15 2007 Ch drilling rig; Let by circulating cement to the top; in all cases surface to plugging; contained to the top; in all cases surface to plugging; contained to the top; in all cases surface to plugging; contained to the top; in all cases are prior to plugging; contained to the top; in all cases surface to plugging; contained to the top; in all cases are prior to plugging; contained to the top; in all cases surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to the plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP
AFF The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be so</i> through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the complete of th	If Yes, proposed zone: IDAVIT RECEIVED Illugging of this well will comply with K.S.A. 55 eKANSAS CORPORATION COMMISS JUN 15 2007 In the underlying formation. In the underlying formation. In the underlying formation are underlying formation. It is trict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; are the from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate 11 cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP
AFF The undersigned hereby affirms that the drilling, completion and eventual p t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemen Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date: June 14, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 26 977 - 0000 Conductor pipe required 1000 - 10	IDAVIT RECEIVED JUN 15 2007 ch drilling rig; et by circulating cement to the top; in all cases surface Nichta, KS district office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
AFF The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the construction of the surface will be notified before well is either plus of the surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the surface case o	IDAVIT RECEIVED JUN 15 2007 ch drilling rig; et by circulating cement to the top; in all cases surface prior to plugging; ged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP Remember to: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
AFF The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eason through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the set of the well is district office will be notified before well is either pluguated. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the construction of the set of th	IDAVIT RECEIVED JUN 15 2007 ch drilling rig; et by circulating cement to the top; in all cases surface Nichta, KS district office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
AFF The undersigned hereby affirms that the drilling, completion and eventual parties agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eason through all unconsolidated materials plus a minimum of 20 feet into the following all unconsolidated materials plus a minimum of 20 feet into the following all unconsolidated materials plus a minimum of 20 feet into the following all unconsolidated materials plus a minimum of 20 feet into the following all unconsolidated materials plus a minimum of 20 feet into the following all unconsolidated materials plus a minimum of 20 feet into the following and the value of the well is either plus and the following minimum surface pipe required feet per Alt. Approved by: Signature of Operator or Agent: Approved by: Approved by	If Yes, proposed zone: IDAVIT RECEIVED Illugging of this well will comply with K.S.A. 55 eKANNAS CORPORATION COMMISS JUN 15 2007 The drilling rig; In the underlying formation. In the underlying formation. In the underlying formation. In the place or production casing is cemented in; In the form below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual provided is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each an accordance of intent to drill shall be posted on each and the control of the state of the second of the state of the second of	If Yes, proposed zone: IDAVIT RECEIVED Illugging of this well will comply with K.S.A. 55 eKANSAS CORPORATION COMMISS JUN 15 2007 The drilling rig; If by circulating cement to the top; in all cases surface production casing is cemented in; Ided from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP Remember to: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
AFF The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into t. 4. If the well is dry hole, an agreement between the operator and the construction of the surface will be notified before well is either plug. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plant	If Yes, proposed zone: IDAVIT RECEIVED Illugging of this well will comply with K.S.A. 55 eKANNAS CORPORATION COMMISS JUN 15 2007 The drilling rig; In the underlying formation. In the underlying formation. In the underlying formation. In the place or production casing is cemented in; In the form below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into to the description of the well is dry hole, an agreement between the operator and the construction of the specified district office will be notified before well is either plus of the specified state of the specified district office will be notified before well is either plus of the specified property of the specified state of the specified plus of the spec	If Yes, proposed zone: IDAVIT RECEIVED RECIVED RECIVED RUgging of this well will comply with K.S.A. 55 eKANSAS CORPORATION COMMISS LUN 15 2007 The drilling rig; Let by circulating cement to the top; in all cases surface properties on plug length and placement is necessary prior to plugging; Led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: Title: VP Remember to: Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 133 - 26977 - 0000	Location of Well: County: Neosho		
Operator: Quest Cherokee LLC	1980 feet from VN/ S Line of Section		
Lease: John, Robert K.	feet from N / S Line of Section 2060 feet from F E / W Line of Section		
Well Number: 33-2	Sec. 33 Twp. 29 S. R. 18 Ves		
Field: Cherokee Basin CBM			
Number of Acres attributable to well: QTR / QTR of acreage: _ SW _ NE	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW		

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Quest Cherokee LLC		License Number: 33344			
Operator Address: 9520 North Ma	y Avenue, Su	ite 300 Ok	lahoma City, Oklahoma 7312	0	
Contact Person: Richard Marlin		Phone Number: (405) 463 - 6880			
Lease Name & Well No.: John, Robert K. #33-2		Pit Location (QQQQ):			
Type of Pit:	Pit is:				
☐ Emergency Pit☐ Burn Pit☐ Settling Pit✓ Drilling Pit	✓ Proposed Existing If Existing, date constructed:		Sec. 33 Twp. 29 R. 18 East West 1980 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity: 300 (bbls)		2060 Feet from ✓ East / West Line of Section		
Is the pit located in a Sensitive Ground Water	r Area? ☐ Yes ✓	No	Chloride concentration:	_	
Is the bottom below ground level? Yes No	Artificial Liner? ☐ Yes ✓ No		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):	30 Length (fe			Steel Pits	
		Air Drilling	Operation Lasting Approx 3 Days		
Distance to nearest water well within one-mile of pit Depth to shallo Source of infor		west fresh waterfeet. mation:			
			measured well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY: Drilling, Work		cover and Haul-Off Pits ONLY:			
Producing Formation: Type of materia		ał utilized in drilling/workover: Air Drilled			
Number of producing wells on lease: Number of wor		rking pits to be utilized: One			
Barrels of fluid produced daily:	Abandonment procedure: Air Dry, Back Fill and Cover				
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must to		ial utilized in drilling/workover: All Drilled rking pits to be utilized: One procedure: Air Dry, Back Fill and Cover be closed within 365 days of spud data NSAS CORPORATION COMMISSION			
I hereby certify that the above state	ements are true and	correct to the bes	of my knowledge and belief.	1 5 2007	
June 14, 2007 Date	<u> </u>)		RVATION DIVISION VICHITA, KS	
	КСС	OFFICE USE O	NLY		
Date Received: 6/15/07 Permit Num	nber:	Perm	t Date: 6 \(\s\s\sigma\) Lease Inspection:	Yes 🗷 No	