For KCC Use: Effective Date: District #_ SGA? Yes X No

Kansas Corporation Commission Oil & Gas Conservation Division

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

| Expected Spud Date | |
|--|--|
| month day year | Spot |
| · · · · | 660 Sec. Iwp. S. H. Wes |
| OPERATOR: License# 33344 | 660 feet from E / ✓ W Line of Section |
| Name: Quest Cherokee LLC | Is SECTION ✓ RegularIrregular? |
| Address: 9520 North May Avenue, Suite 300 | - |
| Address: Oklahoma City, Oklahoma 73120 | (Note: Locate well on the Section Plat on reverse side) |
| Contact Person: Richard Mariin | County: Neosho |
| Phone: (405) 463-6880 | Lease Name: John, Velma Well #: 36-2 |
| CONTRACTOR: License# Will be licensed by the KCC | Field Name: Cherokee Basin CBM |
| CONTRACTOR: License# Will advise on the ACO-1 | Is this a Prorated / Spaced Field? |
| Name: Will advise on the Acc-1 | Target Formation(s): Cherokee Coals |
| Well Drilled For: Well Class: Type Equipment: | Nearest Lease or unit boundary: 660 |
| | Ground Surface Elevation: 982 feet MS |
| Oil Enh Rec ✓ Infield Mud Rotary ✓ Gas ✓ Storage Pool Ext. ✓ Air Rotary | Water well within one-quarter mile: |
| | Public water supply well within one mile: Yes VN |
| | Depth to bottom of fresh water: |
| Seismic; # of Holes Other Other Coalbed Methane | Depth to bottom of usable water: 200 |
| V Other | Surface Pipe by Alternate: 1 2 |
| If OWWO: old well information as follows: | Length of Surface Pipe Planned to be set: 25 |
| Operator: | Length of Conductor Pipe required: |
| Well Name: | Projected Total Depth: 1300 |
| Original Completion Date: Original Total Depth: | Formation at Total Depth: Cherokee Coals |
| | Water Source for Drilling Operations: |
| Directional, Deviated or Horizontal wellbore? | Well Farm Pond Other Air |
| If Yes, true vertical depth: | DWR Permit #: |
| Bottom Hole Location: | (Note: Apply for Permit with DWR 🔲) |
| KCC DKT #: | Will Cores be taken? Yes ✓ No |
| | If Yes, proposed zone: RECEIVED |
| Λ FF | IDAVIT KANSAS CORPORATION COM |
| The undersigned hereby affirms that the drilling, completion and eventual pl | |
| It is agreed that the following minimum requirements will be met: | lugging of this well will comply with K.S.A. 55 et. seq. JUN 1 5 2007 |
| , | CONCERNATION DIVISION |
| Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each | CONSERVATION DIVISION WICHITA, KS |
| | |
| The minimum amount of surface pipe as specified below shall be see | |
| | et by circulating cement to the top; in all cases surface pipe shall be set |
| through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the descriptions are the contract of | et by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. Istrict office on plug length and placement is necessary prior to plugging ; |
| through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dots. The appropriate district office will be notified before well is either plug | et by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. Istrict office on plug length and placement is necessary prior to plugging ; uged or production casing is cemented in; |
| through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dots. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement | et by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. Istrict office on plug length and placement is necessary prior to plugging ; uged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. |
| through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the described 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order | It by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. listrict office on plug length and placement is necessary prior to plugging ; liged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing |
| through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the decision of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed. | et by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. listrict office on plug length and placement is necessary prior to plugging ; igged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. |
| through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the description of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of | It by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. Identical district office on plug length and placement is necessary prior to plugging ; uged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. |
| through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the description of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of | It by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. Identical district office on plug length and placement is necessary prior to plugging ; uged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. |
| through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the description of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of | et by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. listrict office on plug length and placement is necessary prior to plugging; liged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP |
| through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the description of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: Date: June 14, 2007 Signature of Operator or Agent: | It by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. Identical district office on plug length and placement is necessary prior to plugging ; uged or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. |
| through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the description of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: June 14, 2007 Signature of Operator or Agent: | the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Identication of the top of the underlying formation. Identication of the underlying formation. Identication of the underlying formation of the underlyi |
| through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the description of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: Date: June 14, 2007 Signature of Operator or Agent: | the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Identication of the top of the underlying formation. Identication of the underlying formation. Identication of the underlying formation of the underlyi |
| through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the description of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: June 14, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 26976 - 0000 | the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Identication of the top of the underlying formation. Identication of the underlying formation. Identication of the underlying formation of the underlying formation. It is underlying to the underlying of the underlyi |
| through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the description of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: June 14, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 26976 - 0000 Conductor pipe required | the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Identification of plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; |
| through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the description of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: June 14, 2007 | the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Identification of plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: **P** **Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; **Challe with the acreaged before all placeting as injection and trusters.** |
| through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the description of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be removed by a signature of Operator or Agent: Date: June 14, 2007 | the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Identification of plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. |
| through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the description of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: June 14, 2007 | the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Identification of plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: **P** **Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; **Challe with the acreaged before all placeting as injection and trusters.** |
| through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the description of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be removed by a signature of Operator or Agent: Date: June 14, 2007 | the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Identication of the top is an element is necessary prior to plugging; aged or production casing is cemented in; aged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. |
| through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: June 14, 2007 | the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Identication of the top in all cases surface pipe shall be set the underlying formation. Identication of the underlying formation. Identication of the underlying formation of the underlying formation. It is necessary prior to plugging; iged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired |
| through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the description of 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: June 14, 2007 | the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Identication of the top is an element is necessary prior to plugging; aged or production casing is cemented in; aged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. |

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


| API No. 15 - 133 - 26976 - 0000 | Location of Well: County: Neosho |
|---------------------------------------|---|
| Operator: Quest Cherokee LLC | · · · · · · · · · · · · · · · · · · · |
| Lease: John, Velma | 660 feet from N / ✓ S Line of Section 660 feet from E / ✓ W Line of Section |
| Well Number: 36-2 | Sec. 36 Twp. 29 S. R. 18 ✓ East We |
| Field: Cherokee Basin CBM | |
| Number of Acres attributable to well: | Is Section: 🗸 Regular or 🔲 Irregular |
| QTR / QTR / QTR of acreage: SW SW | If Section is Irregular, locate well from nearest corner boundary. |
| | Section corner used: NE NW SE SW |

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (Co-7 for oil wells; CG-8 for gas wells).

APPLICATION FOR SURFACE PIT

Submit in Duplicate

| Operator Name: Quest Cherokee LLC | | License Number: 33344 | |
|--|--|---|--|
| Operator Address: 9520 North May | / Avenue, Su | ite 300 Ok | klahoma City, Oklahoma 73120 |
| Contact Person: Richard Marlin | | Phone Number: (405) 463 - 6880 | |
| Lease Name & Well No.: John, Velma #36-2 | | Pit Location (QQQQ): | |
| Type of Pit: | Pit is: | | swsw_ |
| Emergency Pit Burn Pit | ✓ Proposed Existing | | Sec. 36 _{Twp. 29 R. 18} |
| Settling Pit | If Existing, date constructed: | | 660 Feet from North / 🗸 South Line of Section |
| Workover Pit Haul-Off Pit | Pit capacity: | | Feet from ☐ East / ✓ West Line of Section |
| (If WP Supply API No. or Year Drilled) | 300 | (bbls) | Neosho |
| Is the pit located in a Sensitive Ground Water | | | Chloride concentration: mg/l |
| · | is the pit located in a constitue credit valor vice. | | (For Emergency Pits and Settling Pits only) |
| Is the bottom below ground level? ☐ Yes ✓ No | Artificial Liner? ☐ Yes ✓ | No | How is the pit lined if a plastic liner is not used? |
| Pit dimensions (all but working pits): | 30 Length (fe | eet) 10 | Width (feet) N/A: Steel Pits |
| Depth from ground level to deepest point:10(feet) | | | |
| | | Air Drilling | Operation Lasting Approx 3 Days |
| Distance to nearest water well within one-mile of pit Depth to shallo Source of infor | | owest fresh waterfeet. | |
| | | measu | redwell owner electric log KDWR |
| Emergency, Settling and Burn Pits ONLY: Drilling, Work | | Drilling, Work | over and Haul-Off Pits ONLY: |
| Producing Formation: Type of materi | | al utilized in drilling/workover: Air Drilled | |
| , , | | rking pits to be utilized: One | |
| Barrels of fluid produced daily: | | Abandonment | procedure: Air Dry, Back Fill and Cover RECEIVED |
| Does the slope from the tank battery allow all flow into the pit? Yes No | spilled fluids to | Drill pits must l | be closed within 365 days of spud date. JUN 1 5 2007 |
| I hereby certify that the above statements are true and correct to the best of my knowledge and belief. CONSERVATION DIVISION | | | |
| June 14, 2007 Date | | <u>) </u> | WICHITA, KS |
| KCC OFFICE USE ONLY | | | |
| Date Received: 6/15/07 Permit Num | ıber: | Perm | it Date: \(\(\sigma \) (\(\sigma \) \(\sigma \) Lease Inspection: \(\sigma \) Yes \(\x \) No |