For KCC Use: Effective Date: District # SGA? Yes X No

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date June 21, 2007 month day year	OF ON SE 33 29 18	ast •
•		est
OPERATOR: License# 33344	feet from N / V S Line of Section 1650 feet from V E / W Line of Section	
Name: Quest Cherokee LLC	Is SECTION Regular Irregular?	•
Address: 9520 North May Avenue, Suite 300	IS SECTION Regular Irregular?	
City/State/Zip: Oklahoma City, Oklahoma 73120	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: Richard Marlin	County: Neosho	
Phone: (405) 463-6880	Lease Name: Novotny, Robert M. Well #: 33-2	
CONTRACTOR: License# Will be licensed by the KCC	Field Name: Cherokee Basin CBM	
CONTRACTOR: License# Will be had be had by the NOC. Name: Will advise on the ACO-1	Is this a Prorated / Spaced Field?	No 🗸
Name: Villi advise on the ACO-1	Target Formation(s): Cherokee Coals	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 330 -	
	Ground Surface Elevation: 1019 feet M	ISL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:	No 4
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	No 4
CWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100	
Seismic;# of Holes Other	Depth to bottom of usable water: 200	
✓ Other Coalbed Methane	Surface Pipe by Alternate: ☐ 1	
M. CHARACO. and well information as E-Harris	Length of Surface Pipe Planned to be set: 25	
If OWWO: old well information as follows:	Length of Conductor Pipe required:	
Operator:	Projected Total Depth: 1300	
Well Name:	Formation at Total Depth: Cherokee Coals	
Original Completion Date:Original Total Depth:		_
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations: Well Farm Pond Other Air Well Farm Pond Other	
		_
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR 📋)	
KCC DKT #:	Will Cores be taken? Yes ✓	No
	If Yes, proposed zone:	
ΔFFI	DAVIT	
	DAVII KANSAS CORPORATION COM	MIS
The undersigned hereby affirms that the drilling, completion and eventual pl	KANSAS CORPORATION COM ugging of this well will comply with K.S.A. 55 et. seq.	_
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:	DAVII KANSAS CORPORATION COM	_
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	WANSAS CORPORATION COMugging of this well will comply with K.S.A. 55 et. seq. JUN 1 5 2007	,
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	ugging of this well will comply with K.S.A. 55 et. seq. JUN 1 5 2007 ch drilling rig; KANSAS CORPORATION COM LANSAS CORPORATION COM CONSERVATION DIVISION	,
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i>	wansas corporation compute this well will comply with K.S.A. 55 et. seq. JUN 1 5 2007 The drilling rig; Conservation division by circulating cement to the top; in all cases surface pipe shiphing, ket.	,
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	MANSAS CORPORATION COMugging of this well will comply with K.S.A. 55 et. seq. JUN 15 2007 The drilling rig; CONSERVATION DIVISION of the property of the content of the top; in all cases surface pipe 外的体表,接触 the underlying formation.	ON
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the districtions are the surface of the surf	wansas corporation compugging of this well will comply with K.S.A. 55 et. seq. JUN 1 5 2007 The drilling rig; CONSERVATION DIVISION of the control of the	ON
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cementer.	SANSAS CORPORATION COMpugging of this well will comply with K.S.A. 55 et. seq. JUN 15 2007 The drilling rig; CONSERVATION DIVISION to by circulating cement to the top; in all cases surface pipe shiphing, ket the underlying formation. In the interest office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and the complete shiphing is completed in; and the complete shiphing is completed.	ON
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug if an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order	SANSAS CORPORATION COMpugging of this well will comply with K.S.A. 55 et. seq. JUN 15 2007 The drilling rig; CONSERVATION DIVISION to by circulating cement to the top; in all cases surface pipe shiphing, ket the underlying formation. In the interest office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementically compared to the surface within 120 days of spud date.	ON
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the difference of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug if an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order	SANSAS CORPORATION COMpugging of this well will comply with K.S.A. 55 et. seq. JUN 15 2007 The drilling rig; CONSERVATION DIVISION to by circulating cement to the top; in all cases surface pipe shiphing, ket the underlying formation. In the interest office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and the complete shiphing is completed in; and the complete shiphing is completed.	ON
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the	EANSAS CORPORATION COM- ugging of this well will comply with K.S.A. 55 et. seq. JUN 1 5 2007 The drilling rig; CONSERVATION DIVISION to by circulating cement to the top; in all cases surface pipe shiphing, set the underlying formation. istrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.	ON
The undersigned hereby affirms that the drilling, completion and eventual pleating is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the experiment of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the defect of the appropriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to hereby certify that the statements made herein are true and to the best of	Example 1 Annual Composition of this well will comply with K.S.A. 55 et. seq. JUN 15 2007 The drilling rig; Conservation division to by circulating cement to the top; in all cases surface pipe shiphing, kgf the underlying formation. Its istrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate If cementing the plugged. In all cases, NOTIFY district office prior to any cementing. The matter of this well will comply with K.S.A. 55 et. seq. **Tonic Tonic Ton	ON
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the	Example 1 Annual Composition of this well will comply with K.S.A. 55 et. seq. JUN 15 2007 The drilling rig; Conservation division to by circulating cement to the top; in all cases surface pipe shiphing, kgf the underlying formation. Its istrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate If cementing the plugged. In all cases, NOTIFY district office prior to any cementing. The matter of this well will comply with K.S.A. 55 et. seq. **Tonic Tonic Ton	ON
The undersigned hereby affirms that the drilling, completion and eventual pleating is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the experiment of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the defect of the appropriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall to hereby certify that the statements made herein are true and to the best of	Set drilling rig; the drilling rig; the underlying formation. is the underlying formation. I	ON
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the description of the surface well is either pluguage. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the hereby certify that the statements made herein are true and to the best of Date: June 14, 2007	Example 2007 The drilling rig; the drilling rig; the circulating cement to the top; in all cases surface pipe shiphing, ket the underlying formation. Strict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementiate plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to:	ON
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the description of the surface well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the statements made herein are true and to the best of Date: June 14, 2007	Example 2007 The drilling rig; the drilling rig; the underlying formation. Strict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; self from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementiate plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;	ON ;;
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the description of the surface well is either pluguage. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the hereby certify that the statements made herein are true and to the best of Date: June 14, 2007	Example 1 Annual Complete With K.S.A. 55 et. seq. JUN 1 5 2007 The drilling rig; Conservation Division to by circulating cement to the top; in all cases surface pipe shiphing, set the underlying formation. The interest office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;	ON ; ing
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the difference of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the statements made herein are true and to the best of Date: June 14, 2007	Example 1 Annual Complete With K.S.A. 55 et. seq. JUN 15 2007 The drilling rig; Conservation Division to by circulating cement to the top; in all cases surface pipe shrifting well and placement is necessary prior to plugging ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing by plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	ON ;;
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the difference of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the statements made herein are true and to the best of Date: June 14, 2007	Example 1 Annual Comply with K.S.A. 55 et. seq. JUN 15 2007 The drilling rig; Conservation Division to by circulating cement to the top; in all cases surface pipe shiphing, ket the underlying formation. The interest office on plug length and placement is necessary prior to plugging and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	ON ; ing
The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the description of the sequence of the specified below shall be cemented. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the shall the statements made herein are true and to the best of Date: June 14, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 26973 - 0006 Conductor pipe required feet feet Minimum surface pipe required feet per Alt. (2)	Example 1 Annual Complete With K.S.A. 55 et. seq. JUN 15 2007 The drilling rig; Conservation Division to by circulating cement to the top; in all cases surface pipe shrifting well and placement is necessary prior to plugging ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing by plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	ing
The undersigned hereby affirms that the drilling, completion and eventual pleating of the sagreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the sagreed state of the sagreed of the posted on each of the sagreed of the sagreed of the posted on each of the sagreed of the sagreed of the plant of the sagreed o	Example 1 (a) Section 1 (b) Section 1 (c) Section 2 (c) Se	ing
The undersigned hereby affirms that the drilling, completion and eventual plet is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the spropriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the shall be completed within 30 days of the spud date or the well shall the statements made herein are true and to the best of Date: June 14, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 26973 - 0006 Conductor pipe required	Example 1 (Conservation Comply with K.S.A. 55 et. seq.) JUN 15 2007 The drilling rig; Conservation division of the top; in all cases surface pipe shiphing, ket to be circulating cement to the top; in all cases surface pipe shiphing, ket to enderlying formation. In the complete or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	ing
The undersigned hereby affirms that the drilling, completion and eventual please of that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the description of the surface well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the shall the statements made herein are true and to the best of Date: June 14, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 26973 - 0006 Conductor pipe required feet Minimum surface pipe required feet Approved by: SB 4-75-07	Un 15 2007 The drilling rig; Conservation Division to be underlying formation. In this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	ing
The undersigned hereby affirms that the drilling, completion and eventual please of that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a copy of the approved notice of intent to drill shall be posted on each and a copy of the approved notice of intent to drill shall be posted on each and a copy of the approved notice of intent to drill shall be posted on each and a copy of the approved to surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the determinent of the well is drived to the determinent of the post of the spud date or the well shall to the determinent of the dete	ugging of this well will comply with K.S.A. 55 et. seq. JUN 15 2007 The drilling rig; CONSERVATION DIVISION To be circulating cement to the top; in all cases surface pipe shuthing, ket the underlying formation. In instrict office on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired	ing 29 29
The undersigned hereby affirms that the drilling, completion and eventual plet is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the spropriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the shall be completed within 30 days of the spud date or the well shall the statements made herein are true and to the best of Date: June 14, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 26973 - 0006 Conductor pipe required	ANNSAS CORPORATION COMbugging of this well will comply with K.S.A. 55 et. seq. JUN 15 2007 The drilling rig; CONSERVATION DIVISION To by circulating cement to the top; in all cases surface pipe shutting region is underlying formation. The underlying formation casing is cemented in; and placement is necessary prior to plugging ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Signature of Operator or Agent:	ing

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 133 - 26973 - 0000	Location of Well: County: Neosho
Operator: Quest Cherokee LLC	330 feet from N / ✓ S Line of Section
Lease: Novotny, Robert M.	1650 feet from 🗸 E / W Line of Section
Well Number: 33-2	Sec. 33 Twp. 29 S. R. 18 🗸 East 🗌 West
Field: Cherokee Basin CBM	
Number of Acres attributable to well: QTR / QTR / QTR of acreage: SE _ SW _ SE	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Quest Cherokee LLC		License Number: 33344	
Operator Address: 9520 North May Avenue, Suite 300 Oklahoma City, Oklahoma 73120			
Contact Person: Richard Marlin		Phone Number: (405) 463 - 6880	
Lease Name & Well No.: Novotny, Robert M. #33-2		Pit Location (QQQQ):	
Type of Pit: Pit is:		<u>SE</u> - <u>SW</u> - <u>SE</u>	
Emergency Pit Burn Pit	sed Existing	Sec. 33 _{Twp.} 29 _{R.} 18	
Settling Pit	date constructed:	330 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit Pit capacity		Feet from ✓ East / West Line of Section	
(If WP Supply API No. or Year Drilled) 30		Neosho County	
Is the pit located in a Sensitive Ground Water Area? Yes	√ No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? ☐ Yes ✓ No ☐ Yes	er? ✓ No	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits): 30 Ler	gth (feet)10	Width (feet) N/A: Steel Pits	
Depth from ground level to deepest point:(feet)			
material, thickness and installation procedure.		Operation Lasting Approx 3 Days	
Distance to nearest water well within one-mile of pit	Depth to shallo Source of infor	west fresh waterfeet.	
N/A feet Depth of water wellf	eet measu	red well owner electric log KDWR	
		over and Haul-Off Pits ONLY:	
		al utilized in drilling/workover: Air Drilled	
		procedure: Air Dry, Back Fill and Cover	
Barrels of fluid produced daily:		RECEIVED KANSAS CORPORATION COMMISSION	
Does the slope from the tank battery allow all spilled fluids t flow into the pit? Yes No	Drill pits must	be closed within 365 days of spud date. JUN 1 5 2007	
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. CONSERVATION DIVISION WICHITA, KS			
June 14, 2007 Date	P)chaid	27/ Carlin Signature of Applicant or Agent Sup A Williams	
KCC OFFICE USE ONLY			
Date Received: 6/15/07 Permit Number:	Perm	it Date: 6/15/07 Lease Inspection: Yes X No	