For KCC Use:
Effective Date: 43-67
District # SGA? Yes X No

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

### NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

| Expected Spud Date June 20, 2007 month day year   | Spot  ApNE Swse NW Sec. 6 Twp. 17 S. R. 21  We   |                          |
|---|--|--------------------------|
| OPERATOR: License# 33065  | 3100 feet from N / S Line of Section   |                          |
| Name: Hoehn Oil and Ranch   | 3622feet from ✓ E / W Line of Section  |                          |
| Address: 40971 W. 247th Street  | is SECTIONRegularirregular?  |                          |
| City/State/Zip: Wellsville, KS 66092  | (Note: Locate well on the Section Plat on reverse side)  |                          |
| Contact Person: Jim Hoehn   | County: Franklin   | _                        |
| Phone: (913) 244-1482   | Lease Name: Anderson Well #: 27  |                          |
| 8509  | Field Name: Paola Rantoul  | _                        |
| CONTRACTOR: License# 8509  Name: Evans Energy Development, Inc.   | Is this a Prorated / Spaced Field?   | lo                       |
| Name:   | Target Formation(s): Squirrel  | _                        |
| Well Drilled For: Well Class: Type Equipment:   | Nearest Lease or unit boundary: 338'  Ground Surface Elevation: Na feet MS   |                          |
| ✓ Oil Enh Rec ✓ Infield Mud Rotary  |  |                          |
| Gas Storage Pool Ext. ✓ Air Rotary  | Water well within one-quarter mile:  Public water supply well within one mile:  Yes ✓!  Yes ✓!   |                          |
| OWWO Disposal Wildcat Cable   | Depth to bottom of fresh water: 100° <   |                          |
| Seismic;# of Holes Other  | Depth to bottom of usable water: 200+  | _                        |
| Other   | Surface Pipe by Alternate:  1  ✓ 2   | <del></del>              |
| IS CHARACO. and well information on follows:  | Length of Surface Pipe Planned to be set: 21'  | _                        |
| If OWWO: old well information as follows:  Operator:  | Length of Conductor Pipe required: none  |                          |
| Well Name:  | Projected Total Depth: 750'  | _                        |
| Original Completion Date:Original Total Depth:  | Formation at Total Depth: Squirrel   | _                        |
|   | Water Source for Drilling Operations:  |                          |
| Directional, Deviated or Horizontal wellbore? Yes ✓ No  | Well Farm Pond Other X   |                          |
| If Yes, true vertical depth:  | DWR Permit #:  | _                        |
| Bottom Hole Location:   | (Note: Apply for Permit with DWR 🗌 )   |                          |
| KCC DKT #:  | Will Cores be taken? Yes ✓   | io                       |
|   |  |                          |
|   | If Yes, proposed zone:RECEIVET   |                          |
| AFFI  | If Yes, proposed zone: RECEIVED  ANSAS CORPORATION O   |                          |
| AFFII The undersigned hereby affirms that the drilling, completion and eventual plu   | DAVIT  KANSAS CORPORATION C  | OMMISSION                |
| The undersigned hereby affirms that the drilling, completion and eventual plu   | DAVIT KANSAS CORPORATION C   | OMMISSION                |
| The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  | DAVIT  Ingging of this well will comply with K.S.A. 55 et. seq.  JUN 1 5 20  CONSERVATION DIVIDED TO C | OMMISSION<br>)7<br>ISION |
| The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis   | regging of this well will comply with K.S.A. 55 et. seq.  JUN 15 20  CONSERVATION DIVIDED TO THE CONSERVATION DIVI | OMMISSION<br>)7<br>ISION |
| The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg.   | regging of this well will comply with K.S.A. 55 et. seq.  JUN 1 5 20  CONSERVATION DIV  The drilling rig;  T | OMMISSION<br>)7<br>ISION |
| The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an informal amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the surface propriate district office will be notified before well is either plugges. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order the surface of | pavit  Ingging of this well will comply with K.S.A. 55 et. seq.  JUN 15 20  CONSERVATION DIVIDED TO PROPERTY OF THE CONSERVATI | OMMISSION<br>)7<br>ISION |
| The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be  | ANSAS CORPORATION OF CONSERVATION DIVIDED IN drilling rig;  In drilling rig;  CONSERVATION DIVIDED IN drilling rig;  It by circulating cement to the top; in all cases surface pipe shall be sets to e underlying formation.  In strict office on plug length and placement is necessary prior to plugging, and from below any usable water to surface within 120 days of spud date.  It 33,891-C, which applies to the KCC District 3 area, alternate II cemential e plugged. In all cases, NOTIFY district office prior to any cementing.  | OMMISSION<br>)7<br>ISION |
| The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order the strength of the plugging order that the surface casing order the surface casing order that the surface casing that the surface casing order that the surface casing that t | ANSAS CORPORATION OF CONSERVATION DIVIDED IN drilling rig;  In drilling rig;  CONSERVATION DIVIDED IN drilling rig;  It by circulating cement to the top; in all cases surface pipe shall be sets to e underlying formation.  In strict office on plug length and placement is necessary prior to plugging, and from below any usable water to surface within 120 days of spud date.  It 33,891-C, which applies to the KCC District 3 area, alternate II cemential e plugged. In all cases, NOTIFY district office prior to any cementing.  | OMMISSION<br>)7<br>ISION |
| The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district of the specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be the plust of the spud care of the spud care of the specific plust of the spud care of the spud care of the specific plust.   | ANSAS CORPORATION OF CONSERVATION DIVIDED IN drilling rig;  In drilling rig;  CONSERVATION DIVIDED IN drilling rig;  It by circulating cement to the top; in all cases surface pipe shall be sets to e underlying formation.  In strict office on plug length and placement is necessary prior to plugging, and from below any usable water to surface within 120 days of spud date.  It 33,891-C, which applies to the KCC District 3 area, alternate II cemential e plugged. In all cases, NOTIFY district office prior to any cementing.  | OMMISSION<br>)7<br>ISION |
| The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an interval and the complete and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order and the complete within 30 days of the spud date or the well shall be the plugged in the complete within 30 days of the spud date or the well shall be the plugged in the complete within 30 days of the spud date or the well shall be the plugged in the complete within 30 days of the spud date or the well shall be the plugged in the complete within 30 days of the spud date or the well shall be the plugged in the complete within 30 days of the spud date or the well shall be the plugged in the plugged in the plugged in the plugged in the spud date or the well shall be the plugged in the plugge      | ANSAS CORPORATION OF CONSERVATION DIVIDED IN drilling rig;  In dri | OMMISSION<br>)7<br>ISION |
| The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district of the appropriate district of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the state of the set of the  | ANSAS CORPORATION OF THE LOCAL CONSERVATION OF THE CONSERVATION DIVERS TO A CONSERVATION DIVERS  | OMMISSION<br>)7<br>ISION |
| The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order from the completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of the complete of the complet | ANSAS CORPORATION OF THE LOCAL CONSERVATION OF THE CONSERVATION DIVERS TO A CONSERVATION DIVERS  | OMMISSION<br>)7<br>ISION |
| The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district of the appropriate district of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the state of the set of the  | ANSAS CORPORATION OF CONSERVATION DIVIDED IN drilling rig;  the drilling rig;  to production casing is cemented in; and from below any usable water to surface within 120 days of spud date. Had cases, NOTIFY district office prior to any cementing.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;  | OMMISSION<br>)7<br>ISION |
| The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of the prior of the sall through all unconsolidated materials plus a minimum of 20 feet into the driving all unconsolidated materials plus a minimum of 20 feet into the driving and the prior of the sall be removed that the sall be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order and the prior of the spud date or the well shall be appropriated to the prior of the spud date or the well shall be appropriated before the prior of the spud date or the well shall be appropriated before the prior of the spud date or the well shall be appropriated before the prior of the spud date or the well shall be appropriated before the prior of the spud date or the well shall be appropriated before the prior of the spud date or the well shall be appropriated before the prior of the spud date or the well shall be appropriated before the prior of the spud date or the spud date or the well shall be appropriated before the prior of the spud date or the spud date or the well shall be appropriated before the prior of the spud date or the spud date or the well shall be appropriated before the prior of the spud date or th | ANSAS CORPORATION OF THE LOCAL CONSERVATION OF THE CONSERVATION DIVERS TO A CONSERVATION DIVERS  | OMMISSION<br>)7<br>ISION |
| The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugs 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order in must be completed within 30 days of the spud date or the well shall be a completed. It hereby certify that the statements made herein are true and to the best of the plug 1. Details and 1. Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - OS9 - 25 225 DOOD  Conductor pipe required Details feet per Alt 20.   | In drilling rig;  In drilling  | OMMISSION<br>)7<br>ISION |
| The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of Date: June 15, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - OS9 - 25 22 5 2000  Conductor pipe required   | ANSAS CORPORATION OF CONSERVATION DIVIDED IN drilling rig;  the drilling rig;  the drilling rig;  the drilling rig;  the underlying formation.  Strict office on plug length and placement is necessary prior to plugging;  and from below any usable water to surface within 120 days of spud date.  133,891-C, which applies to the KCC District 3 area, alternate If cementic is plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;   | OMMISSION<br>)7<br>ISION |
| The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order at must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and to the best of the plugged of the spud date or the well shall be completed.  For KCC Use ONLY  API # 15 - OS9-253250000  Conductor pipe required NONE feet  Minimum surface pipe required feet  Minimum surface pipe required feet  Minimum surface pipe required feet  This authorization expires:   2 - 18 - 07  | ANSAS CORPORATION OF CONSERVATION DIVIDED IN drilling rig;  In drilling rig;  In drilling rig;  In drilling rig;  CONSERVATION DIVIDED IN the construction of the cons | OMMISSION<br>)7<br>ISION |
| The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of Date: June 15, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - OS9 - 25 22 5 2000  Conductor pipe required  | ANSAS CORPORATION OF CONSERVATION OF CONSERVATION DIVERS OF CONSERVA | OMMISSION<br>)7<br>ISION |
| The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the firm appropriate district office will be notified before well is either plugg. The appropriate district office will be notified before well is either plugg. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order at must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of Date: June 15, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - OS9-253250000  Conductor pipe required NONE feet  Minimum surface pipe required feet  Minimum surface pipe required feet  This authorization expires:   2 - 18 - 07  | ANSAS CORPORATION OF CONSERVATION DIVIDED IN drilling rig;  In drilling rigins  In drilling rig;  In drilling rig;  In drilling rig;  In d | OMMISSION<br>)7<br>ISION |

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


| API No. 15 - 059-252250200                   | Location of Well: County: Franklin   |
|--|--|
| Operator: Hoehn Oil and Rench                |  |
| Lease: Anderson                              | 3100 feet from N / S Line of Section  3622 feet from Y E / W Line of Section                         |
| Well Number: 27                              | Sec. 6 Twp. 17 S. R. 21 ✓ East Wes   |
| Field: Paola Rantoul                         |  |
| Number of Acres attributable to well:        | Is Section: Regular or ✓ Irregular   |
| QTR / QTR / QTR of acreage: ApNE - SWSE - NW | If Section is irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW |

#### PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

|    |     |     | • | • | • |
|----|-----|-----|---|---|---|
|    | •   |     | • | • |   |
|    |     |     |   | • |   |
|    |     |     |   |   |   |
|    |     |     |   |   |   |
|    |     |     |   |   |   |
|    |     |     | • | • | • |
|    |     |     | • | • |   |
|    | _   |     |   |   |   |
|    |     |     |   |   |   |
|    |     |     |   |   |   |
|    | •   | •   | • | • | • |
|    | •   |     | • | • | • |
| Į. | •   |     |   |   | • |
| ŀ  |     |     |   |   |   |
|    |     |     |   |   |   |
|    | · — | .   | • | • |   |
| İ  | -   | •   |   | • | • |
|    |     | . ' | • | • | • |
|    |     |     |   | • | • |
|    |     |     |   |   |   |
|    |     | •   | • | • | • |
| 1  |     | •   | • | • | • |
|    |     | .   |   | • | • |
|    |     |     |   |   |   |
|    |     |     |   |   |   |
|    |     | ļ   |   |   |   |
|    |     | •   | • |   | • |
| 1  | • • | •   | • | • | • |
|    | -   | -   | - |   | - |
|    | ·   |     |   |   |   |
|    |     |     |   |   |   |
| ļ  |     |     | • | • |   |
| 1  | •   |     | • | • | • |
|    |     | .   | • | • | • |
|    |     |     |   |   |   |
|    |     | , I | • | • |   |
| 1  |     | . 1 |   |   | • |
| 1  | •   |     |   | • | _ |
| 1  | •   | •   | • | • | • |
|    |     |     |   |   |   |
|    |     | .   | • | • | • |



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

| Operator Name: Hoehn Oil and Ranch   |                                | License Number: 33065                |  |  |  |
|--|--------------------------------|--------------------------------------|--|--|--|
| Operator Address: 40971 W. 247tl   | h Street, Wells                | sville, KS 6                         | 66092  |  |  |
| Contact Person: Jim Hoehn  |                                | Phone Number: ( 913 ) 244 - 1482     |  |  |  |
| Lease Name & Well No.: Anderson #  | 27                             |                                      | Pit Location (QQQQ):   |  |  |
| Type of Pit:   | Pit is:                        |                                      | ApNE SW SE NW  |  |  |
| Emergency Pit ☐ Burn Pit ☐ Settling Pit ☑ Drilling Pit   | Proposed  If Existing, date co | Existing                             | Sec. 6 Twp. 17 R. 21   |  |  |
| Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)  | Pit capacity:                  | (bbls)                               | Feet from North / South Line of Section  3622 Feet from Feet from East / West Line of Section  Franklin County   |  |  |
| Is the pit located in a Sensitive Ground Water   | r Area? ☐ Yes 🗸                | No                                   | Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)  |  |  |
| Is the bottom below ground level?  Yes No  | Artificial Liner?              |                                      | How is the pit lined if a plastic liner is not used?  native clay  |  |  |
| If the pit is lined give a brief description of the material, thickness and installation procedure   |                                |                                      | dures for periodic maintenance and determining notuding any special monitoring.  |  |  |
| Source of informeasu  Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all spilled fluids to |                                | owest fresh watert 7 feet.           |  |  |  |
|  |                                | measuredwell owner electric log KDWR |  |  |  |
|  |                                | Type of materia                      | prilling, Workover and Haul-Off Pits ONLY:  Type of material utilized in drilling/workover:  It drilling mud    |  |
|  |                                | •                                    |  |  |  |
| June 15, 2007  Date  | A L                            | nna                                  | JUN 1 5 2007  JUN 1 5 2007  Gnature of Applicant or Agent  WICHITA KS  |  |  |
|  | KCC 0                          | OFFICE USE ON                        | ILY  |  |  |
| Date Received: \(\frac{\lphi}{\lphi}\left(\log\left(\column\)\) Permit Num   |                                |                                      | t Date:  |  |  |