# For KCC Use: (a-Z3 · O7) District # 3

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

## NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

	_
Expected Spud Date June 20, 2007	Spot   ✓ East
month day year	NW NW Sec. 21 Twp. 30 S. R. 15 West
33365	502feet from V N / S Line of Section
OPERATOR: License# 33365	523feet from E / W Line of Section
Name: Layrie Energy Operating, EEO  Address: 1900 Shawnee Mission Parkway	Is SECTION   ✓ RegularIrregular?
Address: 1900 Shawler Mission Woods, KS 66205	(Note: Locate well on the Section Plat on reverse side)
City/State/Zip: Missist Notation Contact Person: M. Brent Nattrass	County: Wilson
Phone: 913-748-3960	Lease Name: Olenhouse Well #: 4-21
	Field Name: Cherokee Basin Coal
CONTRACTOR: License# 33606	Is this a Prorated / Spaced Field?
Name: Thornton Air	Target Formation(s): Cherokee Coals
Humo.	Nearest Lease or unit boundary: 502'
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 972 feet MSL
Oil Enh Rec 🗸 Infield Mud Rotary	Water well within one-quarter mile:
✓ Gers Storage Pool Ext. ✓ Air Rotary	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 150'
Seismic;# of Holes Other	Depth to bottom of usable water: 200'
Other	Surface Pipe by Alternate: 1 2
	Length of Surface Pipe Planned to be set: 20
If OWWO: old well information as follows:	Length of Conductor Pipe required: None
Operator:	Projected Total Depth: 1500'
Weil Name:	Formation at Total Depth: Mississippian
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other X
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR )
VCC DVT #	1868 Coros ha takon?
KCC DKT #:	Will Cores be taken? Yes ✓ No
KCC DKT #:	If Yes, proposed zone:RECEIVED
	W. W. Carana de Carana
	DAVIT  KANSAS CORPORATION COMMISSION  Lugging of this well will comply with K.S.A. 55 et. seq.
AFFI	DAVIT RECEIVED  KANSAS CORPORATION COMMISSION
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	DAVIT  Ugging of this well will comply with K.S.A. 55 et. seq.  JUN 15 2007
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <b>prior</b> to spudding of well;	DAVIT  KANSAS CORPORATION COMMISSION  Lugging of this well will comply with K.S.A. 55 et. seq.  JUN 15 2007  CONSERVATION DIVISION
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i>	DAVIT  Ungging of this well will comply with K.S.A. 55 et. seq.  Un 1 5 2007  CONSERVATION DIVISION  The drilling rig;  Wight by circulating cement to the top; in all cases surface pipe shall be set
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone:  DAVIT  KANSAS CORPORATION COMMISSION  Ungging of this well will comply with K.S.A. 55 et. seq.  JUN 15 2007  CONSERVATION DIVISION  WICHITA KS  The by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the discontinuous contents of the second cont	DAVIT  KANSAS CORPORATION COMMISSION  ugging of this well will comply with K.S.A. 55 et. seq.  JUN 15 2007  CONSERVATION DIVISION  with drilling rig;  the drilling cement to the top; in all cases surface pipe shall be set the underlying formation.  istrict office on plug length and placement is necessary prior to plugging;
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th  4. If the well is dry hole, an agreement between the operator and the d  5. The appropriate district office will be notified before well is either plug  6. If an ALTERNATE II COMPLETION, production pipe shall be cement	DAVIT  KANSAS CORPORATION COMMISSION  ugging of this well will comply with K.S.A. 55 et. seq.  JUN 15 2007  CONSERVATION DIVISION  the by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. Its istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date.
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th  4. If the well is dry hole, an agreement between the operator and the description of the surface district office will be notified before well is either plug  6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order	DAVIT  KANSAS CORPORATION COMMISSION  ugging of this well will comply with K.S.A. 55 et. seq.  JUN 15 2007  CONSERVATION DIVISION  the drilling rig;  the underlying formation.  istrict office on plug length and placement is necessary prior to plugging;  ged or production casing is cemented in;  ed from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the decention of the surface of the surface will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall in	DAVIT  KANSAS CORPORATION COMMISSION  ugging of this well will comply with K.S.A. 55 et. seq.  JUN 15 2007  CONSERVATION DIVISION  the drilling rig;  the underlying formation.  istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th  4. If the well is dry hole, an agreement between the operator and the description of the surface district office will be notified before well is either plug  6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order	DAVIT  KANSAS CORPORATION COMMISSION  ugging of this well will comply with K.S.A. 55 et. seq.  JUN 15 2007  CONSERVATION DIVISION  the drilling rig;  the underlying formation.  istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the description. The appropriate district office will be notified before well is either pluguage. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall the later of the statements made herein are true and to the best of the spud shall the statements made herein are true and to the best of the spud shall the statements made herein are true and to the best of the spud shall the statements made herein are true and to the best of the spud shall the statements made herein are true and to the best of the spud shall the statements made herein are true and to the best of the spud shall the statements made herein are true and to the shall the statements made herein are true and to the spud shall the statements made herein are true and to the second shall the statements made herein are true and to the spud shall the statements made herein are true and to the spud shall the statements made herein are true and to the spud shall the statements made herein are true and to the spud shall the statements made herein are true and to the spud shall the statements made herein are true and to the spud shall the statements made herein are true and to the spud shall the statements made herein are true and to the spud shall the statements made herein are true and to the spud shall the statements are true and the spud shall the statements are true and the spud shall the statements are true and the spud	DAVIT  KANSAS CORPORATION COMMISSION  ugging of this well will comply with K.S.A. 55 et. seq.  JUN 15 2007  CONSERVATION DIVISION  which drilling rig;  the underlying cement to the top; in all cases surface pipe shall be set to underlying formation.  istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
AFFI The undersigned hereby affirms that the drilling, completion and eventual pl It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the decention of the surface of the surface will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall in	DAVIT  KANSAS CORPORATION COMMISSION  ugging of this well will comply with K.S.A. 55 et. seq.  JUN 15 2007  CONSERVATION DIVISION  the drilling rig;  the underlying formation.  istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an advantage of the spudding of well; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the set of t	DAVIT  KANSAS CORPORATION COMMISSION  ugging of this well will comply with K.S.A. 55 et. seq.  JUN 15 2007  CONSERVATION DIVISION  which drilling rig;  the underlying cement to the top; in all cases surface pipe shall be set to underlying formation.  istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of the plate:  Date: June 13, 2007  Signature of Operator or Agent:	DAVIT  KANSAS CORPORATION COMMISSION  ugging of this well will comply with K.S.A. 55 et. seq.  JUN 15 2007  CONSERVATION DIVISION  which drilling rig;  to by circulating cement to the top; in all cases surface pipe shall be set  ne underlying formation.  istrict office on plug length and placement is necessary prior to plugging;  ged or production casing is cemented in;  ed from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing  be plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall it hereby certify that the statements made herein are true and to the best of the plate:  Date: June 13, 2007  Signature of Operator or Agent:	DAVIT  KANSAS CORPORATION COMMISSION  ugging of this well will comply with K.S.A. 55 et. seq.  JUN 15 2007  CONSERVATION DIVISION  which drilling rig;  to by circulating cement to the top; in all cases surface pipe shall be set to eunderlying formation.  its istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall</i> be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the set of	DAVIT  KANSAS CORPORATION COMMISSION  ugging of this well will comply with K.S.A. 55 et. seq.  JUN 15 2007  CONSERVATION DIVISION  which drilling rig;  the underlying cement to the top; in all cases surface pipe shall be set to underlying formation.  itsirict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and an amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the description of the sequence of the sequ	DAVIT  KANSAS CORPORATION COMMISSION  ugging of this well will comply with K.S.A. 55 et. seq.  JUN 15 2007  CONSERVATION DIVISION  which drilling rig;  the underlying cement to the top; in all cases surface pipe shall be set to enderlying formation.  itsirict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the description of the surface of the surface will be notified before well is either plug to the surface casing order must be completed within 30 days of the spud date or the well shall be the surface of the well shall be the surface of the well shall be the surface of the surface of the well shall be the surface of the surface of the well shall be the surface of the surfac	DAVIT  KANSAS CORPORATION COMMISSION  ugging of this well will comply with K.S.A. 55 et. seq.  JUN 15 2007  CONSERVATION DIVISION  which drilling rig;  the underlying cement to the top; in all cases surface pipe shall be set to underlying formation.  istrict office on plug length and placement is necessary prior to plugging;  ged or production casing is cemented in;  ed from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and an amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the set of the	DAVIT  KANSAS CORPORATION COMMISSION  ugging of this well will comply with K.S.A. 55 et. seq.  JUN 15 2007  CONSERVATION DIVISION  the by circulating cement to the top; in all cases surface pipe shall be set to enderlying formation.  istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the sequence of the well is dry hole, an agreement between the operator and the description of the sequence of the well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the total the statements made herein are true and to the best of the plants of the spud shall be completed.  The record of the statements made herein are true and to the best of the spud shall be completed.  The record of the spud shall be completed within 30 days of the spud date or the well shall be completed.  The record of the spud shall be completed within 30 days of the spud date or the well shall be completed.  The record of the spud shall be completed within 30 days of the spud date or the well shall be completed.  The record of the spud shall be set through the shall be set through the spud shall be set through the	DAVIT  KANSAS CORPORATION COMMISSION  ugging of this well will comply with K.S.A. 55 et. seq.  JUN 15 2007  CONSERVATION DIVISION  the drilling rig;  conservation description of the top; in all cases surface pipe shall be set to underlying formation.  istrict office on plug length and placement is necessary prior to plugging;  ged or production casing is cemented in;  ed from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of	DAVIT  KANSAS CORPORATION COMMISSION  ugging of this well will comply with K.S.A. 55 et. seq.  CONSERVATION DIVISION  the drilling rig;  the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an each and the district office will as a minimum of 20 feet into the district office will be notified before well is either plug and an earliest plus a minimum of 20 feet into the district office will be notified before well is either plug and the district office will be notified before well is either plug and the district office will be notified before well is either plug and to appropriate district office will be notified before well is either plug and to appropriate to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the plug and the statements made herein are true and to the best of the plug and the pl	DAVIT  KANSAS CORPORATION COMMISSION  ugging of this well will comply with K.S.A. 55 et. seq.  CONSERVATION DIVISION  the drilling rig;  the underlying formation.  istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired
The undersigned hereby affirms that the drilling, completion and eventual pleating agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an each and the drill and the set of through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the drill and all the set of the well is dry hole, an agreement between the operator and the drill and all the set of the se	DAVIT  KANSAS CORPORATION COMMISSION  ugging of this well will comply with K.S.A. 55 et. seq.  CONSERVATION DIVISION  the drilling rig;  the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 205 - 27 228 - 0000  Operator: Layne Energy Operating, LLC  Lease: Olenhouse  Well Number: 4-21  Field: Cherokee Basin Coal  Number of Acres attributable to well:  QTR / QTR / QTR of acreage: NW NW	Location of Well: County: Wilson  502

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

523'	523	602'		•				ľ
523'	523	62'		•		:		
523	523			`		•		
523	523	• • • •		I				
523	523							
	i			. 1				
							-	
				_	-			
	1							
						-		
	1							
	!		-			•		
				•	•			
		•		. '		•		
		•	•	·		·		
					•		-	
					,		•	
	l	•						
	1							
								_
		•	*	•				
		•	•	•	1			
	1			·				
		_	_					
				•				
				•				•
		•	•	•		-		•
		•	•	·	L	·		·

NOTE: In all cases locate the spot of the proposed drilling locaton.



CONSERVATION DIVISION WICHITA KS

## In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Layne Energy Operating, LLC			License Number: 33365		
Operator Address: 1900 Shawnee Mission Parkway, Mission Woods, KS 66205					
Contact Person: M. Brent Nattrass		Phone Number: ( 913 ) 748 - 3960			
Lease Name & Well No.: Olenhouse			Pit Location (QQQQ):		
Type of Pit:	Pit is:		NW <u>NW</u> _		
Emergency Pit Burn Pit	✓ Proposed   Existing		Sec. 21 Twp. 30 R. 15 Fast West		
Settling Pit	If Existing, date of	onstructed:	Feet from 🗸 North / South Line of Section		
Workover Pit	Pit capacity:		Feet from East / 📝 West Line of Section		
	, <u>, , , , , , , , , , , , , , , , , , </u>	(bbls)	Wilson County		
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes 🗸	] No	Chloride concentration: mg/l		
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?		
✓ Yes  No	☐ Yes 🗸	No	Self-Sealing		
Pit dimensions (all but working pits):3	O' Length (fe	eet)20'	Width (feet) N/A: Steel Pits		
Depth fr	om ground level to de	eepest point: 3'	(feet)		
If the pit is lined give a brief description of the material, thickness and installation procedure			dures for periodic maintenance and determining notification including any special monitoring.		
material, trickless and installation procedure.			3.7,4		
Distance to nearest water well within one-mile of pit  Dept		Depth to shallo Source of infor	west fresh waterfeet.		
759 feet Depth of water well plugged / 150 feet			redwell owner electric log/ KDWR		
Emergency, Settling and Burn Pits ONLY:			over and Haul-Off Pits ONLY:		
l l			Type of material utilized in drilling/workover: Fresh Water Mud		
			Number of working pits to be utilized: Two		
			nment procedure: Let evaporate until dry, then backfill		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		and restore  Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.  RECEIVED					
KANSAS CORPORATION COMMISSION					
June 13, 2007 Jun 15 2007					
Date		S	ighature of Applicant or Agent CONSERVATION DIVISION		
KCC OFFICE USE ONLY WICHTA, KS					
Date Received: \( \( \lambda \) / 15 \/ 07 \\ Permit Number: \( \lambda \) Yes \( \tilde{\chi} \) No					