# For KCC Use: Effective Date: District # SGA? Yes X No

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

### NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed
Att blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

	Spot	
month day year		S. R. 13 West
OPERATOR: License# 33539		S Line of Section
Inmo. Unerokee Wells, LLC	reet from [ ] E / [ v	W Line of Section
4916 Camo Bowie Blvd., Suite 204	Is SECTIONRegularIrregular?	
city/State/Zip: Fort Worth, TX 76107	(Note: Locate well on the Section Plat on re	verse side)
Contact Person, Rhonda Wilson	County: Elk	
Phone: (620) 378-3650	Lease Name: C. Thomas	Well #: A-1
	Field Name: Cherokee Basin Coal	
ONTRACTOR: License# 33072	Is this a Prorated / Spaced Field?	Yes ✓ No
ame. Well Refined Drilling	Target Formation(s): Mississippian	
W. H. Olivana Tara Francisco	Nearest Lease or unit boundary: 330'	
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 1112.4	feet MSL
Oil Enh Rec / Infield Mud Rotary	Water well within one-quarter mile:	Yes ✓ No
Gas Storage Pool Ext. ✓ Air Rotary	Public water supply well within one mile:	Yes 🗸 No
ONWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100+	
Seismic; # of Holes Other	Depth to bottom of usable water: 225	
Other	Surface Pipe by Alternate: 1 2	
OWWO: old welt information as follows:	Length of Surface Pipe Planned to be set: 40' Minimum	1
	Length of Conductor Pipe required: None	
-	Projected Total Depth: 1350'	
Well Name:	Formation at Total Depth: Mississippian	
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore? Yes ✓ No		
Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR	را
(CC DKT #:	Will Cores be taken?	Yes Vo
	If Yes, proposed zone:	
The undersigned hereby affirms that the drilling, completion and eventual pi	KANSAS CO lugging of this well will comply with K.S.A. 55 et. seq.	RECEIVED  ORPORATION COMMISSIO
t is agreed that the following minimum requirements will be met:	JL	
1. Notify the appropriate district office prior to spudding of well;		JN 19 2007
<ol> <li>Notify the appropriate district office prior to spudding of well;</li> <li>A copy of the approved notice of intent to drill shall be posted on ea.</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the control of the set o</li></ol>	of by circulating cement to the top; in all cases surface the underlying formation.  Illustrict office on plug length and placement is necessary aged or production casing is cemented in; and from below any usable water to surface within 120 at #133,891-C, which applies to the KCC District 3 area,	SERVATION DIVISION PWR Analyse set of plugging; days of spud date. alternate It cementing
<ol> <li>A copy of the approved notice of intent to drill shall be posted on ear</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the set o</li></ol>	of by circulating cement to the top; in all cases surface the underlying formation. Illistrict office on plug length and placement is necessary aged or production casing is cemented in; led from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior if my knowledge and belief.	SERVATION DIVISION PWR Phalical Set of plugging; days of spud date. alternate it cementing.
<ol> <li>A copy of the approved notice of intent to drill shall be posted on ear</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the set o</li></ol>	be by circulating cement to the top; in all cases surface the underlying formation.  Illistrict office on plug length and placement is necessary aged or production casing is cemented in; and from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior if my knowledge and belief.  Title: Office Management of the cases of the control of the cases.	SERVATION DIVISION PWR Phalical Set of plugging; days of spud date. alternate it cementing.
A copy of the approved notice of intent to drill shall be posted on ear     The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the second of the second	be to by circulating cement to the top; in all cases surface the underlying formation.  Illistrict office on plug length and placement is necessary aged or production casing is cemented in; and from below any usable water to surface within 120 at #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior of my knowledge and belief.  Title: Office Management to:	SERVATION DIVISION PURCE FIRE LANGUAGE Set of plugging; days of spud date. alternate If cementing to any cementing.
A copy of the approved notice of intent to drill shall be posted on ear     The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into the s	the by circulating cement to the top; in all cases surface the underlying formation. Illistrict office on plug length and placement is necessary aged or production casing is cemented in; and the form below any usable water to surface within 120 and #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior of my knowledge and belief.  Title: Office Management to:  File Drill Pit Application (form CDP-1) with Intent to E	SERVATION DIVISION PURCE FIRE LANGUAGE Set of plugging; days of spud date. alternate If cementing to any cementing.
<ol> <li>A copy of the approved notice of intent to drill shall be posted on ear.</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the s</li></ol>	the by circulating cement to the top; in all cases surface the underlying formation. Identification of the underlying formation of the underlying formation.  **Title: Office Management of the underlying formation of the underlying formation of the underlying formation.  **Title: Office Management of the underlying formation of the underlying fo	SERVATION DIVISION PURCE FIRE LANGUAGE Set of plugging; days of spud date. alternate It cementing to any cementing.
2. A copy of the approved notice of intent to drill shall be posted on each of the approved notice of intent to drill shall be posted on each of the well is dry hole, an agreement between the operator and the continuous of the second of th	the by circulating cement to the top; in all cases surface the underlying formation. Identification of the underlying formation. Identification of the underlying formation. Identification of the underlying formation. Identification casing is cemented in; and the underlying th	SERVATION DIVISION PURCE FIRE LANGUAGE Set of spud date. alternate It cementing to any cementing.  Drill; ud date; tion orders;
2. A copy of the approved notice of intent to drill shall be posted on ear  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the	the by circulating cement to the top; in all cases surface the underlying formation. Identification of the underlying formation. Identification of the underlying formation. Identification of the underlying formation. Identification casing is cemented in; and the underlying the district of the underlying of the underlying the underlyin	SERVATION DIVISION PURCE FIRE LANGUAGE Set of spud date. alternate If cementing to any cementing.  Drill; ud date; tion orders; inkover or re-entry;
2. A copy of the approved notice of intent to drill shall be posted on ear  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into the set of the set	the by circulating cement to the top; in all cases surface the underlying formation. Identification of the underlying formation. Identification of the underlying formation. Identification of the underlying formation. Identification casing is cemented in; and the underlying th	SERVATION DIVISION PWR ATTACKS est of prior to plugging; days of spud date. alternate II cementing to any cementing.  Drill; ud date; tion orders; inkover or re-entry; upleted;
2. A copy of the approved notice of intent to drill shall be posted on ear  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constitution of the set of the	the by circulating cement to the top; in all cases surface the underlying formation. Identification of the underlying formation of the underlying form	SERVATION DIVISION PURCEITA, Les set purceita, L
2. A copy of the approved notice of intent to drill shall be posted on ear  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the specified district office will be notified before well is either plug of the specified pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the specified o	the by circulating cement to the top; in all cases surface the underlying formation. Identification of the underlying formation. Identification of the underlying formation. Identification of the underlying formation. Identification casing is cemented in; and the underlying the district of the underlying of the underlying the underlyin	SERVATION DIVISION PURCEITA, Les set prior to plugging; days of spud date. alternate It cementing to any cementing.  Drill; ad date; tion orders; arkover or re-entry; apleted; a salt water.
2. A copy of the approved notice of intent to drill shall be posted on ear  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the	the by circulating cement to the top; in all cases surface the underlying formation.  Illistrict office on plug length and placement is necessary aged or production casing is cemented in; ted from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior of my knowledge and belief.  Title: Office Management of the Completion form ACO-1 within 120 days of spice. File acreage attribution plat according to field prora Notify appropriate district office 48 hours prior to wo Submit plugging report (CP-4) after plugging is com Obtain written approval before disposing or injecting If this permit has expired (See: authorized expiration).	SERVATION DIVISION PURCEITA, Les set prior to plugging; days of spud date. alternate It cementing to any cementing.  Drill; ad date; tion orders; arkover or re-entry; apleted; a salt water.
2. A copy of the approved notice of intent to drill shall be posted on ear  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the specified before well is either plug to the specified	the by circulating cement to the top; in all cases surface the underlying formation.  Illistrict office on plug length and placement is necessary aged or production casing is cemented in; ted from below any usable water to surface within 120 #133,891-C, which applies to the KCC District 3 area, be plugged. In all cases, NOTIFY district office prior of my knowledge and belief.  File Drill Pit Application (form CDP-1) with Intent to E File Completion Form ACO-1 within 120 days of spit in File acreage attribution plat according to field prora Notify appropriate district office 48 hours prior to wo in Submit plugging report (CP-4) after plugging is come. Obtain written approval before disposing or injecting if this permit has expired (See: authorized expiration check the box below and return to the address below.	pervation division processes of spud date.  alternate if cementing to any cementing.  per date;  and date;  an

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 049-22463-0000	Location of Well: County: Elk			
Operator: Cherokee Wells, LLC	330 feet from N / ✓ S Line of Section 330 feet from E / ✓ W Line of Section			
Lease: C. Thomas	330 feet from E / V W Line of Section			
Well Number: A-1	Sec18			
Field: Cherokee Basin Coal				
Number of Acres attributable to well:	ts Section: ✓ Regular or Irregular			
QTR / QTR / QTR of acreage:SW	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW			


#### PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

ŀ		-	•				-
	•	•					
i		-	•		•		•
1							
1							
1			-		•		•
1		_			•		
1	-	-					
			-				•
1							
1	•	•	•		•	•	•
1			•		•	-	•
1	_	_					
1	•	•	•		•	•	-
l							
	•	•	•		•	•	-
1					•	-	•
				•			_
	•	•	· 10	ጹ	-	•	•
				O			
	•	•	-		•	•	•
	٠ .		•		•	-	•
i							
1				•			
1							
1							
							_
	•	•	•	i '	•	•	-
		•	•		•		-
1				l			
1							
				1		1-A:	
			٠ ۸	ر پر ان سپیسا	SAC	-/\ _ \ L :	•
1	_			$H = H \cap V$	$-\mathcal{CHP}$	H - 1	_
1	•	-	· · · · · ·	li KO,			•
	_					_	•
33.5			•	l			
330			•	l			
330							
330							
330							
330	19						
330	053				· · · ·		· · · · · · · · · · · · · · · · · · ·
330	330		· · · · · ·			•	

NOTE: In all cases locate the spot of the proposed drilling locaton.



IUN 19 2007

In plotting the proposed location of the well, you must show:

CONSERVATION DIVISION WICHITA, KS

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Cherokee Wells, LLC		License Number: 33539		
Operator Address: 4916 Camp Bowie Blvd., Suite 204 Fort Worth, TX 76107				
Contact Person: Rhonda Wilson		Phone Number: ( 620 ) 378 - 3650		
Lease Name & Well No.: C. Thomas /	A-1		Pit Location (QQQQ):	
Type of Pit:	Pit is:		<u>sw</u> <u>sw</u>	
Emergency Pit Bum Pit	Proposed Existing		Sec. 18 Twp. 29 R. 13	
Settling Pit	If Existing, date constructed:		330 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		330 Feet from East / West Line of Section	
(If WP Supply API No. or Year Drilled)	800	(bbls)	Wilson County	
Is the pit located in a Sensitive Ground Water	Area? Yes ✓	No	Chloride concentration: mg/l	
	<del></del>		(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?  Ves No	Artificial Liner?  Yes ✓ I	No	How is the pit lined if a plastic liner is not used?  Natural Clay & Earth	
	<u> </u>	<del> </del>		
• • • •	Length (fe	_	Width (feet)N/A: Steel Pits	
	om ground level to de		(feet)	
			edures for periodic maintenance and determining ncluding any special monitoring.	
		Depth to shallo Source of infor	west fresh waterfeet.	
NA feet Depth of water well feet		measu		
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in drilling/workover: Fresh Water		
Number of producing wells on lease:		Number of working pits to be utilized: One		
Barrels of fluid produced daily:		Abandonment procedure: Remove Fluids, Allow to Dry and Level Surface		
Does the slope from the tank battery allow all	spilled fluids to	<u></u>		
flow into the pit? 🗸 Yes 🗌 No		Drill pits must be closed within 365 days of spud date.  RECEIVED		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. KANSAS CORPORATION COMMISSION				
			\ \o\ JUN 19 2007	
6/12/07 Date		Monds	Signature of Applicant or Agent CONSERVATION DIVISION	
WICHITA KS				
KCC OFFICE USE ONLY				
Date Received: 6 19 07 Permit Num	ber:	Perm	it Date: 4 19 07 Lease Inspection: Yes X No	