SGA? Yes X No

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

## **NOTICE OF INTENT TO DRILL**

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date	Snot	✓ East
month day year	E/2 NE Sw Sec. 29 Twp. 27 S. R. 14	West
OPERATOR: Ligarce# 33539	1980 teet from N / V S Lin	
OF LIMION. LICENSER	2310 feet from E / V W Lin	e of Section
Name: Cherokee Welts, LLC Address: 4916 Camp Bowie Blvd., Suite 204	Is SECTION Regular Irregular?	e or occion
Address: Fort Worth, TX 76107		
City/State/Zip:	(Note: Locate well on the Section Plat on reverse side	te)
Contact Person: Rhonda Wilson Phone: (620) 378-3650	County: Wilson	Δ_1
Phone: (425) 575 4665	Lease Name: Callarman Well   Field Name: Cherokee Basin Coal	#: <u>^-</u> '
CONTRACTOR: License# 33072		
Name: Well Refined Drilling	is this a Prorated / Spaced Field?	Yes ✓ No
NOTICE.	Target Formation(s): Mississippian	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 1980'	
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: 956.9	feet MSL
✓ Gas Storage Pool Ext. ✓ Air Rotary	Water well within one-quarter mile:	Yes ✓ No
ONWO Disposal Wildcat Cable	Public water supply well within one mile:	Yes / No
Seismic: # of Holes Other	Depth to bottom of fresh water: 100+	
Other	Depth to bottom of usable water: 200+	
Other	Surface Pipe by Alternate: 1 2	_
f OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40' Minimum	
Operator:	Length of Conductor Pipe required: None	
Well Name:	Projected Total Depth: 1350'	
Original Completion Date:Original Total Depth:	Formation at Total Depth: Mississippian	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well ✓ Farm Pond Other	
f Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR	
KCC DKT #:	Will Cores be taken?	Yes V No
	If Yes, proposed zone:	
	REC	CEIVED
		RATION COMMISS
The undersigned hereby affirms that the drilling, completion and eventual p		
		1 0 0007
t is agreed that the following minimum requirements will be met:	JUN	1 9 2007
Notify the appropriate district office <i>prior</i> to spudding of well;		1 9 2007
2. A copy of the approved notice of intent to drill shall be posted on ea	ch drilling rig; CONSERV	ATION DIVISION
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i></li> </ol>	ch drilling rig; CONSERV	ATION DIVISION
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into till.</li> </ol>	ch drilling rig;  CONSERV  by circulating cement to the top; in all cases surface pipe	ATION DIVISION
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on ear</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the sec</li></ol>	ch drilling rig;  CONSERV  by circulating cement to the top; in all cases surface pipe   he underlying formation.  listrict office on plug length and placement is necessary prior	ATION DIVISION
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on ea.</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the constitution.</li> <li>The appropriate district office will be notified before well is either plug</li> </ol>	ch drilling rig;  CONSERVE  The by circulating cement to the top; in all cases surface pipe   The underlying formation.  Strict office on plug length and placement is necessary prior and production casing is cemented in;	ation division diffeeset to plugging;
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on ear</li> <li>The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the sec</li></ol>	ch drilling rig;  CONSERV  If by circulating cement to the top; in all cases surface pipe   If by circulating cement to the top; in all cases surface pipe   If by circulating cement to ended in the constant of the constant	ATION DIVISION  AHT be Set  to plugging;  spud date.
<ol> <li>Notify the appropriate district office prior to spudding of well;</li> <li>A copy of the approved notice of intent to drill shall be posted on ea.</li> <li>The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the control of the surface propriate district office will be notified before well is either plug.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cement.</li> </ol>	ch drilling rig;  CONSERV  It by circulating cement to the top; in all cases surface pipe Whene underlying formation.  Ilistrict office on plug length and placement is necessary prior; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of #133,891-C, which applies to the KCC District 3 area, alternation	ATION DIVISION  All the Set  to plugging;  spud date.  te II cementing
<ol> <li>Notify the appropriate district office prior to spudding of well;</li> <li>A copy of the approved notice of intent to drill shall be posted on ea.</li> <li>The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into til.</li> <li>If the well is dry hole, an agreement between the operator and the office that the appropriate district office will be notified before well is either plug.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall</li> </ol>	ch drilling rig;  CONSERVE by circulating cement to the top; in all cases surface pipe when e underlying formation.  Conserve the underlying formation and placement is necessary prior in great or production casing is cemented in;  Conserve the underlying formation and placement is necessary prior to any in all cases, NOTIFY district office prior to any in the underlying formation and underlying formation.	ATION DIVISION  All the Set  to plugging;  spud date.  te II cementing
<ol> <li>Notify the appropriate district office prior to spudding of well;</li> <li>A copy of the approved notice of intent to drill shall be posted on ea.</li> <li>The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the settlement of the set</li></ol>	ch drilling rig;  CONSERVE by circulating cement to the top; in all cases surface pipe when e underlying formation.  Conserve the underlying formation and placement is necessary prior in great or production casing is cemented in;  Conserve the underlying formation and placement is necessary prior to any in all cases, NOTIFY district office prior to any in the underlying formation and underlying formation.	ATION DIVISION  All the Set  to plugging;  spud date.  te II cementing
<ol> <li>Notify the appropriate district office prior to spudding of well;</li> <li>A copy of the approved notice of intent to drill shall be posted on ea.</li> <li>The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the settlement of the set</li></ol>	ch drilling rig;  CONSERVE by circulating cement to the top; in all cases surface pipe when e underlying formation.  Conserve the underlying formation and placement is necessary prior in great or production casing is cemented in;  Conserve the underlying formation and placement is necessary prior to any in all cases, NOTIFY district office prior to any in the underlying formation and underlying formation.	ATION DIVISION  All the Set  to plugging;  spud date.  te II cementing
<ol> <li>Notify the appropriate district office prior to spudding of well;</li> <li>A copy of the approved notice of intent to drill shall be posted on ea.</li> <li>The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the sether than the sether properties.</li> <li>If the well is dry hole, an agreement between the operator and the construction of the sether plus of the s</li></ol>	ch drilling rig;  CONSERV  It by circulating cement to the top; in all cases surface pipe when e underlying formation.  Ilistrict office on plug length and placement is necessary prior aged or production casing is cemented in; ed from below any usable water to surface within 120 days of #133,891-C, which applies to the KCC District 3 area, alternative plugged. In all cases, NOTIFY district office prior to any firmy knowledge and belief.  Title: Office Manager	ATION DIVISION  All the Set  to plugging;  spud date.  te II cementing
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the driller of the well is dry hole, an agreement between the operator and the control of the specified district office will be notified before well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the control of the specific forms.  Signature of Operator or Agent:	ch drilling rig;  CONSERVE  It by circulating cement to the top; in all cases surface pipe   It by circulating cement to the top; in all cases surface pipe   It by circulating cement to the top; in all cases surface pipe   It by circulating cement to the top; in all cases surface pipe   It is necessary prior to   It is necessary prior	ATION DIVISION  All the Set  to plugging;  spud date.  te II cementing
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the control of the set of the appropriate district office will be notified before well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the control of the statements of the set	ch drilling rig;  CONSERV  It by circulating cement to the top; in all cases surface pipe   It by circulating cement to the top; in all cases surface pipe   It by circulating cement to the top; in all cases surface pipe   It by circulating cement to the top; in all cases surface pipe   It is necessary prior to   It is necessary prior   It i	ATION DIVISION  All the Set  to plugging;  spud date.  te II cementing
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be sethrough all unconsolidated materials plus a minimum of 20 feet into the sether of the well is dry hole, an agreement between the operator and the construction of the sether plug of the specified before well is either plug of the sether plug of the sether plug of the specified before well is either plug of the specified within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the specified within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the specified within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the specified before well is either plug of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the specified below shall be set of the specified below shall be set into the set of the specified below shall be set into the set of the specified below shall be set into the set of the specified below shall be set into the set of the specified below shall be set into the set of the specified below shall be set into the set of the specified below shall be set into the set of the specified below shall be set into the set of the specified below shall be s	ch drilling rig;  CONSERV  It by circulating cement to the top; in all cases surface pipe whe  ne underlying formation.  Ilistrict office on plug length and placement is necessary prior  iged or production casing is cemented in;  ed from below any usable water to surface within 120 days of  #133,891-C, which applies to the KCC District 3 area, alternative plugged. In all cases, NOTIFY district office prior to any  from knowledge and belief.  Titte: Office Manager  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;	ATION DIVISION  All The Set  to plugging;  spud date. te II cementing cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the control of the set of the appropriate district office will be notified before well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the best of the control of the statements of the set	ch drilling rig;  CONSERV  It by circulating cement to the top; in all cases surface pipe   It by circulating cement to the top; in all cases surface pipe   It by circulating cement to the top; in all cases surface pipe   It by circulating cement to the top; in all cases surface pipe   It is necessary prior to   It is necessary prior   It is n	ATION DIVISION  All The Set  to plugging;  spud date. te II cementing cementing.
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ear 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the control of the set of the s	ch drilling rig;  ch drilling rig;  ch by circulating cement to the top; in all cases surface pipe when the underlying formation.  Illistrict office on plug length and placement is necessary prior riged or production casing is cemented in;  ed from below any usable water to surface within 120 days of #133,891-C, which applies to the KCC District 3 area, alternative plugged. In all cases, NOTIFY district office prior to any firmy knowledge and belief.  Title: Office Manager  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration order.  Notify appropriate district office 48 hours prior to workover or	ATION DIVISION  All The Set  to plugging;  spud date. te II cementing cementing.
1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ear 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set into	ch drilling rig;  CONSERV  It by circulating cement to the top; in all cases surface pipe   It by circulating cement to the top; in all cases surface pipe   It by circulating cement to the top; in all cases surface pipe   It by circulating cement to the top; in all cases surface pipe   It is necessary prior to   It is necessary prior   It is n	ATION DIVISION  All the Set  to plugging;  spud date. te II cementing cementing.
1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ear  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of	ch drilling rig;  ch drilling rig;  ch by circulating cement to the top; in all cases surface pipe when e underlying formation.  Illistrict office on plug length and placement is necessary prior iged or production casing is cemented in;  ed from below any usable water to surface within 120 days of #133,891-C, which applies to the KCC District 3 area, alternative plugged. In all cases, NOTIFY district office prior to any firmy knowledge and belief.  Title: Office Manager  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration order.  Notify appropriate district office 48 hours prior to workover or Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt was	tation Division  all the Set  to plugging;  spud date. te II cementing cementing.  ers; r re-entry;
1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ear  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of	ch drilling rig;  ch drilling rig;  ch by circulating cement to the top; in all cases surface pipe when the underlying formation.  Illistrict office on plug length and placement is necessary prior riged or production casing is cemented in;  ed from below any usable water to surface within 120 days of #133,891-C, which applies to the KCC District 3 area, alternative plugged. In all cases, NOTIFY district office prior to any firmy, knowledge and belief.  Title: Office Manager  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration order.  Notify appropriate district office 48 hours prior to workover or Submit plugging report (CP-4) after plugging is completed;	tation Division  all the Set  to plugging;  spud date. te II cementing cementing.  ers; r re-entry;
1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ear  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of	ch drilling rig;  To by circulating cement to the top; in all cases surface pipe when e underlying formation.  Ilistrict office on plug length and placement is necessary prior iged or production casing is cemented in; ed from below any usable water to surface within 120 days of #133,891-C, which applies to the KCC District 3 area, alternative plugged. In all cases, NOTIFY district office prior to any firmy knowledge and belief.  Title: Office Manager  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration order.  Notify appropriate district office 48 hours prior to workover or submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt was all this permit has expired (See: authorized expiration date) plucheck the box below and return to the address below.	tation Division  all the Set  to plugging;  spud date. te II cementing cementing.  ers; r re-entry;
1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ear  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of	ch drilling rig;  To by circulating cement to the top; in all cases surface pipe when e underlying formation.  Ilistrict office on plug length and placement is necessary prior iged or production casing is cemented in; ed from below any usable water to surface within 120 days of #133,891-C, which applies to the KCC District 3 area, alternative plugged. In all cases, NOTIFY district office prior to any firmy knowledge and belief.  Title: Office Manager  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration order.  Notify appropriate district office 48 hours prior to workover or submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt was a lift this permit has expired (See: authorized expiration date) plugeing Notified - Permit Expired	tation Division  all the Set  to plugging;  spud date. te II cementing cementing.  ers; r re-entry;
1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ear  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of	ch drilling rig;  To by circulating cement to the top; in all cases surface pipe when e underlying formation.  Ilistrict office on plug length and placement is necessary prior iged or production casing is cemented in; ed from below any usable water to surface within 120 days of #133,891-C, which applies to the KCC District 3 area, alternative plugged. In all cases, NOTIFY district office prior to any firmy knowledge and belief.  Title: Office Manager  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration order.  Notify appropriate district office 48 hours prior to workover or submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt was all this permit has expired (See: authorized expiration date) plucheck the box below and return to the address below.	tation Division  all the Set  to plugging;  spud date. te II cementing cementing.  ers; r re-entry;

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 205-27236-0000	Location of Well: County: Wilson
Operator: Cherokee Wells, LLC	
Lease: Callarman	1980 feet from N / ✓ S Line of Section 2310 feet from E / ✓ W Line of Section
Well Number: A-1 Field: Cherokee Basin Coal	Sec. 29 Twp. 27 S. R. 14 ✓ East Wes
Number of Acres attributable to well:  QTR / QTR / QTR of acreage:  NE - SW -	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section comer used: NE NW SE SW


#### PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

				•	•
 		· · · · · ·			·
 			-		•
•	- · ·			· ·	· ·
 • • • • • • • • • • • • • • • • • • •				· · · · · · · · · · · · · · · · · · ·	. · · · · · · · · · · · · · · · · · · ·
 9310		: £	19		
 		1	-CA	` : LLARMAN	: . A-J
 ·				•	· ·
•		1980			•
		: }			

NOTE: In all cases locate the spot of the proposed drilling locaton.



JUN 19 2007

CONSERVATION DIVISION WICHITA, KS

## In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Charakaa Walla III C			License Number: 33539	
Operator Name: Cherokee Wells, LLC				
Operator Address: 4916 Camp Bowie Blvd., Suite 204 Fort Worth, TX 76107				
Contact Person: Rhonda Wilson			Phone Number: ( 620 ) 378 - 3650	
Lease Name & Well No.: Callerman A	<b>\-1</b>		Pit Location (QQQQ):	
Type of Pit:	Pit is:		<u>NE</u> _SW	
Emergency Pit Burn Pit	Proposed Existing		Sec. 29 Twp. 27 R. 14	
Settling Pit	If Existing, date constructed:		1980 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit			2310 Feet from East / V West Line of Section	
(If WP Supply API No. or Year Drilled)	Pit capacity: 800	(bbls)	Wilson	
Is the pit located in a Sensitive Ground Water		No	Chloride concentration: ma/l	
is the pic rocated in a Sensitive Ground Water	Alea: [_] les [v	J 140	(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?	
✓ Yes No	Yes 🗸	No 	Natural Clay & Earth	
Pit dimensions (all but working pits):	30 Length (fe	et) 40	Width (feet) N/A: Steel Pits	
Depth fi	rom ground level to de	epest point: 6	(feet)	
If the pit is lined give a brief description of the			dures for periodic maintenance and determining	
material, thickness and installation procedure	₿.	liner integrity, i	ncluding any special monitoring.	
			<u> </u>	
			west fresh waterfeet.	
N/4 feet Depth of water wellfeet		Source of infor	red well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:	·		west fresh waterfeet. mation: redwell ownerelectric logKDWR  over and Haul-Off Pits ONLY: all utilized in drilling/workover: Fresh Water	
			al utilized in drilling/workover: Fresh Water	
1				
		Abandonment procedure: Remove Fluids, Allow to Dry and Level Surface		
Does the slope from the tank battery allow all spilled fluids to				
·			pe closed within 365 days of spud date.	
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.  KANSAS CORPORATION COMMISSION				
6/12 <i>/</i> 07		Thonde	JUN 1 9 2007	
Date		S	ignature of Applicant or Agent CONSERVATION DIVISION	
KCC OFFICE USE ONLY				
Date Received: 6/19/07 Permit Num	iber:	Permi	t Date: 4/19/07 Lease Inspection: Yes X No	