Effective Date: 6-24-07 For KCC Use: SGA? XYes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

	Spot SW	✓ East
Expected Spud Date 6/18/07 month day year	SW SE Sec. 5 Twp. 29	
		S Line of Section
DPERATOR: License# 33539 / Name: Cherokee Wells, LLC	2310 feet from	W Line of Section
4916 Camp Bowie Blvd., Suite 204	Is SECTION ✓ RegularIrregular?	
City/State/Zip: Fort Worth, TX 76107	(Note: Locate well on the Section Plat on	roverse side)
City/State/Zip: Contact Person: Rhonda Wilson	County: Wilson	reverse alue)
Phone: (620) 378-3650	Lease Name. D. Robertson	Well #: A-1
/	Field Name: Cherokee Basin Coal	
CONTRACTOR: License# 33072	Is this a Prorated / Spaced Field?	Yes √ No
lame: Well Refined Drilling	Target Formation(s): Mississippian	
	Nearest Lease or unit boundary: 410'	
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 862.9	feet MSL
Oil Enh Rec / Infield Mud Rotary	Water well within one-quarter mile:	Yes ✓ No.
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	Ves √ No
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100 +	
Seismic; # of Holes Other	Depth to bottom of usable water: 200+	
Other	Surface Pipe by Alternate: 1 2	
	Length of Surface Pipe Planned to be set: 40' Minim	um
f OWWO: old well information as follows:	Length of Conductor Pipe required: None	
Operator:	Projected Total Depth: 1350'	
Well Name:	Formation at Total Depth: Mississippian	
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well ✓ Farm Pond Other	
f Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR	
KCC DKT #:	Will Cores be taken?	Yes ✓ No
	If Yes, proposed zone:	
The undersigned hereby affirms that the drilling, completion and eventual pl	DAVIT ugging of this well will comply with K.S.A. 55 et. seq.	1 1 1 2007
It is agreed that the following minimum requirements will be triet.		JUN 19 2007
 Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on each of the second of th	It by circulating cement to the top; in all cases surface underlying formation. istrict office on plug length and placement is necessaged or production casing is cemented in; ed from below any usable water to surface within 12: #133,891-C, which applies to the KCC District 3 are be plugged. In all cases, NOTIFY district office price	CONSERVATION DIVISION of pipe with the kert arms ary prior to plugging; O days of spud date. a, alternate II cementing
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the s	It by circulating cement to the top; in all cases surface underlying formation. istrict office on plug length and placement is necessary ged or production casing is cemented in; ed from below any usable water to surface within 12: #133,891-C, which applies to the KCC District 3 are be plugged. In all cases, NOTIFY district office prifer my knowledge and belief.	CONSERVATION DIVISION of pipe with the ker arry prior to plugging; O days of spud date. a, alternate II cementing or to any cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the s	It by circulating cement to the top; in all cases surface underlying formation. istrict office on plug length and placement is necessary ged or production casing is cemented in; ed from below any usable water to surface within 12: #133,891-C, which applies to the KCC District 3 are be plugged. In all cases, NOTIFY district office prift my knowledge and belief. Title: Office Ma	CONSERVATION DIVISION of pipe with the ker arry prior to plugging; O days of spud date. a, alternate II cementing or to any cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the search of the search of the well is dry hole, an agreement between the operator and the dry hole, an agreement between the operator and the dry hole, an agreement between the operator and the dry hole, an agreement between the operator and the dry hole, an agreement between the operator and the dry hole, an agreement between the operator and the dry hole, an agreement between the operator and the dry hole, an agreement between the operator and the dry hole, an agreement between the operator and the dry hole, an agreement between the operator and the dry hole, an agreement between the operator and the dry hole, an agreement between the operator and the dry hole, and the dry h	It by circulating cement to the top; in all cases surface underlying formation. istrict office on plug length and placement is necessary in the production casing is cemented in; and from below any usable water to surface within 12: #133,891-C, which applies to the KCC District 3 are to plugged. In all cases, NOTIFY district office print in the production of the print in the plugged. Title: Office Main Remember to:	CONSERVATION DIVISION of Pipe Wiching, Kset any prior to piugging; of spud date. a, alternate II cementing or to any cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the description of the surface district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be coment Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date: 6/12/07 Signature of Operator or Agent: For KCC Use ONLY	It by circulating cement to the top; in all cases surface underlying formation. istrict office on plug length and placement is necessary in the production casing is cemented in; and form below any usable water to surface within 12 to #133,891-C, which applies to the KCC District 3 are to plugged. In all cases, NOTIFY district office print in the production of the production of the production of the production of the print in the	CONSERVATION DIVISION of pipe with high content of the pipe with h
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the search of the search of the well is dry hole, an agreement between the operator and the drill of the well is dry hole, an agreement between the operator and the drill of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the propriate of the spud date or the well shall be completed. I hereby certify that the statements made herein are true and to the best of the spud date. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 2723 4-0000	It by circulating cement to the top; in all cases surface underlying formation. istrict office on plug length and placement is necessary in a surface or production casing is cemented in; ed from below any usable water to surface within 12: #133,891-C, which applies to the KCC District 3 are be plugged. In all cases, NOTIFY district office prifer my knowledge and belief. Title: Office Main Remember to: File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of services.	CONSERVATION DIVISION of pipe with the set any prior to plugging; O days of spud date. a, alternate II cementing or to any cementing. nager Drill; spud date;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an accordance of a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the set of the se	It by circulating cement to the top; in all cases surface underlying formation. istrict office on plug length and placement is necessary in the production casing is cemented in; and form below any usable water to surface within 12 to #133,891-C, which applies to the KCC District 3 are to plugged. In all cases, NOTIFY district office print in the production of the production of the production of the production of the print in the	CONSERVATION DIVISION of pipe within a ker ary prior to plugging; of days of spud date. a, alternate II cementing or to any cementing. Drill; spud date; oration orders;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the description of the surface district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date: 6/12/07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 2723 4-0000 Conductor pipe required 1000 feet feet	the by circulating cement to the top; in all cases surface underlying formation. istrict office on plug length and placement is necessary in a surface or production casing is cemented in; and form below any usable water to surface within 12 and 12 are to plugged. In all cases, NOTIFY district office print in the print of the KCC District 3 are to plugged. In all cases, NOTIFY district office print in the print of the	conservation Division of pipe withing any prior to plugging; of days of spud date. a, alternate II cementing or to any cementing. Drill; spud date; ration orders; workover or re-entry;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ead 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the description of the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the conductor pipe required	the by circulating cement to the top; in all cases surface underlying formation. istrict office on plug length and placement is necessary in the production casing is cemented in; and placement is necessary in the production casing is cemented in; and production casing is cemented in; and placement in the production casing is cemented in; and placement in the production of the top product in the production of the productio	conservation Division e pipe within a ker ary prior to plugging; of days of spud date. a, alternate II cementing or to any cementing. Drill; spud date; ration orders; workover or re-entry; ompleted; ing salt water.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the search of the search of the well is dry hole, an agreement between the operator and the drill of the well is dry hole, an agreement between the operator and the drill of the well is dry hole, an agreement between the operator and the drill of the well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate of the well is either plug of the spud date or the well shall be completed within 30 days of the spud date or the well shall be the statements made herein are true and to the best of the plug of the spud date or the well shall be conducted. For KCC Use ONLY API # 15 - 205 2723 4-0000 Conductor pipe required feet per Alt. 2 Approved by: White the statement of the propriate of the plug of the spud of th	the by circulating cement to the top; in all cases surface underlying formation. istrict office on plug length and placement is necessary in the production casing is cemented in; and placement is necessary in the plug and usable water to surface within 12 to the plug and pelief. If my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to the production form ACO-1 within 120 days of a production plat according to field pronound the plugging report (CP-4) after plugging is contact the production of the plugging is contact to the plugging is the plugging in the plugging in the plugging is the plugging in the plugging in the plugging is the plugging in the plu	CONSERVATION DIVISION of pipe with the ker ary prior to plugging; of days of spud date. a, alternate II cementing or to any cementing. Drill; spud date; ration orders; workover or re-entry; completed; ing salt water.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intent approved notice of intent to drill <i>shall be</i> posted on each of the well is unconsolidated materials plus a minimum of 20 feet into the search of the well is dry hole, an agreement between the operator and the drop of the appropriate district office will be notified before well is either plug of an ALTERNATE II COMPLETION, production pipe shall be coment or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the completed within 30 days of the spud date or the well shall be completed. I hereby certify that the statements made herein are true and to the best of the conductor pipe required. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 2723 4-0000 Conductor pipe required. Minimum surface pipe required. Approved by: White -19-07 This authorization expires: 12-19-07	the by circulating cement to the top; in all cases surface underlying formation. istrict office on plug length and placement is necessing ged or production casing is cemented in; ed from below any usable water to surface within 12 #133,891-C, which applies to the KCC District 3 are to plugged. In all cases, NOTIFY district office prior from knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of so Notify appropriate district office 48 hours prior to the Submit plugging report (CP-4) after plugging is expected.	conservation division of pipe withing any prior to plugging; of days of spud date. a, alternate II cementing or to any cementing. Drill; spud date; ration orders; workover or re-entry; completed; ing salt water. ion date) please
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the sum of the approved notice of intent to drill <i>shall be</i> posted on each of the sum of the approved notice of intent to drill <i>shall be</i> posted on each of the sum o	the by circulating cement to the top; in all cases surface underlying formation. istrict office on plug length and placement is necessing ged or production casing is cemented in; ed from below any usable water to surface within 12 #133,891-C, which applies to the KCC District 3 are to plugged. In all cases, NOTIFY district office print if my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of some interest of the careage attribution plat according to field pronound in the completion of the co	conservation division of pipe withing any prior to plugging; of days of spud date. a, alternate II cementing or to any cementing. Drill; spud date; ration orders; workover or re-entry; completed; ing salt water. ion date) please
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intent approved notice of intent to drill <i>shall be</i> posted on each of the well is unconsolidated materials plus a minimum of 20 feet into the search of the well is dry hole, an agreement between the operator and the drop of the appropriate district office will be notified before well is either plug of an ALTERNATE II COMPLETION, production pipe shall be coment or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the completed within 30 days of the spud date or the well shall be completed. I hereby certify that the statements made herein are true and to the best of the conductor pipe required. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 2723 4-0000 Conductor pipe required. Minimum surface pipe required. Approved by: White -19-07 This authorization expires: 12-19-07	the by circulating cement to the top; in all cases surface underlying formation. istrict office on plug length and placement is necessing ged or production casing is cemented in; ed from below any usable water to surface within 12 the form below any usable water to surface within 12 the plugged. In all cases, NOTIFY district office print of the trial cases and belief. File Drill Pit Application (form CDP-1) with Intent to the Elle acreage attribution plat according to field pronting appropriate district office 48 hours prior to the Submit plugging report (CP-4) after plugging is contain written approval before disposing or inject. If this permit has expired (See: authorized expiration check the box below and return to the address by	conservation Division of pipe withing any prior to plugging; of days of spud date. a, alternate II cementing or to any cementing. Drill; spud date; ration orders; workover or re-entry; pmpleted; ing salt water. ion date) please

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 205-27234-0000	Location of Well: County: Wilson
Operator: Cherokee Wells, LLC	
Lease: D. Robertson	410 feet from N / ✓ S Line of Section 2310 feet from ✓ E / W Line of Section
Well Number: A-1	Sec. 5 Twp. 29 S. R. 14 ✓ East Wes
Field: Cherokee Basin Coal	_
Number of Acres attributable to well:	Is Section: 🗸 Regular or 🔝 Irregular
QTR / QTR / QTR of acreage: SW - SE -	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW


PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

		T	
ļ	-		
1 .	•		
İ		1	
_	_		
	•		
	•		
	-		
		1	•
-			
•	•	, , ,	
-			
	•	, .	
1		_	
•	• •	· · · · · · · · · · · · · · · · · · ·	
		,	
•	•		
•		•	
-			
1			
1			•
-			
		i	
		1	
	_	1	
1 1 0 - 4	SERTSON A-1	3310	
1 1) 1008	SEKTOON IN T	<u> </u>	
1	· · · · · ·		
	•		
1			
		101	
•	•	1=1	
		9	
-			
		<u> </u>	

NOTE: In all cases locate the spot of the proposed drilling locaton.



JUN 19 2007

CONSERVATION DIVISION

In plotting the proposed location of the well, you must show:

WICHITA, KS nding sections,

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed driffing location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Cherokee Wells, LLC			License Number: 33539	
Operator Address: 4916 Camp Box	wie Blvd. Suit	e 204 For	t Worth, TX 76107	
Contact Person: Rhonda Wilson		Phone Number: (620) 378 - 3650		
Lease Name & Well No.: D. Robertson A-1		Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>SW _ SE </u>	
Emergency Pit Burn Pit	Proposed Existing		Sec. 5 Twp. 29 R. 14 ✓ East West	
Settling Pit	If Existing, date constructed:		410 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		2310 Feet from 🗸 East / 🗌 West Line of Section	
(If WP Supply API No. or Year Drilled)		(bbls)	Wilson County	
Is the pit located in a Sensitive Ground Water	Area? Yes	N o	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?	
✓ Yes No	Yes ✓		Natural Clay & Earth	
Pit dimensions (all but working pits):	30 Length (fe	et)40	Width (feet) N/A: Steel Pits	
Depth fi	rom ground level to de	eepest point: 6	(feet)	
Distance to nearest water well within one-mile	e of pit	Depth to shallo Source of infor	owest fresh waterfeet,	
N/A feet Depth of water well	feet	meası	mation: ured well owner electric log KDWR over and Haul-Off Pits ONLY:	
			Drilling, Workover and Haul-Off Pits ONLY:	
		1	or material utilized in utiling/workover.	
			rking pits to be utilized: One	
Barrels of fluid produced daily: Abandonment procedure: Remove Fluids, Allow to dry and level		procedure: Remove Fidius, Anow to dry and level surface		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits		Drill pits must	be closed within 365 days of spud date.	
I hereby certify that the above state	ements are true and	correct to the bes	t of my knowledge and belief. RECEIVED KANSAS CORPORATION COMMISS	
6/12/07 Date		hondo	Signature of Applicant or Agent CONSERVATION DIVISION	
	KCC	OFFICE USE O	WICHITAL KS	
KCC OFFICE USE ONLY				
Date Received: 6/19/07 Permit Num	nber:	Perm	uit Date: 6/19/07 Lease Inspection: Yes X No	