### For KCC Use: Effective Date: District # SGA? Yes X No

# KANSAS CORPORATION COMMISSION

# Oil & Gas Conservation Division

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

**NOTICE OF INTENT TO DRILL** Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date 6/18/07	Spot <b>NE √</b> East
month day year	NE - SW Sec. 14 Twp. 28 S. R. 13 West
OPERATOR: License# 33539	2310 feet from N / V S Line of Section
Name: Cherokee Wells, LLC	Teet from [ ]E / [V] W Line of Section
4916 Camp Bowie Blvd., Suite 204	Is SECTION Regular Irregular?
Address: Fort Worth, TX 76107	(Note: Locate well on the Section Plat on reverse side)
Contact Person, Rhonda Wilson	County: Wilson
Phone: (620) 378-3650	Lease Name: D. Robertson Well #: A-2
33072	Field Name: Cherokee Basin Coal
CONTRACTOR: License# 33072 V Name: Well Refined Drilling	Is this a Prorated / Spaced Field?
Name: Treat tolared Draining	Target Formation(s): Mississippian
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 2310'
Oil Enh Rec / Infield / Mud Rotary	Ground Surface Elevation: 959.3 feet MSL
✓ Gas Storage Pool Ext. ✓ Air Rotary	Water well within one-quarter mile:
OWWO Disposal Wildcat Cable	Public water supply well within one mile: Yes VNo
Seismic; # of Holes Other	Depth to bottom of fresh water: 100 + Depth to bottom of usable water: 200 +
Other	Surface Pipe by Alternate: 1 \[ \sqrt{2} \]
	Length of Surface Pipe Planned to be set: 40' Minimum
If OWWO: old well information as follows:	Length of Conductor Pipe required: None
Operator:	Projected Total Depth: 1350'
Well Name:	Formation at Total Depth: Mississippian
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well ✓ Farm Pond Other
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR )
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If You proposed zone:
AFF	If Yes, proposed zone:RECEIVED
	If Yes, proposed zone:
The undersigned hereby affirms that the drilling, completion and eventual p	If Yes, proposed zone:
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:	If Yes, proposed zone:RECEIVED  FIDAVIT KANSAS CORPORATION COMMISSION Diugging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  CONSERVATION DIVISION  RECEIVED  KANSAS CORPORATION COMMISSION  CONSERVATION DIVISION
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be s</i>	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  Dlugging of this well will comply with K.S.A. 55 et. seq.  JUN 1 9 2007  ach drilling rig;  CONSERVATION DIVISION  set by circulating cement to the top; in all cases surface pipe Chilar be set
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be</i> sufficiently all unconsolidated materials plus a minimum of 20 feet into	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  CONSERVATION DIVISION  CONSERVATION DIVISION  Ret by circulating cement to the top; in all cases surface pipe CHAIN be set the underlying formation.
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be</i> sufficiently the sufficient of the well is dry hole, an agreement between the operator and the	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  Dlugging of this well will comply with K.S.A. 55 et. seq.  JUN 1 9 2007  CONSERVATION DIVISION  ach drilling rig;  CONSERVATION DIVISION  the by circulating cement to the top; in all cases surface pipe with the set the underlying formation.  district office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be</i> sufficiently all unconsolidated materials plus a minimum of 20 feet into the sufficient of the well is dry hole, an agreement between the operator and the sufficient of the suppropriate district office will be notified before well is either plus.	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  Conservation Division  Con
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  Conservation Division  Con
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intent amount of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into a surface price will be notified before well is either plus. The appropriate district office will be notified before well is either plus. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall.	RECEIVED  KANSAS CORPORATION COMMISSION  CONSERVATION DIVISION  ach drilling rig;  CONSERVATION DIVISION  CONSERVA
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be</i> sufficiently the sufficient of the well is dry hole, an agreement between the operator and the sufficient of the suffic	RECEIVED  KANSAS CORPORATION COMMISSION  CONSERVATION DIVISION  ach drilling rig;  CONSERVATION DIVISION  CONSERVA
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the shall unconsolidated materials plus a minimum of 20 feet into a strong all unconsolidated materials plus a minimum of 20 feet into a strong and the	RECEIVED  KANSAS CORPORATION COMMISSION  CONSERVATION DIVISION  ach drilling rig;  CONSERVATION DIVISION  CONSERVA
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the approved notice of intent to drill <i>shall be</i> posted on each of the second of th	FIDAVIT  KANSAS CORPORATION COMMISSION  Conservation Division  Conse
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the appropriate district of the state of the	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  Conservation Division  Con
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved in the state of	FIDAVIT  KANSAS CORPORATION COMMISSION  Conservation Division  Conse
The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the st	If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSION  Conservation Division  Con
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on ea.  3. The minimum amount of surface pipe as specified below shall be sufficiently the sufficient of the well is dry hole, an agreement between the operator and the sufficient of the well is dry hole, an agreement between the operator and the sufficient of the well is either plus.  5. The appropriate district office will be notified before well is either plus.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemer. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall.  I hereby certify that the statements made herein are true and to the pest of the surface of the statements of the spud date or the well shall.  For KCC Use ONLY  API # 15 - 20.5 - 27235 - 0000  Conductor pipe required feet	FIDAVIT  KANSAS CORPORATION COMMISSION  CONSERVATION DIVISION  CONSE
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each and a specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second shall unconsolidated materials plus a minimum of 20 feet into the second shall be second shall unconsolidated materials plus a minimum of 20 feet into the second shall unconsolidated materials plus a minimum of 20 feet into the second shall unconsolidated materials plus a minimum of 20 feet into the second shall unconsolidated materials plus a minimum of 20 feet into the second shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be second shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be second shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be second shal	RECEIVED KANSAS CORPORATION COMMISSION CONSERVATION DIVISION CONSERVATION CONSERVATION DIVISION CONSERVATION D
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the intention of the approved notice of intent to drill shall be posted on each of the intention of the intention of the appropriate district of the sum of the appropriate district office will be notified before well is either plue.  1. If the well is dry hole, an agreement between the operator and the sum of the appropriate district office will be notified before well is either plue.  2. If an ALTERNATE II COMPLETION, production pipe shall be cement of the period of the spud date or the well shall.  3. The appropriate district office will be notified before well is either plue.  4. If the well is dry hole, an agreement between the operator and the settlement of the post of the appropriate district office will be notified before well is either plue.  5. The appropriate district office will be notified before well is either plue.  6. If an ALTERNATE II COMPLETION, production pipe shall be cement of the period of the spud date or the well shall.  I hereby certify that the statements made herein are true and to the best of the period of the	RECEIVED  KANSAS CORPORATION COMMISSION  CONSERVATION DIVISION  CONS
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each and a specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second shall unconsolidated materials plus a minimum of 20 feet into the second shall be second shall unconsolidated materials plus a minimum of 20 feet into the second shall unconsolidated materials plus a minimum of 20 feet into the second shall unconsolidated materials plus a minimum of 20 feet into the second shall unconsolidated materials plus a minimum of 20 feet into the second shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be second shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be second shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be second shal	FIDAVIT  KANSAS CORPORATION COMMISSION  CONSERVATION DIVISION  CONSE
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as a specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the statement between the operator and the statement office will be notified before well is either plus.  1. The appropriate district office will be notified before well is either plus.  2. The appropriate district office will be notified before well is either plus.  3. The minimum of 20 feet into the statement office will be compared before well is either plus.  4. If the well is dry hole, an agreement between the operator and the operator and the statement of the operator will be compared before well is either plus.  5. The appropriate district office will be notified before well is either plus.  6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the plus of the spud date or the well shall.  5. The appropriate will be notified before well is either plus.  6. If an ALTERNATE II COMPLETION, production pipe shall be cement of the operator of the plus of the spud date or the well shall.  6. If an ALTERNATE II complete will be notified before well is either plus of the spud date or the well shall be cement of the plus of the spud date or the well shall be cement of the plus of the spud date or the well shall be cement of the spud date or the well shall be cement of the spud date or the well shall be cement of the spud date or the well shall be cement of the spud date or the well shall be cement of the spud date or the spud date or the well shall be cement of the spud date or the spud date or the spud date or the	RECEIVED  KANSAS CORPORATION COMMISSION  CONSERVATION DIVISION  CONS
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each as a specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the statement between the operator and the statement between the operator and the statement of the shall be comen or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the post of the spud date or the well shall be completed.  I hereby certify that the statements made herein are true and to the post of the spud date or the well shall be conductor pipe required.  Signature of Operator or Agent:  Date: 6/12/07  Signature of Operator or Agent:  Minimum surface pipe required feet  Minimum surface pipe required feet  Minimum surface pipe required feet per Alt.  This authorization expires: 12-19-07	FIDAVIT  KANSAS CORPORATION COMMISSION  CONSERVATION DIVISION  CONSE

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please tully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 -205-27235-0000	Location of Well: County: Wilson
Operator: Cherokee Wells, LLC	2310 feet from N / ✓ S Line of Section 2310 feet from E / ✓ W Line of Section
Lease: D. Robertson	2310 feet from E / W Line of Section
Well Number: A-2	Sec. 14 Twp. 28 S. R. 13 ✓ East Wes
Field: Cherokee Basin Coal	
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR / QTR / QTR of acreage: NE - SW	If Section is irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

,						
[ .					•	•
		•	•	•	•	•
1 '		•	-	•	-	•
	-		-			
			-			
		-				
l .		_				
		-				
		•			•	
1	•	•	•	•	•	-
	•	•	•	•	-	-
		_	- 11		-	•
}			15	4		
			· ¦,	٠ <u>-</u>		_
	8310		!'	\	•	-
	2310		l'		-	-
	8310		!	, ·		-
	2310		l'			-
	. 8310	)	!	1		·
	8310	)	''	N R.	- DE DTS AN	: · A - 2
	8310	)		D. R.	OBERTSON	: : A-2
	8310	,		D. R.	OBERTSON	: : A-2
	8310			D. R.	OBERTSON	: A-2
	2310	)		D. R.	OBERTSON	: A-2
	8310	/	1	D. R.	OBERTSON	: A-2
	2310	,	3	D. R.	OBERTSON	: A-2
	2310	)	الا الا الا	D. R.	OBERTSON	: A-2
	2310		9310	D. R.	OBERTSON	: A-2
	2310		9310	D. R.	OBERTSON	: A-2
	2310		9310	D. R.	OBERTSON	: A-2
	2310		3310	D. R.	OBERTSON	: A-2
	2310		3310	D. R.	OBERTSON	: A-2



NOTE: In all cases locate the spot of the proposed drilling locaton.

IUN 19 2007

## In plotting the proposed location of the well, you must show:

CONSERVATION DIVISION WICHITA, KS

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Cherokee Wells, LLC			License Number: 33539		
Operator Address: 4916 Camp Box	wie Blvd. Suit	te 204 For	t Worth, TX 76107		
Contact Person: Rhonda Wilson			Phone Number: ( 620 ) 378 - 3650		
Lease Name & Well No.: D. Robertso	n A-2		Pit Location (QQQQ):		
Type of Pit:	Pit is:		_NESW		
Emergency Pit Burn Pit	Proposed Existing		Sec. 14 Twp. 28 R. 13		
Settling Pit  Workover Pit  Haul-Off Pit  (If WP Supply API No. or Year Drilled)	If Existing, date constructed:  Pit capacity:  800 (bbls)		Feet from North / South Line of Section  2310 Feet from East / West Line of Section  Wilson County		
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?  Yes No	Artificial Liner?		How is the pit lined if a plastic liner is not used?  Natural Clay & Earth		
Pit dimensions (all but working pits): 30 Length (feet) 40 Width (feet) N/A: Steel Pits  Depth from ground level to deepest point: 6 (feet)					
Distance to nearest water well within one-mile	e of pit	Depth to shallo	owest fresh water 23 feet.		
3855 feet Depth of water well	150 feet		ured well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:  Producing Formation: Type  Number of producing wells on lease: Num		Type of materi	Drilling, Workover and Haul-Off Pits ONLY:  Type of material utilized in drilling/workover: Fresh Water  Number of working pits to be utilized: One  Abandonment procedure: Remove Fluids, Allow to dry and level surface		
Does the slope from the tank battery allow all spilled fluids to flow into the pit?    Yes    No		Drill pits must be closed within 365 days of spud date.  RECEIVED			
I hereby certify that the above state 6/12/07 Date	ements are true and	honda.	Signature of Applicant or Agent  KANSAS CORPORATION COMMISS  JUN 1 9 2007  CONSERVATION DIVISION WICHITA, KS		
KCC OFFICE USE ONLY					
Date Received: 4/19/07 Permit Nun	nber:	Perm	nit Date: 6 19 07 Lease Inspection: Yes X No		