For KCC Use: Effective Date:	6-2407
District #	4
SGA? Yes	₹ No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

All I

December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Form C-1

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date	7		2007	Spot	East
	month	dey	year	NW NW Sec. 31 Twp.	4 S. R. 41 West
30	282			330' feet from 🗸	
OPERATOR: License# 302				330' feet from	E / V W Line of Section
Name: Lobo Production, In	16.			Is SECTION / RegularIrregular	· · · · · · · · · · · · · · · · · · ·
Address: 6715 Road 22	C 67735				
City/State/Zip: Goodland, K	3 67733			(Note: Locate well on the Section I	Plat on reverse side)
Contact Person: Richard M	iner			County: Cheyenne	2.21
hone: 785-899-5684				Lease Name: O'BRIEN	Well #: 3-31
CONTRACTOR: License#_	Woofter Pumo	and Well	#33421	Field Name: Cherry Creek Niobrara Gas A	
CONTRACTOR: License#=	#2152	did viol	700121	Is this a Prorated / Spaced Field?	Yes ✓ No
Name: Poe Servicing, Inc	c. #3152			Target Formation(s): Niobrara	
Well Drilled For:	Well Class:	Time	Equipment:	Nearest Lease or unit boundary: 330' FNL	
	-	<i></i>		Ground Surface Elevation: 3516	feet MSL
Oil Enh Re	ec 🚺 Infield		Mud Rotary	Water well within one-quarter mile:	Yes ✔ No
Gas 🖊 Storage	e ∐_PoolE	<u></u>	Air Rotary	Public water supply well within one mile:	Yes 🗸 No
OWWO Dispose	al Wildca	t [Cable	Depth to bottom of fresh water: 90'	
Seismic;# of I	Holes Other			Depth to bottom of usable water:	50 '
Other				Surface Pipe by Alternate: 1 2	
				Length of Surface Pipe Planned to be set:	220'
f OWWO: old well informat				Length of Conductor Pipe required: none	
Operator:				Projected Total Depth: 1440'	/
Well Name:					
Original Completion Da	te:	_Original Tota	I Depth:	Formation at Total Depth:	
Discovingal Deviated of Un	rimental wellbard	,	Yes No	Water Source for Drilling Operations:	
Directional, Deviated or Ho					
If Yes, true vertical depth:				DWR Permit #:	
Bottom Hole Location:				* (Note: Apply for Permit with	
KCC DKT #:				Will Cores be taken?	Yes ✓ No
				If Yes, proposed zone:	
				FIDAVIT	
			AF		
The undersigned hereby a	fficms that the d	rillina, compl		•	. seq.
			letion and eventual	plugging of this well will comply with K.S.A. 55 et	. seq.
It is agreed that the followi	ing minimum rec	uirements w	letion and eventual rill be met:	•	. seq.
It is agreed that the following the appropriation of the appropriation of the appropriation of the appropriation of the well is dry holds. The appropriate disting the appropriate of the appropriation of the appropriatio	ing minimum rec te district office ved notice of int nt of surface pip lidated materials e, an agreemen rrict office will be COMPLETION, endix "B" - East	uirements w prior to spure ent to drill si- pe as specific plus a mini- t between the notified before production ern Kansas:	letion and eventual vill be met: dding of well; hall be posted on e ed below shall be a mum of 20 feet into ne operator and the ore well is either plu pipe shall be ceme surface casing orde	plugging of this well will comply with K.S.A. 55 et	surface pipe shall be set ecessary prior to plugging; nin 120 days of spud date. 3 area, alternate 11 cementing
It is agreed that the following the superporting of the appropriation of the appropriation of the superporting of the superpor	ing minimum rec te district office ved notice of int nt of surface pip lidated materials e, an agreemen rict office will be COMPLETION, endix "B" - East within 30 days o	prior to spurent to spurent to drill sive as specification of the spurent to spurent	letion and eventual will be met: dding of well; hall be posted on e ed below shall be mum of 20 feet into the operator and the ore well is either plupipe shall be ceme surface casing ordelate or the well shall.	ach drilling rig; set by circulating cement to the top; in all cases the underlying formation. district office on plug length and placement is nugged or production casing is cemented in; nited from below any usable water to surface with or #133,891-C, which applies to the KCC District is be plugged. In all cases, NOTIFY district officity knowledge and belief.	surface pipe shall be set ecessary prior to plugging; and 120 days of spud date. 3 area, alternate II cementing ce prior to any cementing.
It is agreed that the following the superor of the appropriat 2. A copy of the appropriation of the appropriation of the appropriate distriction of the appropriate of the appropriate distriction of the appropriate dis	ing minimum rected district office wed notice of intention of surface pipilidated materials e, an agreement office will be COMPLETION, endix "B" - Eastwithin 30 days catements made	prior to spurent to drill sive as specific plus a minimate to the production ern Kansas of the spud deherein are to	letion and eventual rill be met: dding of well; hall be posted on e ed below shall be; mum of 20 feet into one operator and the ore well is either plu pipe shall be ceme surface casing order to the well shall rue and to the best	ach drilling rig; set by circulating cement to the top; in all cases the underlying formation. district office on plug length and placement is nugged or production casing is cemented in; nited from below any usable water to surface with or #133,891-C, which applies to the KCC District is be plugged. In all cases, NOTIFY district officity knowledge and belief.	surface pipe shall be set ecessary prior to plugging; and 120 days of spud date. 3 area, alternate II cementing ce prior to any cementing.
It is agreed that the following the superportion of the appropriation of the appropriation of the superportion of the superpor	ing minimum rec te district office ved notice of int nt of surface pip lidated materials e, an agreemen rict office will be COMPLETION, endix "B" - East within 30 days o	prior to spurent to drill sive as specific plus a minimate to the production ern Kansas of the spud deherein are to	letion and eventual rill be met: dding of well; hall be posted on e ed below shall be; mum of 20 feet into one operator and the ore well is either plu pipe shall be ceme surface casing order to the well shall rue and to the best	ach drilling rig; set by circulating cement to the top; in all cases the underlying formation. district office on plug length and placement is nugged or production casing is cemented in; nited from below any usable water to surface with or #133,891-C, which applies to the KCC District is be plugged. In all cases, NOTIFY district officity knowledge and belief.	surface pipe shall be set ecessary prior to plugging; nin 120 days of spud date. 3 area, alternate 11 cementing
It is agreed that the following the superor of the appropriat 2. A copy of the appropriation of the appropriation of the appropriate distriction of the appropriate of the appropriate distriction of the appropriate dis	ing minimum rected district office wed notice of intention of surface pipilidated materials e, an agreement office will be COMPLETION, endix "B" - Eastwithin 30 days catements made	prior to spurent to drill sive as specific plus a minimate to the production ern Kansas of the spud deherein are to	letion and eventual rill be met: dding of well; hall be posted on e ed below shall be; mum of 20 feet into one operator and the ore well is either plu pipe shall be ceme surface casing order to the well shall rue and to the best	ach drilling rig; set by circulating cement to the top; in all cases the underlying formation. district office on plug length and placement is nugged or production casing is cemented in; inted from below any usable water to surface with ar #133,891-C, which applies to the KCC District is be plugged. In all cases, NOTIFY district office of my knowledge and belief. Title:	surface pipe shall be set ecessary prior to plugging; and 120 days of spud date. 3 area, alternate II cementing ce prior to any cementing.
1 is agreed that the following of the appropriate 2. A copy of the appropriate 3. The minimum amount through all unconsolutions of the well is dry hold of the appropriate dist in the appropriate distribution of the appropriate distributio	ing minimum rected district office wed notice of intention of surface pipilidated materials e, an agreement office will be COMPLETION, endix "B" - Eastwithin 30 days catements made	prior to spurent to drill sive as specific plus a minimate to the production ern Kansas of the spud deherein are to	letion and eventual rill be met: dding of well; hall be posted on e ed below shall be; mum of 20 feet into one operator and the ore well is either plu pipe shall be ceme surface casing order to the well shall rue and to the best	ach drilling rig; set by circulating cement to the top; in all cases the underlying formation. district office on plug length and placement is nugged or production casing is cemented in; inted from below any usable water to surface with at #133,891-C, which applies to the KCC District is be plugged. In all cases, NOTIFY district office of my knowledge and belief. Title:	surface pipe shall be set ecessary prior to plugging; ain 120 days of spud date. 3 area, alternate 11 cementing ice prior to any cementing.
It is agreed that the following 1. Notify the appropriat 2. A copy of the appropriat 3. The minimum amout through all unconsol 4. If the well is dry hold 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appropriate to the completed of the complete of the complete of the completed of the complete of the c	ing minimum recite district office ved notice of int nt of surface piplidated materials e, an agreemen rict office will be COMPLETION, endix "B" - East within 30 days catements made Signature of	puirements w prior to spu- ent to drill si- to as specifi- to plus a minion to between the notified before production ern Kansas and the spud of herein are to	letion and eventual rill be met: dding of well; hall be posted on e ed below shall be; mum of 20 feet into one operator and the ore well is either plu pipe shall be ceme surface casing order the well shall rue and to the best	ach drilling rig; set by circulating cement to the top; in all cases the underlying formation. district office on plug length and placement is nugged or production casing is cemented in; inted from below any usable water to surface with ar #133,891-C, which applies to the KCC District is be plugged. In all cases, NOTIFY district office of my knowledge and belief. Title:	surface pipe shall be set ecessary prior to plugging; ain 120 days of spud date. 3 area, alternate II cementing ice prior to any cementing. CE Resident atent to Drill; as of spud date.
1 is agreed that the following of the appropriate 2. A copy of the appropriate 3. The minimum amount through all unconsolutions of the well is dry hold of the appropriate dist in the appropriate distribution of the appropriate distributio	ing minimum recte district office ved notice of int nt of surface piplidated materials e, an agreement office will be COMPLETION, endix "B" - Eastwithin 30 days catements made Signature of	puirements w prior to spu- ent to drill si- to as specifi- to plus a minion to between the notified before production ern Kansas and the spud of herein are to	letion and eventual rill be met: dding of well; hall be posted on e ed below shall be; mum of 20 feet into one operator and the ore well is either plu pipe shall be ceme surface casing order the well shall rue and to the best	ach drilling rig; set by circulating cement to the top; in all cases the underlying formation. district office on plug length and placement is nugged or production casing is cemented in; inted from below any usable water to surface with a #133,891-C, which applies to the KCC District in the plugged. In all cases, NOTIFY district officity of the plugged of the cases, NOTIFY district officity with the plugged of the cases, NOTIFY district of the complete of the completion (form CDP-1) with Infinite Completion Form ACO-1 within 120 day	surface pipe shall be set ecessary prior to plugging; ain 120 days of spud date. 3 area, alternate 11 cementing. ice prior to any cementing. ice Resident
It is agreed that the following 1. Notify the appropriat 2. A copy of the appropriat 3. The minimum amout through all unconsol 4. If the well is dry hold 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appropriate to the completed of the complete of the complete of the completed of the complete of the c	ing minimum recite district office ved notice of int nt of surface pip lidated materials e, an agreement office will be COMPLETION, endix "B" - East within 30 days catements made Signature of	prior to spurent to drill side as specific plus a minit to between the notified before the production ern Kansas of the spud deherein are to operator or	letion and eventual rill be met: dding of well; hall be posted on e ed below shall be; mum of 20 feet into one operator and the ore well is either plu pipe shall be ceme surface casing order the well shall rue and to the best	ach drilling rig; set by circulating cement to the top; in all cases the underlying formation. district office on plug length and placement is nugged or production casing is cemented in; inted from below any usable water to surface with ar #133,891-C, which applies to the KCC District in the plugged. In all cases, NOTIFY district office of the company knowledge and belief. Title: **Remember to: - File Drill Pit Application (form CDP-1) with In	surface pipe shall be set ecessary prior to plugging; ain 120 days of spud date. 3 area, alternate 11 cementing. ace prior to any cementing. C.C. Resident attent to Drill; ays of spud date; ald proration orders;
1. Notify the appropriat 2. A copy of the appropriat 2. A copy of the appropriat 3. The minimum amouthrough all unconsol 4. If the well is dry hol 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appropriate to the completed of the complete o	ing minimum rected district office wed notice of into the first office will be completed materials of the complete will be completed within 30 days catements made Signature of COSOSOSOSOSOSOSOSOSOSOSOSOSOSOSOSOSOSOS	prior to spure ent to drill side as specific plus a minimate to between the notified before production ern Kansas of the spud of herein are to the spud of the spu	letion and eventual rill be met: dding of well; hall be posted on e ed below shall be smum of 20 feet into the operator and the ore well is either plup in the pipe shall be ceme surface casing order and to the best rue and to the best Agent:	ach drilling rig; set by circulating cement to the top; in all cases the underlying formation. district office on plug length and placement is nugged or production casing is cemented in; inted from below any usable water to surface with a #133,891-C, which applies to the KCC District in the plugged. In all cases, NOTIFY district officity of the kill be plugged. In all cases, NOTIFY district officity with the plugged. **Title: **Index of the kill	surface pipe shall be set ecessary prior to plugging; ain 120 days of spud date. 3 area, alternate II cementing ice prior to any cementing. C.E. Resident itent to Drill; ys of spud date; ald proration orders; or to workover or re-entry;
It is agreed that the following of the appropriate of the appropriate of the well is dry holds. The appropriate dist of the appropriate of the ap	ing minimum rected district office wed notice of interest of the surface pipelidated materials e, an agreement office will be COMPLETION, endix "B" - Eastwithin 30 days catements made Signature of Si	prior to spure ent to drill side as specific plus a minimate to between the notified before production ern Kansas of the spud of herein are to the spud of the spu	letion and eventual rill be met: dding of well; hall be posted on e ed below shall be a mum of 20 feet into the operator and the ore well is either plupipe shall be come surface casing order and to the best rue and to the best Agent:	ach drilling rig; set by circulating cement to the top; in all cases the underlying formation. district office on plug length and placement is nugged or production casing is cemented in; inted from below any usable water to surface with a #133,891-C, which applies to the KCC District in the plugged. In all cases, NOTIFY district office of the knowledge and belief. **Title: ** **Remember to: - File Drill Pit Application (form CDP-1) with Infinite Completion Form ACO-1 within 120 days in the case attribution plat according to field.	surface pipe shall be set ecessary prior to plugging; ain 120 days of spud date. 3 area, alternate 11 cementing. Ice prior to any cementing. Item to Drill; ays of spud date; ald proration orders; or to workover or re-entry; g is completed;
It is agreed that the following of the appropriate of the well is dry holds. The appropriate dist of the well is dry holds. The appropriate dist of the appropriate districts. The appropriate districts of th	ing minimum recte district office ved notice of interest of intere	prior to spure ent to drill side as specific plus a minimate to between the notified before production ern Kansas of the spud of herein are to the spud of the spu	letion and eventual rill be met: dding of well; hall be posted on e ed below shall be a mum of 20 feet into the operator and the ore well is either plupipe shall be come surface casing order and to the best rue and to the best Agent:	ach drilling rig; set by circulating cement to the top; in all cases the underlying formation. district office on plug length and placement is nugged or production casing is cemented in; nited from below any usable water to surface with a prince of the kCC District. If the plugged in all cases, NOTIFY district officity with the prince of the kCC District. File Drill Pit Application (form CDP-1) with Infinite Completion Form ACO-1 within 120 days. File acreage attribution plat according to field the plugging report (CP-4) after plugging.	surface pipe shall be set ecessary prior to plugging; ain 120 days of spud date. 3 area, alternate II cementing. C.C. Ales, Jenk Intent to Drill; eys of spud date; eld proration orders; for to workover or re-entry; g is completed; injecting salt water.
It is agreed that the following of the appropriate of the well is dry holds. The appropriate dist of the well is dry holds. The appropriate dist of the appropriate distance of the appropriate distance of the appropriate of t	ing minimum recite district office ved notice of int nt of surface pipilidated materials e, an agreemen rict office will be COMPLETION, endix "B" - East within 30 days catements made Signature of 20809-0 None quired 20	prior to spurent to drill sive as specification of the spurent to	letion and eventual rill be met: dding of well; hall be posted on e ed below shall be mum of 20 feet into the operator and the ore well is either plupipe shall be ceme surface casing order to the well shall rue and to the best Agent: Agent: eet eet eet per Alt	ach drilling rig; set by circulating cement to the top; in all cases the underlying formation. district office on plug length and placement is nugged or production casing is cemented in; inted from below any usable water to surface with at #133,891-C, which applies to the KCC District in the plugged. In all cases, NOTIFY district office of my knowledge and belief. File Drill Pit Application (form CDP-1) with Ir. File Completion Form ACO-1 within 120 day. File acreage attribution plat according to file. Notify appropriate district office 48 hours prince of the Submit plugging report (CP-4) after pluggin. Obtain written approval before disposing or	surface pipe shall be set ecessary prior to plugging; tin 120 days of spud date. 3 area, alternate II cementing. The prior to any cementing. The prior to any cementing. The prior to any cementing. The prior to any cementing. The prior to any cementing. The prior to any cementing. The prior to any cementing. The prior to any cementing. The prior to any cementing. The prior to any cementing. The prior to any cementing.
It is agreed that the following of the appropriate of the well is dry holds. The appropriate dist of the well is dry holds. The appropriate dist of the appropriate districts. The appropriate districts of th	ing minimum recite district office ved notice of int nt of surface pipilidated materials e, an agreemen rict office will be COMPLETION, endix "B" - East within 30 days catements made Signature of 20809-0 None quired 20	prior to spurent to drill sive as specification of the spurent to	letion and eventual rill be met: dding of well; hall be posted on e ed below shall be mum of 20 feet into the operator and the ore well is either plupipe shall be ceme surface casing order to the well shall rue and to the best Agent: Agent: eet eet eet per Alt	ach drilling rig; set by circulating cement to the top; in all cases the underlying formation. district office on plug length and placement is nugged or production casing is cemented in; inted from below any usable water to surface with at #133,891-C, which applies to the KCC District in the plugged. In all cases, NOTIFY district office of my knowledge and belief. File Drill Pit Application (form CDP-1) with Ir. File Completion Form ACO-1 within 120 dar. Notify appropriate district office 48 hours pring to the plugging report (CP-4) after plugging. Obtain written approval before disposing or if this permit has expired (See: authorized check the box below and return to the add.	surface pipe shall be set ecessary prior to plugging; tin 120 days of spud date. 3 area, alternate II cementing. The prior to any cementing. The prior to any cementing. The prior to any cementing. The prior to any cementing. The prior to any cementing. The prior to any cementing. The prior to any cementing. The prior to any cementing. The prior to any cementing. The prior to any cementing. The prior to any cementing.
It is agreed that the following the sagreed that the following in the sagreous and it is appropriated. A copy of the appropriate of the sagreous and it is appropriated in the sagreous and it is appropriate of the sagreous and it is appropriate of the sagreous and it is appropriated in the sagreous and it is appropriated. The sagreous and it is appropriated in the sagreous and it is appropriated by: I have been sagreous and it is appropriated by: I have been sagreous and it is appropriated by: I have been sagreous and it is appropriated by: I have been sagreous and it is appropriated by: I have been sagreous and it is appropriated by: I have been sagreous and it is appropriated by: I have been sagreous and it is appropriated by: I have been sagreous and it is appropriated by: I have been sagreous and it is appropriate and it is appropriated by: I have been sagreous and it is appropriated by: I have been sagreous and it is appropriated by: I have been sagreous and it is appropriated by: I have been sagreous and it is appropriated by: I have been sagreous and it is appropriated by: I have been sagreous and it is appropriated by: I have been sagreous and it is appropriated by: I have been sagreous and it is appropriated by: I have been sagreous and it is appropriated by: I have been sagreous and it is appropriate by: I have been sagreous and it is appropriate by: I have been sagreous and it is appropriate by: I have been sagreous and it is appropriate by: I have been sagreous and it is appropriate by: I have been sagreous and it is appropriate by: I have been sagreous and it is appropriate by: I have been sagreous and it is appropriate by: I have been sagreous and it is appropriate by: I have been sagreous and it is appropriate by: I have been sagreous and it is appropriate by: I have been sagreous and it is appropriate by: I have been sagreous and it is appropriate by: I have been sagreous and it is appropriate by: I have been sagreous and it is appropriate by: I have been sagreou	ing minimum recite district office ved notice of int nt of surface pip lidated materials e, an agreemen rict office will be COMPLETION, endix "B" - East within 30 days catements made Signature of 20809-0 None quired 20 19-07 irilling not started	prior to spurent to drill sive as specification of the spurent to	letion and eventual rill be met: dding of well; hall be posted on e ed below shall be mum of 20 feet into the operator and the ore well is either plupipe shall be ceme surface casing order to the well shall rue and to the best Agent: Agent: eet eet eet per Alt	ach drilling rig; set by circulating cement to the top; in all cases the underlying formation. district office on plug length and placement is nugged or production casing is cemented in; inted from below any usable water to surface with at #133,891-C, which applies to the KCC District in the plugged. In all cases, NOTIFY district office of my knowledge and belief. File Drill Pit Application (form CDP-1) with in File Completion Form ACO-1 within 120 day in all cases attribution plat according to file. Notify appropriate district office 48 hours pring the submit plugging report (CP-4) after plugging. Obtain written approval before disposing or if this permit has expired (See: authorized check the box below and return to the add. Well Not Drilled - Permit Expired.	surface pipe shall be set ecessary prior to plugging; tin 120 days of spud date. 3 area, alternate II cementing. The prior to any cementing. The prior to any cementing. The prior to any cementing. The prior to any cementing. The prior to any cementing. The prior to any cementing. The prior to any cementing. The prior to any cementing. The prior to any cementing. The prior to any cementing. The prior to any cementing.
It is agreed that the following of the appropriate of the well is dry holds. The appropriate dist of the well is dry holds. The appropriate dist of the appropriate distance of the appropriate distance of the appropriate of t	ing minimum recite district office ved notice of int nt of surface pip lidated materials e, an agreement office will be COMPLETION, endix "B" - East within 30 days catements made Signature of Signature of COMPLETION, endix "B" - East within 30 days catements made Signature of COMPLETION, endix "B" - East within 30 days catements made Signature of COMPLETION, endix "B" - East within 30 days catements made Agent: Agent: Agent:	prior to spuent to drill sie as specific plus a minit to between the notified before production ern Kansas of the spud of herein are to the production of the spud of herein are to the spud of the spud of herein are to the spud of the spud of herein are to the spud of herein are	letion and eventual rill be met: dding of well; hall be posted on e ed below shall be some mum of 20 feet into the operator and the pipe shall be ceme surface casing order and to the best rue and to the best Agent: Agent: eet eet eet per Alt. 1 2 2 2 3 3 4 4 4 5 6 6 6 7 7 7 7 8 7 8 7 8 7 8 7 8 7 8 8	ach drilling rig; set by circulating cement to the top; in all cases the underlying formation. district office on plug length and placement is nugged or production casing is cemented in; inted from below any usable water to surface with at #133,891-C, which applies to the KCC District in the plugged. In all cases, NOTIFY district office of my knowledge and belief. File Drill Pit Application (form CDP-1) with Ir. File Completion Form ACO-1 within 120 dar. Notify appropriate district office 48 hours pring to the plugging report (CP-4) after plugging. Obtain written approval before disposing or if this permit has expired (See: authorized check the box below and return to the add.	surface pipe shall be set ecessary prior to plugging; ain 120 days of spud date. 3 area, alternate II cementing ice prior to any cementing. The prior to plugging; Th

JUN 18 2007

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field


If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 623 - 20809-0000	Location of Well: County: Cheyenne
Operator: Lobo Production, Inc.	330' feet from VN/ S Line of Section
Lease: O'BRIEN	330' feet from ✓ N / S Line of Section 330' feet from E / ✓ W Line of Section
Well Number: 3-31	Sec. 31 Twp. 4 S. R. 41 ☐ East ✓ Wes
Field: Cherry Creek Niobrara Gas Area	
Number of Acres attributable to well: QTR / QTR / QTR of acreage: NW - NW NW	Is Section:

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

in plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 **SECEIVED**

 CG-8 for gas wells).

 KANSAS CORPORATION COMMISSION

JUN 18 2007

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Lobo Production, Inc.			License Number: 30282			
Operator Address: 6715 Road 22, Goodland, KS 67735						
Contact Person: Richard Miller			Phone Number: (785) 899 - 5684			
Lease Name & Well No.: O'BRIEN 3-31			Pit Location (QQQQ):			
Type of Pit:	Pit is:		<u>NW</u> . <u>NW</u> . <u>NW</u>			
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 31 _{Twp.} 4 R. 41 ☐ East ✓ West			
Settling Pit 📝 Drilling Pit	If Existing, date of	onstructed:	330' Feet from 🗸 North / South Line of Section			
Workover Pit Haul-Off Pit	Pit capacity:		330' Feet from East / V West Line of Section			
(If WP Supply API No. or Year Drilled)	100-150	(bbls)	CheyenneCounty			
Is the pit located in a Sensitive Ground Water A	Area? Yes ✓] No	Chloride concentration:mg/l			
	Artificial Liner?		(For Emergency Pits and Settling Pits only)			
Is the bottom below ground level? Yes No		No	How is the pit lined if a plastic liner is not used?			
Pit dimensions (all but working pits):) Length (fe	Width (feet) N/A: Steel Pits				
Depth fro	m ground level to de	epest point:	6 (feet)			
KANSAS CORPORA	EIVED ATION COMMISSION 8 2007	•	edures for periodic maintenance and determining ncluding any special monitoring.			
Distance to nearest water well within ONSERNATED HIDE/ISIG		Depth to shallowest fresh water 50-100 & feet. Source of information:				
37/2 feet Depth of water well	/3/ feet	measu	redwell owner electric logKDWR			
Emergency, Settling and Burn Pits ONLY:		Driffing, Workover and Haul-Off Pits ONLY:				
Producing Formation:		Type of material utilized in drilling/workover: Gel / Bentonite				
Number of producing wells on lease:		Number of working pits to be utilized:1				
Barrels of fluid produced daily:		Abandonment	procedure: Evaporate and Cover			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.				
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. 6/12/07 Date Linual a. Mills Signature of Applicant or Agent						
KCC OFFICE USE ONLY						
Date Received: 6/18/07 Permit Number: Permit Date: 6/18/07 Lease Inspection: Yes K No						