For KCC Use: Effective Date:_ SGA? X Yes No

KANSAS CORPORATION COMMISSION Oil & Gas Conservation Division

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

month day year	SE SY-SE Sec. 4 Twp. 28 S. R. 15 West
, , , , , , , , , , , , , , , , , , , ,	Sec. 4 Twp. 28 S. R. 15 West 330 feet from N / ✓ S Line of Section
OPERATOR: License# 33539	660 feet from VE / W Line of Section
Alama. Cherokee wells, LLC	Is SECTION Regular Irregular?
Address: 4916 Camp Bowie Blvd., Suite 204	
Address: City/State/Zip: Fort Worth, TX 76107	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Rhonda Wilson	County: Wilson Lease Name: Pierpoint Farms Well #: A-7
Phone: (620) 378-3650	Lease Name: Pierpoint Farms Well #: A-7
33072	Field Name: Cherokee Basin Coal
CONTRACTOR: License# 33072 Name: Well Refined Drilling	Is this a Prorated / Spaced Field?
Name: Troil to a braining	Target Formation(s): Mississippian
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 330'
Oil Enh Rec / Infield Mud Rotary	Ground Surface Elevation: 840.6 feet MSL
✓ Gas Storage Pool Ext. ✓ Air Rotary	Water well within one-quarter mile: Yes ✓ No _C
OWWO Disposal Wildcat Cable	Public water supply well within one mile: Yes ✓ No
	Depth to bottom of fresh water: 100 +
Seismic;# of Holes Other	Depth to bottom of usable water: 280- 150
Outer	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe required: None
Well Name:	Projected Total Depth: 1350' Formation at Total Depth: Mississippian
Original Completion Date:Original Total Depth:	Tomation at lotal Dopin.
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Water Source for Drilling Operations:
	Well Farm Pond Other
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
AFF	IDAVIT RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual p	lugging of this well will comply with K.S.A. 55 & ANSAS CORPORATION COMMISSION
-	
tt is agreed that the following minimum requirements will be met:	(1 1
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	JUN 1 9 2007
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be s</i> through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified before and the surface of	ch drilling rig; If by circulating cement to the top; in all cases surface properties of the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; Igged or production casing is cemented in; Ited from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
 It is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on ea The minimum amount of surface pipe as specified below <i>shall be</i> so through all unconsolidated materials plus a minimum of 20 feet into the second of the secon	ch drilling rig; et by circulating cement to the top; in all cases surface pope state of the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Office Manager
this agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the second of	ch drilling rig; et by circulating cement to the top; in all cases surface provided the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Office Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea. 3. The minimum amount of surface pipe as specified below <i>shall be</i> in through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the construction of the surface pipe as specified below <i>shall be</i> in through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the construction of the surface well is either plus to the surface casing order must be completed within 30 days of the spud date or the well shall in hereby certify that the statements made herein are true and to the best of the construction of the surface plus of the spud date or the well shall. For KCC Use ONLY API # 15 - 205 - 27 232 - ODD Conductor pipe required feet Minimum surface pipe required feet per Alt. 12 Approved by: White - 19-07	ch drilling rig; et by circulating cement to the top; in all cases surface page 3710 plysion the underlying formation. district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Office Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
this agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the second of	ch drilling rig; If by circulating cement to the top; in all cases surface provided by circulating cement to the top; in all cases surface provided by circulating cement to the top; in all cases surface provided by with the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; all cases of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Office Manager Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 205-27232-000	Location of Welf: County: Wilson
Operator: Cherokee Wells, LLC	<u> </u>
Lease: Pierpoint Farms	feet from N / S Line of Section 660 feet from Feet from F E / W Line of Section
Well Number: A-7	Sec. 4 Twp. 28 S. R. 15 Vest
Field: Cherokee Basin Coal Number of Acres attributable to well:	Is Section: Regular or ☐ Irregular
QTR / QTR / QTR of acreage: SE _ SE	If Section is Irregular, locate well from nearest corner boundary. Section comer used: NE NW SE SW


PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

•			
		· · · · · · · · · · · · · · · · · · ·	
-	 	1	
	· · · ·		
•	· - · · · · · · · · · · · · · · · · · ·		· · ·
D = 0.00	NT FARMS	A-7	
FIERPO	WI THURS		640
	· ·		,
-	- •	. 20	

NOTE: In all cases locate the spot of the proposed drilling locaton.



JUN 19 2007

In plotting the proposed location of the well, you must show:

CONSERVATION DIVISION

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Cherokee Wells, LLC		License Number: 33539	
Operator Address: 4916 Camp Boy	wie Blvd. Suit	e 204 For	t Worth, TX 76107
Contact Person: Rhonda Wilson		Phone Number: (620) 378 - 3650	
Lease Name & Well No.: Pierpoint Farms A-7		Pit Location (QQQQ):	
Type of Pit:	Pit is:		SE SE _
Emergency Pit Burn Pit	Proposed Existing		Sec. 4 Twp. 28 R. 15 🗸 East 🗌 West
Settling Pit	If Existing, date constructed:		330 Feet from North / South Line of Section
Workover Pit Haul-Off Pit	Pit capacity:		660 Feet from 🗸 East / West Line of Section
(If WP Supply API No. or Year Drilled)	800	(bbls)	Wilson
s the pit located in a Sensitive Ground Water	Area? ✓ Yes ✓] N o	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?
✓ Yes No	Yes ✓ I	No .	Natural Clay & Earth
If the pit is lined give a brief description of the material, thickness and installation procedure	3.	liner integrity, i	edures for periodic maintenance and determining necluding any special monitoring.
Source of info		Source of infor	mation:
N/A feet Depth of water well	,		12.
		_	over and Haul-Off Pits ONLY: al utilized in drilling/workover: Fresh Water
•			king pits to be utilized: One
		procedure: Remove Fluids, Allow to dry and level surface	
Does the slope from the tank battery allow all spilled fluids to		be closed within 365 days of spud date.	
I hereby certify that the above state	ements are true and	correct to the bes	t of my knowledge and belief. RECEIVED KANSAS CORPORATION COMM
6/12/07 Date		hondo	JUN 1 9 2007 ignature of Applicant or Agent CONSERVATION DIVISION WICHITA KS
	KCC	OFFICE USE O	NLY
Date Received: 6/19/07 Permit Num	nber:	Perm	it Date: 6/19/07 Lease Inspection: Yes X No