

For KCC Use:

Effective Date: 6-25-07

District # 1

Kansas Corporation Commission Oil & Gas Conservation Division

1009964

Form C-1 November 2005 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five	
Expected Spud Date: 07/01/2007	Spot Description:
month day year	N2 - NE Sec. 16 Twp. 33 S. R. 33 EXW
5278	(00000) 660 feet from N / S Line of Section
PERATOR: License#	1,320 feet from X E / W Line of Section
odress 1: 3817 NW Expressway, Suite 500	is SECTION: Regular Irregular?
idress 2:	(Note: Locate well on the Section Plat on reverse side)
ty: Oklahoma City State: OK Zip: 73112 + 1483	County: Seward
ontact Person: DAWN ROCKEL	Lease Name: CLIFTON Well #. 16 #1
none:	Field Name: EVALYN-CONDIT
ONTRACTOR: License# 30684	Is this a Prorated / Spaced Field?
ame: Abercrombie Rtd, Inc	Target Formation(s): Upper/Lower Morrow, Basal Chester, St. Louis
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 660
☑Oil ☐ Enh Rec ☑Infield ☑ Mud Rotary	Ground Surface Elevation: 2839 feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water: 560
Other:	Depth to bottom of usable water:
If OWWO: old well information as follows:	Surface Pipe by Alternate:
	Length of Surface Pipe Planned to be set: 1700
Operator:	Length of Conductor Pipe (if any): 40
Well Name:	Projected Total Depth: 6500 Formation at Total Depth: ST. LOUIS
Original Completion Date: Original Total Depth:	Water Source for Drilling Operations:
rectional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations: X Well
Yes, true vertical depth:	DWR Permit #:
ottom Hole Location:	(Note: Apply for Permit with DWR
CC DKT #:	
	Will Cores be taken? Yes X No
PRORATED & SPACED: HUGOTON	If Yes, proposed zone:
AFF the undersigned hereby affirms that the drilling, completion and eventual plu	If Yes, proposed zone: RECEIVED gging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COMMISSIO
AFF The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well;	If Yes, proposed zone: RECEIVED gging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COMMISSIO JUN 2 0 2007
AFF The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COMMISSIO JUN 2 0 2007 drilling rig; by circulating cement to the top; in all cases surface pipe CONSTEVATION DIVISION WICHITA, KS rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
AFF the undersigned hereby affirms that the drilling, completion and eventual plu is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COMMISSION JUN 2 0 2007 drilling rig; by circulating cement to the top; in all cases surface pipe STAFFEVALIPN DIVISION with underlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
he undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of minimum or the control of the statements made herein are true and to the best of minimum or the control of the statements made herein are true and to the best of minimum or the control of the statements made herein are true and to the best of minimum or the control of the statements made herein are true and to the best of minimum or the control of the statements made herein are true and to the best of minimum or the control of the statements made herein are true and to the best of minimum or the control of the statements made herein are true and to the best of minimum or the control of the control	FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COMMISSION JUN 2 0 2007 drilling rig; by circulating cement to the top; in all cases surface pipe Ship For Asian Division with K.S.A. 55 et. seq. KANSAS CORPORATION COMMISSION drilling rig; by circulating cement to the top; in all cases surface pipe Ship For Asian Division Wichita, KS et underlying formation. Fide of piug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. By knowledge and belief. Title: 5 Y. Dawley Oxide
he undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of materials. Signature of Operator or Agent:	FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COMMISSION JUN 2 0 2007 drilling rig; by circulating cement to the top; in all cases surface pipe SNASSVALIPN DIVISION winderlying formation. WICHITA, KS rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. By knowledge and belief. Title: Sr. Opundation
he undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of mate: Signature of Operator or Agent: Signature of Operator or Agent:	FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COMMISSION JUN 2 0 2007 drilling rig; by circulating cement to the top; in all cases surface pipe SNSTSVALIPN DIVISION winderlying formation. WICHITA, KS rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. by knowledge and belief. Title: S.Y. DAVID OCCUPATION Title: D.Y. DAVID OCCUPATION File Drill Pit Application (form CDP-1) with Intent to Drill;
he undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of mate:	If Yes, proposed zone: RECEIVED RECEIVED Sansas Corporation Commission Grid finish well will comply with K.S.A. 55 et. seq. RECEIVED Sansas Corporation Commission JUN 2 0 2007 drilling rig; by circulating cement to the top; in all cases surface pipe Shaffaration Division witchita, KS enderlying formation. Fite on plug length and placement is necessary prior to plugging; ed for production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Place of the prior to any cementing. Title: S.Y. DAYS Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of soud date:
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of motion of the complete of t	FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COMMISSION JUN 2 0 2007 drilling rig; by circulating cement to the top; in all cases surface pipe SNAFE/ASIPN DIVISION will concern to the top; in all cases surface pipe SNAFE/ASIPN DIVISION will think the complete of the complete
he undersigned hereby affirms that the drilling, completion and eventual plu is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the description of the surface pipe as specified below <i>shall be set</i> to the surface pipe as specified below <i>shall be set</i> to the description of the surface pipe as specified below <i>shall be set</i> to the surface pipe and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of more particular of the operator of Agent: Signature of Operator or Agent: Signature of Operator or Agent: For KCC Use ONLY API # 15 - 175 - 22090 - COOD Conductor pipe required 0 feet Minimum surface pipe required 580 feet per ALT. I I	RECEIVED gging of this well will comply with K.S.A. 55 et. seq. **SANSAS CORPORATION COMMISSION **JUN 2 0 2007 drilling rig; by circulating cement to the top; in all cases surface pipe **SANSAS CORPORATION COMMISSION **Underlying formation.** **Pict office on plug length and placement is necessary **prior to plugging;* ed or production casing is cemented in; d from below any usable water to surface within *120 DAYS* of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. **In all cases, NOTIFY district office** prior to any cementing. by knowledge and belief. **Title: 5 V.** **Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; **Submit plugging report (CP-4) after plugging is completed (within 60 days):
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the description of the district office will be notified before well is either pluggent of the appropriate district office will be notified before well is either pluggent of the appropriate district office will be notified before well is either pluggent of the appropriate district office will be notified before well is either pluggent of the appropriate of the district office will be notified before well is either pluggent of the appropriate of the spud date or the well shall be the pluggent of the spud date or the well shall be the pluggent of the spud date or the well shall be the pluggent of the spud date or the well shall be the pluggent of the spud date or the well shall be the pluggent of the spud date or the well shall be the pluggent of the spud date or the well shall be the pluggent of the spud date or the well shall be the pluggent of the spud date or the well shall be the pluggent of the spud date or the well shall be the pluggent of the spud date or the well shall be the pluggent of the spud date or the well shall be the pluggent of the spud date or the well shall be the pluggent of the spud date or the well shall be the pluggent of the spud date or the well shall be the pluggent of the spud date or the well shall be the pluggent of the spud date or the well shall be the pluggent of the spud date or the well shall be pluggent of the spud date or the well shall be pluggent of the spud date or the well shall be pluggent of the spud date or the	RECEIVED gging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COMMISSION drilling rig; by circulating cement to the top; in all cases surface pipe CONSTRUCTION DIVISION a underlying formation. WICHITA, KS rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. by knowledge and belief. Title: D.Y. DAYSON DAYS File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
he undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of mate:	FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COMMISSION JUN 2 0 2007 drilling rig: by circulating cement to the top; in all cases surface pipe CONSTRUATION DIVISION with underlying formation. Fit office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; for from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
he undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of mate: Professional Completed Signature of Operator or Agent: Signa	RECEIVED gging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COMMISSION drilling rig; by circulating cement to the top; in all cases surface pipe Shifts ADPN DIVISION with underlying formation. Wichita, KS et of plug length and placement is necessary prior to plugging; ed or production casing is cemented in; deform below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Title: S.Y. Devocation Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of motion of the complete of the spud date or the specific materials. For KCC Use ONLY API # 15 - 175 - 22090 - COOU Conductor pipe required 0 feet Minimum surface pipe required 580 feet per ALT. I III Approved by: Little 2007 This authorization expires: 23007	RECEIVED gging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION COMMISSIO JUN 2 0 2007 drilling rig: by circulating cement to the top; in all cases surface pipe CONSTRUCTION DIVISION with a underlying formation. First office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; of from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. By knowledge and belief. Title: S.C. DAWGOOD Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please



IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 175-22090-0000	
Operator: EOG Resources, Inc.	Location of Well; County; Seward
Lease: CLIFTON	660 feet from N/ S Line of Section
Well Number: 16 #1	1,320 feet from X E / W Line of Section
Field: EVALYN-CONDIT	Sec. 16 Twp. 33 S. R. 33 E W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: NE	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW


PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

1320 ft.

					660 ft.	
				:		
 · · · · · · · · · · · · · · · · · · ·	• • • • • • • • • • • • • • • • • • • •	· · · · · · · · · · · · · · · · · · ·		·(<u> </u>	
			***************************************	:	:	
 					: 	
				•		
		1	6	;		•
 				,	,	

 :						



NOTE: In all cases locate the spot of the proposed drilling locaton.

JUN 2 0 2007

CONSERVATION DIVISION

WICHITA, KS

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

009964

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: EOG Resources, Inc.			License Number: 5278			
Operator Address: 3817 NW Expressway, Suite 500			Oklahoma City OK 73112			
Contact Person: DAWN ROCKEL			Phone Number: 405-246-3100			
Lease Name & Well No.: CLIFTON	16 #1		Pit Location (QQQQ):			
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit	Pit is: Proposed Existing If Existing, date constructed:					
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity: 12,500 (bbls)					
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level? Yes No	Artificial Liner? Yes No		How is the pit lined if a plastic liner is not used? SOIL COMPACTION			
Pit dimensions (all but working pits): 125 Length (feet) 125 Width (feet) N/A: Steel Pits Depth from ground level to deepest point: 5 (feet) No Pit						
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance and determining ncluding any special monitoring.			
Distance to nearest water well within one-mile of pit 1054 feet Depth of water well 380 feet		Depth to shallowest fresh waterfeet. Source of information: electric log KDWR				
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:				
			material utilized in drilling/workover: GEL			
		prking pits to be utilized:U procedure: EVAPORATION/DEWATER AND				
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		BACKFILLING OF RESERVE PIT. Drill pits must be closed within 365 days of spud date.				
RECEIVED I hereby certify that the above statements are true and correct to the best of my knowledge and belief. KANSAS CORPORATION COMMIT						
10/19/07	JUN 2 0 2007 ignature of Applicant or Agent CONSERVATION DIVISION WICHITA, KS					
KCC OFFICE USE ONLY Steel Pit RFAC RFAS						
Date Received: 4/20/07 Permit Num	ber:	Perm	it Date: 6/20/07 Lease Inspection: Yes XNo			