For KCC Use: Effective Date: District # SGA? Yes X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Form C-1

Must be approved by KCC five (5) days prior to commencing well

Evported Soud Date Valle 29, 2001	Spot ✓ East
Expected Spud Date June 25, 2007 month day year	NE NE NW Sec. 27 Twp. 30 S. R. 14 West
22265	494' feet from VN / S Line of Section
OPERATOR: License# 33365	2019' feet from E / V W Line of Section
Name: Layne Energy Operating, LLC Address: 1900 Shawnee Mission Parkway	Is SECTION ✓ Regular Irregular?
Address: 1900 Shawhee Wission F andway City/State/Zip: Mission Woods, KS 66205	-
City/State/Zip: Wistor H. Dual	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Victor H. Dyal	County: Wilson Lease Name: Decker Well #: 3-27
Phone: 913-748-3960	Field Name: Cherokee Basin Coal
CONTRACTOR: License# 33606	
Name: Thornton Air	Is this a Prorated / Spaced Field? Target Formation(s): Cherokee Coals Yes ✓ No
Nume.	larget Formation(s): 494'
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 494'
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: 902feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile: Yes ✓ No.
OWWO Disposal Wildcat Cable	Public water supply well within one mile: Yes ✓ No 150
Seismic;# of Holes Other	Depth to bottom of fresh water: 150
Other	Depth to bottom of usable water
	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe required: None
Well Name:	Projected Total Depth: 1500'
Original Completion Date:Original Total Depth:	Formation at Total Depth: Mississippian
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other X
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:RECEIVED
AEE	IDAVIT KANSAS CORPORATION COMMISSIO
The undersigned hereby affirms that the drilling, completion and eventual p	
	JUN 2 0 2007
It is agreed that the following minimum requirements will be met:	JOI4 # 0 2001
1. Notify the appropriate district office prior to spudding of well;	ch drilling rig: CONSERVATION DIVISION
2. A copy of the approved notice of intent to drill shall be posted on ea	of thining rig, of by circulating cement to the top; in all cases surface pipe shall be set
through all unconsolidated materials plus a minimum of 20 feet into t	ne underlying formation.
trought an arrow to the transfer and the transfer are the	
 If the well is dry hole, an agreement between the operator and the operator. 	listrict office on plug length and placement is necessary prior to plugging;
5. The appropriate district office will be notified before well is either plug	listrict office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in;
 The appropriate district office will be notified before well is either plug If an ALTERNATE II COMPLETION, production pipe shall be cement 	listrict office on plug length and placement is necessary <i>prior to plugging;</i> gged or production casing is cemented in; sed from below any usable water to surface within 120 days of spud date.
 The appropriate district office will be notified before well is either plug If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order 	district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing
5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	district office on plug length and placement is necessary <i>prior to plugging</i> ; aged or production casing is cemented in; sed from below any usable water to surface within <i>120 days</i> of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	district office on plug length and placement is necessary <i>prior to plugging</i> ; aged or production casing is cemented in; sed from below any usable water to surface within <i>120 days</i> of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of the complete within 30 days.	district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate It cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of the complete within 30 days.	district office on plug length and placement is necessary <i>prior to plugging</i> ; aged or production casing is cemented in; sed from below any usable water to surface within <i>120 days</i> of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of the complete within 30 days.	district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate It cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent
The appropriate district office will be notified before well is either plug If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: June 18, 2007 Signature of Operator or Agent: June 18, 2007 Sig	district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate It cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to:
The appropriate district office will be notified before well is either plug If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: June 18, 2007 Signature of Operator or Agent: For KCC Use ONLY	district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate It cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: June 18, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205-27243-0000 All	district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate It cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: June 18, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 27243-0000 Conductor pipe required For KCC Use For Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed.	district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate It cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: June 18, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 27343-0000 Conductor pipe required // One feet Minimum surface pipe required // Get per Alt. // 2	district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate It cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Agent
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: June 18, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 27343-0000 Conductor pipe required // One feet Minimum surface pipe required // Get per Alt. // 2	listrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate It cementing be plugged. In all cases, NOTIFY district office prior to any cementing. f my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of Date: June 18, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 27243-0000 Conductor pipe required More feet Minimum surface pipe required feet per Alt. (2) Approved by: Pull - 207	district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate It cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: June 18, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 27243-0000 Conductor pipe required More feet Minimum surface pipe required feet per Alt. (2) Approved by: Public-20-07 This authorization expires: 1220-07	district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Agent
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of Date: June 18, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 27243-0000 Conductor pipe required More feet Minimum surface pipe required feet per Alt. (2) Approved by: Pull - 207	district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate If cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Agent
5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: June 18, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 27243-0000 Conductor pipe required More feet Minimum surface pipe required feet per Alt. (2) Approved by: Public-20-07 This authorization expires: 1220-07	district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Agent
5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of Date: June 18, 2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 205 - 27943-0000 Conductor pipe required More feet Minimum surface pipe required feet per Alt. 2 Approved by: Public 30-07 This authorization expires: /2 20-07 (This authorization void if drilling not started within 6 months of approval date.)	district office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Agent

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 -205-27243-0000	Location of Well: County: Wilson
Operator: Layne Energy Operating, LLC	494' feet from V N / S Line of Section
Lease: Decker	2019' feet from E / W Line of Section
Well Number: 3-27	Sec. <u>27</u> Twp. <u>30</u> S. R. <u>14</u> ✓ East Wes
Field: Cherokee Basin Coal	
Number of Acres attributable to well:	Is Section: 📝 Regular or 🗌 Irregular
QTR / QTR / QTR of acreage:	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)


	: 491	!	:	•
 20191	⊅			
 •				•
 ·			•	
·		:	· · ·	
·	•	:	• • •	
 · · · · · · · · · · · · · · · · · · ·				
 ·				
 · · · · · · · · · · · · · · · · · · ·	: 			· ·
·	•			,

RECEIVED

*ANSAS CORPORATION COMMISSION

JUN 2 0 2007

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Layne Energy O	perating, LL0	C	License Number: 33365	
Operator Address: 1900 Shawne	e Mission	Parkway,	Mission Woods, KS 66205	
Contact Person: Victor H. Dyal		Phone Number: (913) 748 - 3960		
Lease Name & Well No.: Decker 3-27		Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>NE</u> . <u>NW</u>	
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 27 Twp. 30 R. 14 🗸 East 🗌 West	
Settling Pit	If Existing, date of	onstructed:	494' Feet from 🗸 North / 🗌 South Line of Section	
☐ Workover Pit ☐ Haul-Off Pit	Pit capacity: (bbls)		Feet from East / ✓ West Line of Section	
(If WP Supply API No. or Year Drilled)			<u>Wilson</u> County	
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes 🗸	No	Chloride concentration: mg/l	
Is the bottom below ground level?	Artificial Liner?	·	(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?	
✓ Yes No	Yes 🗸	No	Self-Sealing	
Pit dimensions (all but working pits):	0' Length (fe	eet) 20'	Width (feet) N/A: Steel Pits	
Depth fr	om ground level to de	eepest point: 3'	(feet)	
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance and determining RECEIVED RECEIVED KANSAS CORPORATION COMMISS JUN 2 0 2007 CONSERVATION DIVISION	
Distance to nearest water well within one-mile of pit Depth to shallo Source of information of the shallon of		west fresh waterfeet.		
		measuredwell ownerelectric logKDWR Drilling, Workover and Haul-Off Pits ONLY: Tree of material utilized in drilling (underland). Fresh Water Mud		
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:		
Producing Formation: Type of			13	
			al utilized in drilling/workover:	
Number of producing wells on lease:		Number of wor	king pits to be utilized: Two	
Number of producing wells on lease:		Number of wor Abandonment	al utilized in drilling/workover:	
, -	spilled fluids to	Number of wor Abandonment and restore	king pits to be utilized: Two procedure: Let evaporate until dry, then backfill	
Barrels of fluid produced daily: Does the slope from the tank battery allow all		Number of wor Abandonment and restore Drill pits must I	king pits to be utilized: Two procedure: Let evaporate until dry, then backfill pe closed within 365 days of spud date.	
Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? Yes No		Number of wor Abandonment and restore Drill pits must I	king pits to be utilized: Two procedure: Let evaporate until dry, then backfill pe closed within 365 days of spud date.	
Barrels of fluid produced daily: Does the slope from the tank battery allow all flow into the pit? I hereby certify that the above state June 18, 2007	ments are true and o	Number of wor Abandonment and restore Drill pits must I	king pits to be utilized: Two procedure: Let evaporate until dry, then backfill pe closed within 365 days of spud date. It of my knowledge and belief.	