

For KCC Use:	6.25
Effective Date: _	6-25-07
District #4	
SGA2 TVe	. ⊠No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1009982

Form C-1 November 2005 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: 07/06/2007		Spot Description:	
month	day year	W2 _ NE _ NE _ Sec. 22 _ Twp.	5 S. R. 30 EXW
30606		(a/a/a/a) 660 feet from	
OPERATOR: License#			X E / W Line of Section
Name: Murfin Drilling Co., Inc.		Is SECTION: Regular Irregular?	Elle of decilor
Address 1: 250 N. Water, Ste 300		-	
Address 2:State: _	KS Zip: 67202 +	(Note: Locate well on the Section I	Plat on reverse side)
City; Wichita State: State: Contact Person; Shauna Gunzelman	Zip: <u>07202</u> +	County: Decatur	4.00
Phone: 316-267-3241	-	Lease Name: MBI	Well #: 1-22
		Field Name: Wildcat	
CONTRACTOR: License# 30606		Is this a Prorated / Spaced Field?	Yes No
Name: Murfin Drilling Co., Inc.		Target Formation(s): LKC, Arbuckle	
Well Drilled For: Well Clas	s: Type Equipment:	Nearest Lease or unit boundary line (in footage)): 660
	<u> </u>	Ground Surface Elevation: 2862	feet MSL
X Oil Enh Rec Infiel Gas Storage Pool		Water well within one-quarter mile:	Yes X No
Disposal XWildo		Public water supply well within one mile:	Yes X No
Seismic : # of Holes Othe	term!	Depth to bottom of fresh water: 200	
Other:		Depth to bottom of usable water:	
=		Surface Pipe by Alternate: XI III	
If OWWO: old well information as fol	llows:	Length of Surface Pipe Planned to be set: 300	
Operator:		Length of Conductor Pipe (if any): 0	
Well Name:		Projected Total Depth: 4500	
Original Completion Date:	Original Total Depth:	Formation at Total Depth: Arbuckle	
		Water Source for Drilling Operations:	
	Yes X No	Well Farm Pond X Other: haul	
Directional, Deviated or Horizontal wellbore?			
If Yes, true vertical depth:		DWR Permit #:	
If Yes, true vertical depth:			
If Yes, true vertical depth:		DWR Permit #:	h DWR
If Yes, true vertical depth:	AFF	DWR Permit #: (Note: Apply for Permit with	Yes No
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: The undersigned hereby affirms that the old is agreed that the following minimum red. Notify the appropriate district office. A copy of the approved notice of interest in the control of surface picture of the interest in the control of the interest in the well is dry hole, an agreement. The appropriate district office will be in an ALTERNATE if COMPLETION or pursuant to Appendix "B" - East must be completed within 30 days of the interest in the interest in the statements made.	AFF drilling, completion and eventual plug quirements will be met: prior to spudding of well; lent to drill shall be posted on each pe as specified below shall be set to s plus a minimum of 20 feet into the t between the operator and the distre e notified before well is either plugger, production pipe shall be cemented ern Kansas surface casing order #1; of the spud date or the well shall be herein are true and to the best of me	DWR Permit #:	Tyes No The pipe shall be set ary prior to plugging; 20 DAYS of spud date. a, alternate if cementing ior to any cementing.
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: The undersigned hereby affirms that the old is agreed that the following minimum red. Notify the appropriate district office. A copy of the approved notice of interest in the control of surface picture of the interest in the control of the interest in the well is dry hole, an agreement. The appropriate district office will be in an ALTERNATE if COMPLETION or pursuant to Appendix "B" - East must be completed within 30 days of the interest in the interest in the statements made.	AFF drilling, completion and eventual plug quirements will be met: prior to spudding of well; lent to drill shall be posted on each pe as specified below shall be set to s plus a minimum of 20 feet into the t between the operator and the distre e notified before well is either plugger, production pipe shall be cemented ern Kansas surface casing order #1; of the spud date or the well shall be herein are true and to the best of me	DWR Permit #: (Note: Apply for Permit with Will Cores be taken? If Yes, proposed zone: FIDAVIT gging of this well will comply with K.S.A. 55 et. see drilling rig; by circulating cement to the top; in all cases surface underlying formation. rict office on plug length and placement is necessed or production casing is cemented in; if from below any usable water to surface within 1: 33,891-C, which applies to the KCC District 3 are: plugged. In all cases, NOTIFY district office proposed in the case of the complex plugged. In all cases, NOTIFY district office proposed in the case of the ca	Tyes No Ty
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: The undersigned hereby affirms that the old it is agreed that the following minimum reforms and the appropriate district office 2. A copy of the approved notice of informs and the informal and the approved notice of informs and the informal and th	AFF drilling, completion and eventual plug quirements will be met: prior to spudding of well; tent to drill shall be posted on each be as specified below shall be set to s plus a minimum of 20 feet into the t between the operator and the distre e notified before well is either plugger, production pipe shall be cemented ern Kansas surface casing order #1: of the spud date or the well shall be herein are true and to the best of me of Operator or Agent:	DWR Permit #: (Note: Apply for Permit with Will Cores be taken? If Yes, proposed zone: FIDAVIT gging of this well will comply with K.S.A. 55 et. sec drilling rig; by circulating cement to the top; in all cases surface underlying formation. rict office on plug length and placement is necessed or production casing is cemented in; if from below any usable water to surface within 1: 33,891-C, which applies to the KCC District 3 are: plugged. In all cases, NOTIFY district office proy knowledge and belief. Was Many Many Many Many Many Many Many Many	Tyes No No The pipe shall be set ary prior to plugging; 20 DAYS of spud date. a, alternate if cementing for to any cementing. Muthar Aperatar
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: The undersigned hereby affirms that the old it is agreed that the following minimum reforms and it is agreed that the following minimum reforms. Notify the appropriate district office 2. A copy of the approved notice of informs. The minimum amount of surface pinthrough all unconsolidated material forms. If the well is dry hole, an agreement. The appropriate district office will be formed in a ALTERNATE il COMPLETION. Or pursuant to Appendix "B" - East must be completed within 30 days of the properties of the complete in the statements made. Date: U//9/2007 Signature	AFF drilling, completion and eventual plug quirements will be met: prior to spudding of well; tent to drill shall be posted on each be as specified below shall be set to s plus a minimum of 20 feet into the t between the operator and the distre e notified before well is either plugger, production pipe shall be cemented ern Kansas surface casing order #1: of the spud date or the well shall be herein are true and to the best of me of Operator or Agent:	DWR Permit #: (Note: Apply for Permit with Will Cores be taken? If Yes, proposed zone: FIDAVIT gging of this well will comply with K.S.A. 55 et. see drilling rig; by circulating cement to the top; in all cases surface underlying formation. rict office on plug length and placement is necessed or production casing is cemented in; if from below any usable water to surface within 1: 33,891-C, which applies to the KCC District 3 are: plugged. In all cases, NOTIFY district office proposed in the case of the complex plugged. In all cases, NOTIFY district office proposed in the case of the ca	re pipe shall be set ary prior to plugging; 20 DAYS of spud date. a, alternate if cementing ior to any cementing. Mutto Aperator ent to Drill; of soud date:
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: The undersigned hereby affirms that the outside the series of t	AFF drilling, completion and eventual plug quirements will be met: prior to spudding of well; tent to drill shall be posted on each pe as specified below shall be set to s plus a minimum of 20 feet into the t between the operator and the distre e notified before well is either plugge i, production pipe shall be cemented ern Kansas surface casing order #1: of the spud date or the well shall be herein are true and to the best of m of Operator or Agent:	Will Cores be taken? If Yes, proposed zone: If Yes,	re pipe shall be set ary prior to plugging; 20 DAYS of spud date. a, alternate if cementing ior to any cementing. Author Aperator ent to Drill; of spud date; proration orders;
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: The undersigned hereby affirms that the old it is agreed that the following minimum reforms to the appropriate district office 2. A copy of the approved notice of into 3. The minimum amount of surface pithrough all unconsolidated material 4. If the well is dry hole, an agreemen 5. The appropriate district office will be 6. If an ALTERNATE II COMPLETION Or pursuant to Appendix "B" - East must be completed within 30 days of the properties of the pro	AFF drilling, completion and eventual plug quirements will be met: prior to spudding of well; tent to drill shall be posted on each pe as specified below shall be set to s plus a minimum of 20 feet into the t between the operator and the distre e notified before well is either plugge i, production pipe shall be cemented ern Kansas surface casing order #1: of the spud date or the well shall be herein are true and to the best of m of Operator or Agent:	DWR Permit #:	re pipe shall be set ary prior to plugging; 20 DAYS of spud date. a, alternate if cementing ior to any cementing. Sent to Drill; of spud date; proration orders; to workover or re-entry; ecompleted (within 60 days);
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: The undersigned hereby affirms that the old it is agreed that the following minimum reforms and the appropriate district office 2. A copy of the approved notice of informs and the informal and the approved notice of informs and the informal and unconsolidated material and the well is dry hole, an agreement appropriate district office will be appropriate district office will be an ALTERNATE if COMPLETION Or pursuant to Appendix "B" - East must be completed within 30 days of the informal appropriate district office will be appropriate di	AFF drilling, completion and eventual plug quirements will be met: prior to spudding of well; tent to drill shall be posted on each pe as specified below shall be set to s plus a minimum of 20 feet into the t between the operator and the distre e notified before well is either plugge i, production pipe shall be cemented ern Kansas surface casing order #1: of the spud date or the well shall be herein are true and to the best of m of Operator or Agent:	Will Cores be taken? If Yes, proposed zone: If Yes, proposed zone; If Yes, proposed zone: If Yes,	reprint to Drill; of spud date; proration orders; to workover or re-entry; s completed (within 60 days);
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: The undersigned hereby affirms that the old it is agreed that the following minimum reforms and it is agreed that the following minimum reforms and it is agreed that the following minimum reforms and it is approved notice of information and it is a copy of the approved notice of informs and it is a copy of the approved it is an agreement and it is appropriate district office will be a for information and it is appropriate district office will be a formation and it is appropriate district office will be a formation and it is appropriate district office will be a formation and it is appropriate district office will be a formation and it is appropriate district office will be app	AFF drilling, completion and eventual plug quirements will be met: prior to spudding of well; lent to drill shall be posted on each be as specified below shall be set to s plus a minimum of 20 feet into the t between the operator and the district e notified before well is either plugger in, production pipe shall be cemented ern Kansas surface casing order #1: of the spud date or the well shall be herein are true and to the best of m of Operator or Agent: feet feet per ALT. I II	Will Cores be taken? If Yes, proposed zone: If Yes,	re pipe shall be set ary prior to plugging; 20 DAYS of spud date. a, alternate if cementing ior to any cementing. Purport of spud date; proration orders; to workover or re-entry; s completed (within 60 days); ecting salt water.
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: The undersigned hereby affirms that the old it is agreed that the following minimum reforms. 1. Notify the appropriate district office 2. A copy of the approved notice of interest in through all unconsolidated material 4. If the well is dry hole, an agreemen 5. The appropriate district office will be 6. If an ALTERNATE II COMPLETION Or pursuant to Appendix "B" - East must be completed within 30 days of the provided in the statements made between the provided in the statement of the provided in th	AFF drilling, completion and eventual pluguirements will be met: prior to spudding of well; tent to drill shall be posted on each be as specified below shall be set to splus a minimum of 20 feet into the tother between the operator and the distrementation of the spudding pipe shall be cemented for the spud date or the well shall be herein are true and to the best of more of Operator or Agent: feet feet per ALT. I II	Will Cores be taken? If Yes, proposed zone: If Yes, proposed zone; If Yes, proposed zone: If Yes,	re pipe shall be set ary prior to plugging; 20 DAYS of spud date. a, alternate if cementing ior to any cementing. Purportation orders; to workover or re-entry; s completed (within 60 days); ecting salt water. biration date) please
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: The undersigned hereby affirms that the old it is agreed that the following minimum reforms and it is agreed that the following minimum reforms and it is agreed that the following minimum reforms and it is agreed notice of information and it is a copy of the approved notice of informs and it is a copy of the approved notice of informs and it is a copy of the approved district office will be appropriate district office will be appropriate district office will be a completed within 30 days of the completed within 30 days of the copy of the statements made be approved by: For KCC Use ONLY API # 15 - 039 - 2/005 - Conductor pipe required Minimum surface pipe required 250 Approved by: MH V-30-07	AFF drilling, completion and eventual pluguirements will be met: prior to spudding of well; tent to drill shall be posted on each be as specified below shall be set to splus a minimum of 20 feet into the tother between the operator and the distrementation of the spudding pipe shall be cemented for the spud date or the well shall be herein are true and to the best of more of Operator or Agent: feet feet per ALT. I II	Will Cores be taken? If Yes, proposed zone: If Yes,	reprint to plugging; 20 DAYS of spud date. a, alternate if cementing ior to any cementing. 21 DAYS of spud date. a, alternate if cementing ior to any cementing. 22 DAYS of spud date. a, alternate if cementing. 23 DAYS of spud date. a, alternate if cementing. 24 DAYS of spud date. and to Drill; of spud date; proration orders; to workover or re-entry; s completed (within 60 days); ecting salt water. a) Decime in the complete is below.
If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: The undersigned hereby affirms that the office to the sagreed that the following minimum refused in the sagreed that the following minimum refused: 1. Notify the appropriate district office 2. A copy of the approved notice of into 3. The minimum amount of surface pinthrough all unconsolidated material 4. If the well is dry hole, an agreemen 5. The appropriate district office will be 6. If an ALTERNATE II COMPLETION Or pursuant to Appendix "B" - East must be completed within 30 days of the sagreement	AFF drilling, completion and eventual pluguirements will be met: prior to spudding of well; tent to drill shall be posted on each be as specified below shall be set to splus a minimum of 20 feet into the tother between the operator and the distrementation of the spudding pipe shall be cemented for the spud date or the well shall be herein are true and to the best of more of Operator or Agent: feet feet per ALT. I II	Will Cores be taken? If Yes, proposed zone: If Yes,	reprint to plugging; 20 DAYS of spud date. a, alternate if cementing ior to any cementing. 21 DAYS of spud date. a, alternate if cementing ior to any cementing. 22 DAYS of spud date. a, alternate if cementing. 23 DAYS of spud date. a, alternate if cementing. 24 DAYS of spud date. and to Drill; of spud date; proration orders; to workover or re-entry; s completed (within 60 days); ecting salt water. a) Decime in the complete is below.



IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 039-21005-0000	
Operator: Murfin Drilling Co., Inc.	Location of Well: County: Decatur
Lease. MBI	660 feet from N / S Line of Section
Well Number: 1-22	990 feet from E / W Line of Section
Field: Wildcat	Sec. 22 Twp. 5 S. R. 30 E X W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage:	Is Section: Regular or Irregular
	If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1009982

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Murfin Drilling Co., Inc.			License Number: 30606		
Operator Address: 250 N. Water, Ste 300			Wichita KS 67202		
Contact Person: Shauna Gunzelman			Phone Number: 316-267-3241		
Lease Name & Well No.: MBI	1-22		Pit Location (QQQQ):		
Type of Pit:	Pit is:				
Emergency Pit Burn Pit	Proposed Existing		Sec. 22 Twp. 5 R. 30 East West		
Settling Pit Drilling Pit	If Existing, date co	onstructed:	660 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		990 Feet from East / West Line of Section		
(If WP Supply API No. or Year Drilled)	600	(bbls)	Decatur County		
Is the pit located in a Sensitive Ground Water	Area? Yes X	No	Chloride concentration:mg/l		
			(For Emergency Pits and Settling Pits only)		
is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used? Bentonite and solids from drilling operations self seal pits		
Pit dimensions (all but working pits):	00 Length (fe	et)100	Width (feet) N/A: Steel Pits		
Depth fe	om ground level to de	eepest point:	4 (feet) No Pit		
			edures for periodic maintenance and determining including any special monitoring.		
		west fresh water 90 feet.			
4754 feet Depth of water well 110 feet		Source of information: measured well owner electric log KDWR			
		Drilling, Workover and Haul-Off Pits ONLY:			
		Type of materi	ype of material utilized in drilling/workover: Bentonite		
Trained of processing trained and trained		ſ	Number of working pits to be utilized: 4		
Barrels of fluid produced daily:		Abandonment	procedure: Allow pits to evaporate until dry, then backfill when conditions allow		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
<i>U/19/07</i> Date	_0	hauna	Simplinan Agent for Operator ignature of Applicant or Agent		
KCC OFFICE USE ONLY Steel Pit RFAC RFAS					
Date Received: 4/26/07 Permit Nun	nber:	Perm	it Date: 6/20/07 Lease Inspection: Yes XNo		

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

RECEIVED KANSAS CORPORATION COMMISSION



Kathleen Sebelius, Governor Brian J. Moline, Chair Robert E. Krehbiel, Commissioner Michael C. Moffet, Commissioner

June 19, 2007

Shauna Gunzelman Murfin Drilling Co., Inc. 250 N. Water, Ste 300 Wichita, KS67202

Re: Drilling Pit Application Green-O'Brien Lease Well No. 1-19 SW/4 Sec.19-05S-29W Decatur County, Kansas

Dear Shauna Gunzelman:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (785) 625-0550 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms/

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (785) 625-0550.

CONSERVATION DIVISION
Finney State Office Building, 130 S. Market, Room 2078, Wichita, KS 67202-3802
(316) 337-6200 • Fax: (316) 337-6211 • http://kec.ks.gov/

RECEIVED KANSAS CORPORATION COMMISSION

JUN 2 0 2007