For KCC Use:

Effective Date:

District #

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1

December 2002

Form must be Typed

Form must be Signed

All blanks must be Filled

SGA? Yes No Must be approved by KCC five	(5) days prior to commencing well
5	Spot East
Expected Spud Date	NE NW NE Sec. 23 Twp. 17 S. R. 29 West
OPERATOR: License# 5046	75 feet from N / S Line of Section **
Name: Raymond Oil Company, Inc.	1500 feet from VE / W Line of Section
Address: PO Box 48788	Is SECTION Regular Irregular?
City/State/7in: Wichita, Ks 67201	(Note: Locate well on the Section Plat on reverse side)
Contact Person. Clarke T. Sandberg	County: Lane
Phone: (316) 267-4214	Lease Name: Honeyman/Schriock Unit Well #: 1
CONTRACTOR: License# 6039	Field Name:
Name: L. D. Drilling, Inc.	ls this a Prorated / Spaced Field? Target Formation(s): Lansing, Cherokee & Mississippi ✓
	Nearest Lease or unit boundary: 585
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 2792 feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
☐ CWWO ☐ Disposal ☑ Wildcat ☑ Cable	Depth to bottom of fresh water: 180
Seismic;# of Holes Other	Depth to bottom of usable water: 1350
Other	Surface Pipe by Alternate: 1 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 250'
	Length of Conductor Pipe required: None
Operator:	Projected Total Depth: 4650'
Original Completion Date:Original Total Depth:	Formation at Total Depth: Mississippi
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other Contractor will file
If Yes, true vertical depth:	CDWR Permit #:
Bottom Hole Location: KANSAS CORPORATION COMMISSION	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken?
JUN 2 0 2007	If Yes, proposed zone: **Oil & Gas Lease(s) w/pooling clauses ar
AFF	ID AV/AT
CONSERVATION DIVISION AFF The undersigned hereby affirms that the drill WICH TATION and eventual pi	attatheu
It is agreed that the following minimum requirements will be met:	
Notify the appropriate district office <i>prior</i> to spudding of well;	
 Notify the appropriate district office prior to spudding of well. A copy of the approved notice of intent to drill shall be posted on ear 	ch drillina ria:
3. The minimum amount of surface pipe as specified below shall be se	et by circulating cement to the top; in all cases surface pipe shall be set
through all unconsolidated materials plus a minimum of 20 feet into the	he underlying formation.
 If the well is dry hole, an agreement between the operator and the c The appropriate district office will be notified before well is either plug 	district office on plug length and placement is necessary prior to plugging;
I ne appropriate district office will be notified before well is either plug ALTERNATE II COMPLETION, production gine shall be cement	ted from below any usable water to surface within 120 days of spud date.
Or pursuant to Appendix "B" - Eastern Kansas surface casing profer,	#133,89/I-C, which applies to the KCC District 3 area, alternate II cementing
must be completed within 30 days of the spud date or the well stay	be plugged. In all/cases, NOTIFY district office prior to any cementing.
I hereby certify that the statements made herein are true and to the best of	n my knowledge land belief.
/ 1/1.4.2/	(/ Mark Marx
Date: 6/15/2007 Signature of Operator or Agent:	Title: Geologist
	Remember to:
For KCC Use ONLY	- File Drill Pit Application (form CDP-1) with Intent to Drill;
API # 15 - 101 - 22029-000	- File Completion Form ACO-1 within 120 days of spud date;
A loss a	- File acreage attribution plat according to field proration orders;
202	 Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;
William Surface pipe required	- Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water.
Approved by: Push 6-31-07	
This authorization expires:	 If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
(This authorization void if drilling not started within 6 months of approval date.)	Well Not Drilled - Permit Expired
Spud date:Agent:	Signature of Operator or Agent:
	Date:

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

Location of Well: County: Lane
75 feet from N / S Line of Section 1500 feet from E / W Line of Section
Sec. 23 Twp. 17 S. R. 29 East Wes
Is Section: Regular or □ Irregular
to document of the same of the
If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

		,	•	k			
 •	•			0<	K00'	· ->	
 ,							RECEIVED KANSAS CORPORATION COMMISSION
						•	JUN 2 0 2007
					,	•	CONSERVATION DIVISION WICHITA, KS
 		• •••••		· · · · ·			, and the second
•	•	: - <u></u>	 	·	· ·	· ·	EXAMPLE : :
				• •	•	:	
 				 	 	· · · · · ·	1980
		· 					3390'
•	•			• .		•	
 			• • •		· · ·		
	•			• ,		•	SEWARD CO.

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Raymond Oil Co	mpany, Inc.	License Number: 5046	
Operator Address: PO Box 487	88 Wichit	201	
Contact Person: Clarke T. Sandbe		Phone Number: (316) 264 - 4214	
Lease Name & Well No.: #1 Honey	. –	Pit Location (QQQQ):	
Type of Pit:	Pit is:		<u>NE NE NW NE</u>
Emergency Pit Burn Pit	✔ Proposed	Existing	Sec. 23 Twp. 17S R. 29
Settling Pit Drilling Pit	If Existing, date co	onstructed:	75' Feet from 🗹 North / 🗌 South Line of Section
Workover Pit Haul-Off Pit	Pit capacity:		
(If WP Supply API No. or Year Drilled)	Fit capacity.	(bbls)	Lane County
Is the pit located in a Sensitive Ground Water	Area? Yes		Chloride concentration:mg/l
			(For Emergency Pits and Settling Pits only)
Is the bottom below ground level? Ves No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	lO Length (fe	eet) 60	Width (feet) N/A: Steel Pits
	om ground level to de	eepest point:	5 (feet)
If the pit is lined give a brief description of the material, thickness and installation procedure	liner	Describe proce	edures for periodic maintenance and determine EIVED not determine the composition of the
			JUN 2 0 2007
			CONSERVATION DIVIGIO
Distance to nearest water well within one-mil-	e of pit	Depth to shallo	CONSERVATION DIVISION WICHITA, KS owest fresh water 180 462 feet.
		Source of info	CONSERVATION DIVISION WICHITA, KS owest fresh water 180 462 feet.
,,	/40_feet	Source of info	CONSERVATION DIVISION WICHITA, KS owest fresh water 180 462 feet.
475 feet Depth of water well	/40_feet	Source of information measurements Drilling, Work	CONSERVATION DIVISION WICHITA, KS owest fresh water 180 462 feet. rmation: uredwell owner electric logKDWR
475 feet Depth of water well Emergency, Settling and Burn Pits ONLY:	/40_feet	Source of information measurements Drilling, Work Type of material Number of wo	conservation division wichita, ks west fresh water 180 462 feet. mation: uredwell owner electric logKDWR cover and Haul-Off Pits ONLY: al utilized in drilling/workover:Drig rking pits to be utilized:
	/40_feet	Source of information measurements Drilling, Work Type of material Number of wo	conservation division Wichita, Ks west fresh water 180 462 feet. mation: ured well owner electric log KDWR cover and Haul-Off Pits ONLY: al utilized in drilling/workover: Drig mud
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease:	/40_feet	Source of information measurements Drilling, Work Type of materi Number of woon Abandonment	conservation division wichita, ks west fresh water 180 462 feet. mation: uredwell owner electric logKDWR cover and Haul-Off Pits ONLY: al utilized in drilling/workover:Drig rking pits to be utilized:
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all	/40_feet	Drilling, Work Type of materi Number of wo Abandonment Drill pits must	conservation division witchita, ks west fresh water 180 462 feet. rmation: ured well owner electric log KDWR cover and Haul-Off Pits ONLY: al utilized in drilling/workover: Drig mud rking pits to be utilized: procedure: Evaporate + backf: be closed within 365 days of spud date.
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow al flow into the pit? Yes No	/40_feet	Drilling, Work Type of materi Number of wo Abandonment Drill pits must	conservation division witchita, ks west fresh water 180 462 feet. rmation: ured well owner electric log KDWR cover and Haul-Off Pits ONLY: al utilized in drilling/workover: Drig mud rking pits to be utilized: procedure: Evaporate + backf: be closed within 365 days of spud date.
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow al flow into the pit? I hereby certify that the above state 6/15/2007	/40_feet	Source of informeast Drilling, Work Type of materi Number of wo Abandonment Drill pits must	conservation division Wichita, ks owest fresh water 180 462 feet. mation: ured well owner electric log KDWR over and Haul-Off Pits ONLY: al utilized in drilling/workover: Drig mud rking pits to be utilized: the consequence of the closed within 365 days of spud date. St of my knowledge and belief. Additional consequence of the consequence of the closed within 365 days of spud date. Additional consequence of the consequence of the closed within 365 days of spud date.
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow al flow into the pit? I hereby certify that the above state	/40_feet	Source of informeast Drilling, Work Type of materi Number of wo Abandonment Drill pits must	conservation division Wichita, ks west fresh water 180 462 feet. rmation: ured well owner electric log KDWR cover and Haul-Off Pits ONLY: al utilized in drilling/workover: Drig mud rking pits to be utilized: procedure: Evapo nate + backfill be closed within 365 days of spud date.
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow al flow into the pit? I hereby certify that the above state 6/15/2007	/40_feet	Source of informeast Drilling, Work Type of materi Number of wo Abandonment Drill pits must	conservation division Wichita, ks by west fresh water 180 462 feet. Interior well owner electric log KDWR cover and Haul-Off Pits ONLY: all utilized in drilling/workover: Drig mud rking pits to be utilized: procedure: Evaporate + backfill be closed within 365 days of spud date. Signature of Applicant or Agent