### For KCC Use: Effective Date: \_ District #\_

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

## NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

	Spot	18 🗀
Expected Spud Date June 26, 2007  month day year	SW SE NW Sec. 11 Twp. 29	
OPERATOR: License# 33344	2310 feet from V N / 1650 feet from E /	
Name: Quest Cherokee LLC  Address: 9520 North May Avenue, Suite 300	Is SECTION Regular Irregular?	
Address: Oklahoma City, Oklahoma 73120  City/State/Zip:	(Note: Locate well on the Section Plat of	n reverse side)
City/State/Zip:	County: Neosho	
Contact Person: Richard Marlin Phone: (405) 463-6880	Lease Name: Triplett, C.W.	Well #: 11-3
	Field Name: Cherokee Basin CBM	
CONTRACTOR: License# Will be licensed by the KCC	Is this a Prorated / Spaced Field?	Yes ✓ No
Name: Will advise on the ACO-1	Target Formation(s): Cherokee Coals	
	Nearest Lease or unit boundary: 330	<u> </u>
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 965	feet MSL
Oil Enh Rec 🗸 Infield 🖊 Mud Rotary	Water well within one-quarter mile:	Yes ✓ No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	Yes No
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100	<u> </u>
Seismic;# of Holes Other	Depth to bottom of usable water: 200 /50	<u> </u>
✓ Other Coalbed Methane	Surface Pipe by Alternate: 1 2	_
	Length of Surface Pipe Planned to be set: 25	
If OWWO: old well information as follows:	Length of Conductor Pipe required:	
Operator:	Projected Total Depth: 1300	
Well Name:Original Total Depth:	Formation at Total Depth: Cherokee Coals	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other Air	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DW	
KCC DKT #:	Will Cores be taken?	Yes ✓ No
	If Yes, proposed zone:	
AFE	IDAVIT	RECEIVED SAS CORPORATION COMMISSIO
• • • • • • • • • • • • • • • • • • • •	XAN	SAS CURPOIOTION
The undersigned hereby affirms that the drilling, completion and eventual pl	agging of this well will comply with R.O.A. 35 ct. 35c	JUN 2 1 2007
It is agreed that the following minimum requirements will be met:		JUN 2 1 2001
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the set of the set</li></ol>	et by circulating cement to the top; in all cases surfa- ne underlying formation. listrict office on plug length and placement is neces aged or production casing is cemented in; ed from below any usable water to surface within 1 #133,891-C, which applies to the KCC District 3 and be plugged. In all cases, NOTIFY district office p	sary <i>prior to plugging;</i> 20 days of spud date. rea, alternate II cementing
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the lift the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order.</li> </ol>	et by circulating cement to the top; in all cases surfa- ne underlying formation. listrict office on plug length and placement is neces aged or production casing is cemented in; ed from below any usable water to surface within 1 #133,891-C, which applies to the KCC District 3 and be plugged. In all cases, NOTIFY district office p	sary prior to plugging; 20 days of spud date. rea, alternate It cementing
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the set of the appropriate district office will be notified before well is either plug that an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall.</li> </ol>	et by circulating cement to the top; in all cases surfa- ne underlying formation. listrict office on plug length and placement is neces aged or production casing is cemented in; ed from below any usable water to surface within 1 #133,891-C, which applies to the KCC District 3 and be plugged. In all cases, NOTIFY district office p	sary prior to plugging; 20 days of spud date. rea, alternate It cementing
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the structure of the appropriate district office will be notified before well is either plug that an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the plug that the statements made herein are true and to the best of the specific that the statements made herein are true and to the best of the specific that the statements made herein are true and to the best of the specific that the statements made herein are true and to the best of the specific that the statements made herein are true and the statements are true and the</li></ol>	et by circulating cement to the top; in all cases surfane underlying formation.  listrict office on plug length and placement is neces aged or production casing is cemented in; ed from below any usable water to surface within 1 #133,891-C, which applies to the KCC District 3 are be plugged. In all cases, NOTIFY district office of the knowledge and belief.  Title: VP	sary prior to plugging; 20 days of spud date. rea, alternate It cementing wior to any cementing.
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the set of the appropriate district office will be notified before well is either plug that the statement of the statement of the set of the specific plug of the spud date or the well shall be completed within 30 days of the spud date or the well shall be certify that the statements made herein are true and to the best of the spud statement of the set of the specific plug of the specif</li></ol>	et by circulating cement to the top; in all cases surfane underlying formation.  listrict office on plug length and placement is neces aged or production casing is cemented in; ed from below any usable water to surface within 1 #133,891-C, which applies to the KCC District 3 are be plugged. In all cases, NOTIFY district office of firmy knowledge and belief.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent File Completion Form ACO-1 within 120 days of	sary prior to plugging; 20 days of spud date. rea, alternate It cementing prior to any cementing.  to Drill; spud date;
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the drop of the set of the appropriate district office will be notified before well is either plug of the shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date:  Date: June 19, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 133-26986-0000	et by circulating cement to the top; in all cases surfane underlying formation.  listrict office on plug length and placement is neces aged or production casing is cemented in; ed from below any usable water to surface within 1 #133,891-C, which applies to the KCC District 3 are be plugged. In all cases, NOTIFY district office of firmy knowledge and belief.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent File Completion Form ACO-1 within 120 days of File acreage attribution plat according to field pitch.	sary prior to plugging; 20 days of spud date. rea, alternate It cementing prior to any cementing.  to Drill; spud date; roration orders;
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the drop of the set of the appropriate district office will be notified before well is either plug of the surface casing order or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the statements made herein are true and to the best of the best of the surface of the s	et by circulating cement to the top; in all cases surfane underlying formation.  listrict office on plug length and placement is neces aged or production casing is cemented in; ed from below any usable water to surface within 1 #133,891-C, which applies to the KCC District 3 are be plugged. In all cases, NOTIFY district office of firmy knowledge and belief.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent File Completion Form ACO-1 within 120 days of	sary prior to plugging; 20 days of spud date. rea, alternate It cementing prior to any cementing.  to Drill; spud date; roration orders; workover or re-entry;
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the drop of the set of t	et by circulating cement to the top; in all cases surfane underlying formation.  listrict office on plug length and placement is neces aged or production casing is cemented in; ed from below any usable water to surface within 1 #133,891-C, which applies to the KCC District 3 are be plugged. In all cases, NOTIFY district office of firmy knowledge and belief.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent in File Completion Form ACO-1 within 120 days of in File acreage attribution plat according to field present in the control of the control	sary prior to plugging;  20 days of spud date. rea, alternate It cementing prior to any cementing.  to Drill; spud date; roration orders; workover or re-entry; completed;
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the set of the set of the appropriate district office will be notified before well is either plug of the an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the best of the set of the	et by circulating cement to the top; in all cases surface underlying formation.  listrict office on plug length and placement is neces aged or production casing is cemented in; ed from below any usable water to surface within 1 #133,891-C, which applies to the KCC District 3 at the plugged. In all cases, NOTIFY district office profession of the plugged of the plugged.  File Drill Pit Application (form CDP-1) with Intent in File Completion Form ACO-1 within 120 days of in Eile acreage attribution plat according to field provided in the plugging report (CP-4) after plugging is in Obtain written approval before disposing or injectif this permit has expired (See: authorized expiration).	sary prior to plugging;  20 days of spud date. rea, alternate It cementing prior to any cementing.  to Drill; spud date; roration orders; workover or re-entry; completed; cting salt water. ation date) please
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the drop of the set of t	et by circulating cement to the top; in all cases surface underlying formation.  listrict office on plug length and placement is neces aged or production casing is cemented in; ed from below any usable water to surface within 1 #133,891-C, which applies to the KCC District 3 at the plugged. In all cases, NOTIFY district office professions of the plugged of the plugged.  File Drill Pit Application (form CDP-1) with Intent - File Completion Form ACO-1 within 120 days of - File acreage attribution plat according to field provided in the plugging report (CP-4) after plugging is - Obtain written approval before disposing or injective.	sary prior to plugging;  20 days of spud date. rea, alternate It cementing prior to any cementing.  to Drill; spud date; roration orders; workover or re-entry; completed; cting salt water. ation date) please
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the set of the set of the appropriate district office will be notified before well is either plug of the an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the best of the set of the	et by circulating cement to the top; in all cases surface underlying formation.  listrict office on plug length and placement is neces aged or production casing is cemented in; ed from below any usable water to surface within 1 #133,891-C, which applies to the KCC District 3 at the plugged. In all cases, NOTIFY district office profession of the plugged of the plugged.  File Drill Pit Application (form CDP-1) with Intent in File Completion Form ACO-1 within 120 days of in Eile acreage attribution plat according to field provided in the plugging report (CP-4) after plugging is in Obtain written approval before disposing or injectif this permit has expired (See: authorized expiration).	sary prior to plugging;  20 days of spud date. rea, alternate It cementing prior to any cementing.  to Drill; spud date; roration orders; workover or re-entry; completed; cting salt water. ation date) please
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the drop of the set of t	et by circulating cement to the top; in all cases surface underlying formation.  listrict office on plug length and placement is neces aged or production casing is cemented in; ed from below any usable water to surface within 1 #133,891-C, which applies to the KCC District 3 are be plugged. In all cases, NOTIFY district office produced from knowledge and befief.  File Drill Pit Application (form CDP-1) with Intent - File Completion Form ACO-1 within 120 days of - File acreage attribution plat according to field produced in Notify appropriate district office 48 hours prior to Submit plugging report (CP-4) after plugging is - Obtain written approval before disposing or injected the box below and return to the address	sary prior to plugging;  20 days of spud date. rea, alternate II cementing prior to any cementing.  to Drill; spud date; roration orders; workover or re-entry; completed; cting salt water. ation date) please below.

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 133-26 986-0000	Location of Well: County: Neosho
Operator: Quest Cherokee LLC	
Lease: Triplett, C.W.	feet from N / S Line of Section  1650 feet from E / W Line of Section
Well Number: 11-3	Sec. 11 Twp. 29 S. R. 18 Ves
Field: Cherokee Basin CBM	
Number of Acres attributable to well:	Is Section: Regular or Irregular  If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Quest Cherokee LLC		License Number: 33344		
Operator Address: 9520 North May	/ Avenue, Su	ite 300 Ok	lahoma City, Oklahoma 73120	
Contact Person: Richard Marlin		Phone Number: ( 405 ) 463 - 6880		
Lease Name & Well No.: Triplett, C.W. #11-3			Pit Location (QQQQ):	
Type of Pit:	Pit is:			
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 11 Twp. 29 R. 18	
Settling Pit	If Existing, date constructed:		2310 Feet from 🗸 North / 🗌 South Line of Section	
Workover Pit Haul-Off Pit			1650 Feet from East / 🗸 West Line of Section	
(if WP Supply API No. or Year Drilled)	Pit capacity: 300 (bbls)		NeoshoCounty	
Is the pit located in a Sensitive Ground Water			Chloride concentration:mg/l	
is the pit located in a densitive croding vivater	7.1ca: 100 [v		(For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?  Yes V No	Artificial Liner?  ☐ Yes  ✓	No	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	30 Length (fe	eet) 10	Width (feet) N/A: Steel Pits	
	rom ground level to d		(feet)	
		Air Drilling	Operation lasting approx 3 days	
Distance to nearest water well within one-mile of pit  Depth to shallo Source of information in the shallo		west fresh waterfeet. mation:		
NA feet Depth of water wellfeet mea		measu	uredwell owner electric logKDWR	
3		1	Drilling, Workover and Haul-Off Pits ONLY:	
		1	Type of material utilized in drilling/workover: Air Drilled	
<u>'</u>		king pits to be utilized: One procedure: Air Dry, Back Fill and Cover		
Barrels of fluid produced daily:		Abandonment	procedure:	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		be closed within 365 days of spud date.  RECEIVED  RECEIVED		
I hereby certify that the above stat	ements are true and	correct to the bes	t of my knowledge and belief.	
June 19, 2007 Date		uhang	JUN 2 1 2007  Signature of Applicant or Agent  CONSERVATION DIVISION  CONSERVATION DIVISION DIVISION  CONSERVATION DIVISION DIVISIO	
KCC OFFICE USE ONLY				
Date Received: 6/21/07 Permit Nur	oher:	Perm	iit Date: 6/21/07 Lease Inspection: Yes +No	