For KCC Use: Effective Date: District # SGA? Yes X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

July	19	2007	Spot	East
xpected Spud Date	n day	year	NW NW SE Sec. 33	Twp. 18 S. R. 20 West
5144	•			from N / S Line of Section
PERATOR: License# 5144	····		2314 Feet	from VE / W Line of Section
ame. Mull Drilling Company, Inc.			Is SECTIONRegular	
ddress: P.O. Box 2758				
ity/State/Zip: Wichita KS 67201-2758				e Section Plat on reverse side)
ontact Person, Mark Shreve		_ 	County: Rush	Well #: 1-33
hone: 316-264-6366 Ext. 13			Lease Name: Showalter	Well #:
33575			Field Name: Wildcat	
ONTRACTOR: License# 33575			Is this a Prorated / Spaced Field?	Yes ✓ No
ame: WW Drilling, LLC	·		Target Formation(s): Cherokee San	241
Well Drilled For: Well	Class: Type	Equipment:	Nearest Lease or unit boundary: 33	
		Mud Rotary	Ground Surface Elevation: 2171.9	feet MSL
	 -	-	Water well within one-quarter mile:	Yes 🗹 No 🔎
Gas Storage		Air Rotary	Public water supply well within one	
OWWO Disposal		Cable	Depth to bottom of fresh water: 180	
Seismic;# of Hales	Other		Depth to bottom of usable water: 50	00'
Other			Surface Pipe by Alternate: 1	√ 2
OWWO: old well information as fol	llowe:		Length of Surface Pipe Planned to	be set: 200'
			Length of Conductor Pipe required	d: None
			Projected Total Depth: 4300'	
Well Name:			Formation at Total Depth: Missis	ssippian
Original Completion Date:	Original Tota	ar Deptri:	Water Source for Drilling Operation	
Directional, Deviated or Horizontal w	ellbore?	Yes ✓ No		Other _X
Yes, true vertical depth:			DWR Permit #: Contractor will appl	V •
•				
Bottom Hole Location:			(Note: Apply for	r Permit with DWR
•			(Note: Apply for Will Cores be taken?	r Permit with DWR ☑ Yes ☑ No
Bottom Hole Location:			(Note: Apply for	Permit with DWR Yes No
Bottom Hole Location:			(Note: Apply for Will Cores be taken? If Yes, proposed zone:	Permit with DWR Yes No
Bottom Hole Location:KCC DKT #:		AFFID	(Note: Apply for Will Cores be taken? If Yes, proposed zone:	Yes No RECEIVED KANSAS CORPORATION COMMI
Sottom Hole Location: CCC DKT #: The undersigned hereby affirms that	at the drilling, comp	AFFID letion and eventual plug	(Note: Apply for Will Cores be taken? If Yes, proposed zone:	Yes No RECEIVED KANSAS CORPORATION COMMI
Sottom Hole Location: CCC DKT #: The undersigned hereby affirms that is agreed that the following minim	at the drilling, comp num requirements w	AFFID letion and eventual plug	(Note: Apply for Will Cores be taken? If Yes, proposed zone:	Permit with DWR ☑ Yes ☑ No RECEIVED KANSAS CORPORATION COMM
Sottom Hole Location: CCC DKT #: The undersigned hereby affirms that is agreed that the following minim 1. Notify the appropriate district 2. A copy of the approved notic	at the drilling, compl num requirements w t office prior to spu e of intent to drill s	AFFID letion and eventual plug vill be met: dding of well; hall be posted on each	(Note: Apply for Will Cores be taken? If Yes, proposed zone: AVIT Iging of this well will comply with K.	Yes No RECEIVED KANSAS CORPORATION COMMI S.A. 55 et. seq. JUN 2 2 2007 CONSERVATION DIVISION
CCC DKT #: The undersigned hereby affirms that is agreed that the following minim 1. Notify the appropriate district 2. A copy of the approved notic 3. The minimum amount of surf	at the drilling, compl num requirements w office prior to spu e of intent to drill s face pipe as specifi	AFFID letion and eventual plug vill be met: dding of well; hall be posted on each ed below shall be set	(Note: Apply for Will Cores be taken? If Yes, proposed zone: AVIT Iging of this well will comply with K. drilling rig; by circulating cement to the top; in	RECEIVED KANSAS CORPORATION COMMI
Sottom Hole Location: CCC DKT #: The undersigned hereby affirms that is agreed that the following minim 1. Notify the appropriate district 2. A copy of the approved notic 3. The minimum amount of surfit through all unconsolidated means.	at the drilling, compl num requirements w office prior to spu e of intent to drill s face pipe as specifi aterials plus a mini	AFFID letion and eventual plug vill be met: dding of well; hall be posted on each ed below shall be set in	(Note: Apply for Will Cores be taken? If Yes, proposed zone:	RECEIVED KANSAS CORPORATION COMMI S.A. 55 et. seq. JUN 2 2 2007 CONSERVATION DIVISION all cases surface pipe shallow tasks
Sottom Hole Location: CCC DKT #: The undersigned hereby affirms that is agreed that the following minim 1. Notify the appropriate district 2. A copy of the approved notic 3. The minimum amount of surf through all unconsolidated m 4. If the well is dry hole, an agi	at the drilling, compl num requirements w toffice prior to spu e of intent to drill s face pipe as specifi taterials plus a mini reement between th	AFFID letion and eventual plug vill be met: dding of well; hall be posted on each ed below shall be set mum of 20 feet into the ne operator and the dis	(Note: Apply for Will Cores be taken? If Yes, proposed zone:	RECEIVED KANSAS CORPORATION COMMINISTRATE CONSERVATION DIVISION all cases surface pipe shallowstacks ement is necessary prior to plugging;
CCC DKT #: The undersigned hereby affirms that is agreed that the following minim 1. Notify the appropriate district 2. A copy of the approved notic 3. The minimum amount of surfuthrough all unconsolidated m 4. If the well is dry hole, an agree the appropriate district office.	at the drilling, compl num requirements w office prior to spu e of intent to drill s face pipe as specifi aterials plus a mini reement between the	AFFID letion and eventual plug vill be met: dding of well; hall be posted on each ed below shall be set mum of 20 feet into the ne operator and the dis fore well is either plugge	(Note: Apply for Will Cores be taken? If Yes, proposed zone:	RECEIVED KANSAS CORPORATION COMMIS.A. 55 et. seq. CONSERVATION DIVISION all cases surface pipe shallon tapes. The property of the plugging; d in;
Sottom Hole Location: CCC DKT #: The undersigned hereby affirms that is agreed that the following minim 1. Notify the appropriate district 2. A copy of the approved notic 3. The minimum amount of surf through all unconsolidated m 4. If the well is dry hole, an agu 5. The appropriate district office 6. If an ALTERNATE II COMPL Or pursuant to Appendix "B"	at the drilling, compl num requirements we office prior to spu e of intent to drill s , face pipe as specificaterials plus a mini- reement between the will be notified bef ETION, production - Eastern Kansas	AFFID letion and eventual plug vill be met: dding of well; hall be posted on each ed below shall be set I mum of 20 feet into the fore well is either plugge pipe shall be cemented surface casing order #	(Note: Apply for Will Cores be taken? If Yes, proposed zone:	RECEIVED KANSAS CORPORATION COMMINISTRATES CONSERVATION DIVISION all cases surface pipe shallowstasks ement is necessary prior to plugging; d in; urface within 120 days of spud date. CC District 3 area, alternate II cementing
Sottom Hole Location: CCC DKT #: The undersigned hereby affirms that is agreed that the following minim 1. Notify the appropriate district 2. A copy of the approved notic 3. The minimum amount of surf through all unconsolidated m 4. If the well is dry hole, an agu 5. The appropriate district office 6. If an ALTERNATE II COMPL Or pursuant to Appendix "B"	at the drilling, compl num requirements we office prior to spu e of intent to drill s , face pipe as specificaterials plus a mini- reement between the will be notified bef ETION, production - Eastern Kansas	AFFID letion and eventual plug vill be met: dding of well; hall be posted on each ed below shall be set I mum of 20 feet into the fore well is either plugge pipe shall be cemented surface casing order #	(Note: Apply for Will Cores be taken? If Yes, proposed zone:	RECEIVED KANSAS CORPORATION COMMISS.A. 55 et. seq. CONSERVATION DIVISION all cases surface pipe shallon tapes. The property of the plugging; d in;
The undersigned hereby affirms that is agreed that the following minim 1. Notify the appropriate district 2. A copy of the approved notic 3. The minimum amount of surf through all unconsolidated m 4. If the well is dry hole, an agr 5. The appropriate district office 6. If an ALTERNATE II COMPL Or pursuant to Appendix "B" must be completed within 30	at the drilling, compliant requirements we office <i>prior</i> to spute of intent to drill sufface pipe as specificaterials plus a minimaterials plus as a minimaterial plus production - Eastern Kansas a days of the spud of	AFFID letion and eventual plug vill be met: dding of well; hall be posted on each ed below shall be set mum of 20 feet into the ne operator and the dis fore well is either plugge pipe shall be cemented surface casing order #*	(Note: Apply for Will Cores be taken? If Yes, proposed zone:	RECEIVED KANSAS CORPORATION COMMINISTRATES CONSERVATION DIVISION all cases surface pipe shallowstasks ement is necessary prior to plugging; d in; urface within 120 days of spud date. CC District 3 area, alternate II cementing
CCC DKT #:	at the drilling, compliant requirements we office <i>prior</i> to spute of intent to drill sufface pipe as specificaterials plus a minimaterials plus as a minimaterial plus production - Eastern Kansas a days of the spud of	AFFID letion and eventual plug vill be met: dding of well; hall be posted on each ed below shall be set mum of 20 feet into the ne operator and the dis fore well is either plugge pipe shall be cemented surface casing order #*	(Note: Apply for Will Cores be taken? If Yes, proposed zone:	RECEIVED KANSAS CORPORATION COMMINISTRATE STATES CONSERVATION DIVISION all cases surface pipe shallowerases ement is necessary prior to plugging; d in; urface within 120 days of spud date. CC District 3 area, alternate II cementing district office prior to any cementing.
CCC DKT #:	at the drilling, compliant requirements we office <i>prior</i> to spute of intent to drill sufface pipe as specificaterials plus a minimaterials plus as a minimaterial plus production - Eastern Kansas a days of the spud of	AFFID letion and eventual plug vill be met: dding of well; hall be posted on each ed below shall be set mum of 20 feet into the ne operator and the dis fore well is either plugge pipe shall be cemented surface casing order # date or the well shall be rue and to the best of r	(Note: Apply for Will Cores be taken? If Yes, proposed zone:	RECEIVED KANSAS CORPORATION COMMINISTRATES CONSERVATION DIVISION all cases surface pipe shallowstasks ement is necessary prior to plugging; d in; urface within 120 days of spud date. CC District 3 area, alternate II cementing
CCC DKT #:	at the drilling, compliant requirements we office <i>prior</i> to spute of intent to drill so face pipe as specificaterials plus a minimaterials plus a minimaterials plus a minimaterial between the will be notified before ETION, production - Eastern Kansas a days of the spud of made herein are to	AFFID letion and eventual plug vill be met: dding of well; hall be posted on each ed below shall be set mum of 20 feet into the ne operator and the dis fore well is either plugge pipe shall be cemented surface casing order # date or the well shall be rue and to the best of r	(Note: Apply for Will Cores be taken? If Yes, proposed zone:	RECEIVED KANSAS CORPORATION COMMINISTRATE STATES CONSERVATION DIVISION all cases surface pipe shallowerases ement is necessary prior to plugging; d in; urface within 120 days of spud date. CC District 3 area, alternate II cementing district office prior to any cementing.
CCC DKT #: The undersigned hereby affirms that is agreed that the following minim 1. Notify the appropriate district 2. A copy of the approved notic 3. The minimum amount of surfuthrough all unconsolidated m 4. If the well is dry hole, an agr 5. The appropriate district office 6. If an ALTERNATE II COMPL Or pursuant to Appendix "B" must be completed within 30 hereby certify that the statements Date: 6/21/07 Signa	at the drilling, compliant requirements we office <i>prior</i> to spute of intent to drill so face pipe as specificaterials plus a minimaterials plus a minimaterials plus a minimaterial between the will be notified before ETION, production - Eastern Kansas a days of the spud of made herein are to	AFFID letion and eventual plug vill be met: dding of well; hall be posted on each ed below shall be set mum of 20 feet into the ne operator and the dis fore well is either plugge pipe shall be cemented surface casing order # date or the well shall be rue and to the best of r	(Note: Apply for Will Cores be taken? If Yes, proposed zone:	RECEIVED KANSAS CORPORATION COMMINISTRATES CONSERVATION DIVISION all cases surface pipe shallowstasks ement is necessary prior to plugging; d in; urface within 120 days of spud date. CC District 3 area, alternate II cementing listrict office prior to any cementing. Title: President/COO
Sottom Hole Location: CCC DKT #: The undersigned hereby affirms that is agreed that the following minim 1. Notify the appropriate district 2. A copy of the approved notic 3. The minimum amount of surf through all unconsolidated m 4. If the well is dry hole, an agr 5. The appropriate district office 6. If an ALTERNATE II COMPL Or pursuant to Appendix "B" must be completed within 30 hereby certify that the statements Date: 6/21/07 Signal	at the drilling, complain requirements we office <i>prior</i> to spute of intent to drill sufface pipe as specificaterials plus a miniferement between the will be notified before ETION, production - Eastern Kansas of days of the spud of t	AFFID letion and eventual plug vill be met: dding of well; hall be posted on each ed below shall be set mum of 20 feet into the ne operator and the dis fore well is either plugge pipe shall be cemented surface casing order # date or the well shall be rue and to the best of r	(Note: Apply for Will Cores be taken? If Yes, proposed zone:	RECEIVED KANSAS CORPORATION COMMINISTRATES CONSERVATION DIVISION all cases surface pipe shallow takes ement is necessary prior to plugging; d in; urface within 120 days of spud date. CC District 3 area, alternate II cementing district office prior to any cementing. Title: President/COO
CCC DKT #: The undersigned hereby affirms that is agreed that the following minim 1. Notify the appropriate district 2. A copy of the approved notic 3. The minimum amount of surfuthrough all unconsolidated m 4. If the well is dry hole, an agr 5. The appropriate district office 6. If an ALTERNATE II COMPL Or pursuant to Appendix "B" must be completed within 30 hereby certify that the statements Date: 6/21/07 Signal For KCC Use ONLY API # 15 - 165-21816	at the drilling, compliant requirements we office <i>prior</i> to spute of intent to drill soface pipe as specificaterials plus a minimagement between the will be notified before ETION, production - Eastern Kansas days of the spud of made herein are that the complete of Operator of the spud of the	AFFID letion and eventual plug vill be met: dding of well; hall be posted on each ed below shall be set mum of 20 feet into the ne operator and the dis fore well is either plugge pipe shall be cemented surface casing order # date or the well shall be rue and to the best of r	(Note: Apply for Will Cores be taken? If Yes, proposed zone:	RECEIVED KANSAS CORPORATION COMMINISTRATES CONSERVATION DIVISION all cases surface pipe shall comming to plugging; doin; urface within 120 days of spud date. CC District 3 area, alternate II cementing district office prior to any cementing. Title: President/COO P-1) with Intent to Drill; hin 120 days of spud date;
CCC DKT #: The undersigned hereby affirms that is agreed that the following minim 1. Notify the appropriate district 2. A copy of the approved notic 3. The minimum amount of surfuthrough all unconsolidated m 4. If the well is dry hole, an agr 5. The appropriate district office 6. If an ALTERNATE II COMPL Or pursuant to Appendix "B" must be completed within 30 hereby certify that the statements Date: 6/21/07 Signal For KCC Use ONLY API # 15 - 165-21816	at the drilling, complain requirements we office <i>prior</i> to spute of intent to drill soft ace pipe as specificaterials plus a miniprement between the will be notified before ETION, production - Eastern Kansas days of the spud of a made herein are the sture of Operator or the spud of the spud o	AFFID letion and eventual plug vill be met: dding of well; hall be posted on each ed below shall be set mum of 20 feet into the ne operator and the dis fore well is either plugge pipe shall be cemented surface casing order # date or the well shall be rue and to the best of r	(Note: Apply for Will Cores be taken? If Yes, proposed zone:	RECEIVED KANSAS CORPORATION COMMINISTRATES TO DISTRICT OFFICE Prior to plugging; d in; urface within 120 days of spud date. CC District 3 area, alternate II cementing district office prior to any cementing. Title: President/COO P-1) with Intent to Drill; hin 120 days of spud date; ording to field proration orders;
CCC DKT #: The undersigned hereby affirms that is agreed that the following minim 1. Notify the appropriate district 2. A copy of the approved notic 3. The minimum amount of surf through all unconsolidated m 4. If the well is dry hole, an agr 5. The appropriate district office 6. If an ALTERNATE II COMPL Or pursuant to Appendix "B" must be completed within 30 hereby certify that the statements Date: 6/21/07 Signated S	at the drilling, compliant requirements we office <i>prior</i> to spute of intent to drill soft ace pipe as specificaterials plus a minitive will be notified before ETION, production - Eastern Kansas adays of the spud of made herein are to ature of Operator or a specific action of the spud of the s	AFFID letion and eventual plug vill be met: dding of well; hall be posted on each ed below shall be set in mum of 20 feet into the ne operator and the dis fore well is either plugge pipe shall be cemented surface casing order # date or the well shall be rue and to the best of r Agent:	(Note: Apply for Will Cores be taken? If Yes, proposed zone:	RECEIVED KANSAS CORPORATION COMMINISTRATE OF THE PRESIDENT TO BURGING THE PRESIDENT OF THE
CCC DKT #: The undersigned hereby affirms that is agreed that the following minim 1. Notify the appropriate district 2. A copy of the approved notic 3. The minimum amount of surf through all unconsolidated m 4. If the well is dry hole, an agr 5. The appropriate district office 6. If an ALTERNATE II COMPL Or pursuant to Appendix "B" must be completed within 30 hereby certify that the statements Date: 6/21/07 Signal For KCC Use ONLY API # 15 - 165 - 21816 Conductor pipe required Minimum surface pipe required	at the drilling, compliant requirements we office <i>prior</i> to spute of intent to drill softiace pipe as specificaterials plus a minipreement between the will be notified before the spute of the spute o	AFFID letion and eventual plug vill be met: dding of well; hall be posted on each ed below shall be set I mum of 20 feet into the fore well is either plugge pipe shall be cemented surface casing order # date or the well shall be rue and to the best of r	(Note: Apply for Will Cores be taken? If Yes, proposed zone:	RECEIVED KANSAS CORPORATION COMMINISTRATE CONSERVATION DIVISION all cases surface pipe shallow takes ement is necessary prior to plugging; d in; urface within 120 days of spud date. CC District 3 area, alternate II cementing district office prior to any cementing. Title: President/COO P-1) with Intent to Drill; hin 120 days of spud date; ording to field proration orders; list hours prior to workover or re-entry; fier plugging is completed;
CCC DKT #: The undersigned hereby affirms that is agreed that the following minim 1. Notify the appropriate district 2. A copy of the approved notic 3. The minimum amount of surf through all unconsolidated m 4. If the well is dry hole, an agr 5. The appropriate district office 6. If an ALTERNATE II COMPL Or pursuant to Appendix "B" must be completed within 30 hereby certify that the statements Date: 6/21/07 Signal For KCC Use ONLY API # 15 - //65 - 2/8/6 Conductor pipe required Minimum surface pipe required Approved by	at the drilling, compliant requirements we office <i>prior</i> to spute of intent to drill soft face pipe as specificaterials plus a minimaterials plus a minimaterials plus a minimaterial before the spute of the spute	AFFID letion and eventual plug vill be met: dding of well; hall be posted on each ed below shall be set in mum of 20 feet into the ne operator and the dis fore well is either plugge pipe shall be cemented surface casing order # date or the well shall be rue and to the best of r Agent:	(Note: Apply for Will Cores be taken? If Yes, proposed zone:	RECEIVED KANSAS CORPORATION COMMINISTRATES CONSERVATION DIVISION all cases surface pipe shallowflasts rement is necessary prior to plugging; d in; urface within 120 days of spud date. CC District 3 area, alternate II cementing listrict office prior to any cementing. Title: President/COO P-1) with Intent to Drill; hin 120 days of spud date; ording to field proration orders; list hours prior to workover or re-entry; for plugging is completed; lisposing or injecting salt water.
CCC DKT #: The undersigned hereby affirms that is agreed that the following minim 1. Notify the appropriate district 2. A copy of the approved notic 3. The minimum amount of surfithrough all unconsolidated m 4. If the well is dry hole, an agr 5. The appropriate district office 6. If an ALTERNATE II COMPL Or pursuant to Appendix "B" must be completed within 30 hereby certify that the statements Date: 6/21/07 Signal For KCC Use ONLY API # 15 - 165 - 21816 Conductor pipe required Minimum surface pipe required Approved by 165 - 2577 This authorization expires: 125	at the drilling, compliant requirements we office <i>prior</i> to spute of intent to drill strate pipe as specificaterials plus a miniferement between the will be notified before ETION, production - Eastern Kansas days of the spud of made herein are that the complete product of the spud	AFFID letion and eventual plug vill be met: dding of well; hall be posted on each ed below shall be set mum of 20 feet into the ne operator and the dis fore well is either plugge pipe shall be cemented sturface casing order # date or the well shall be rue and to the best of r Agent:	(Note: Apply for Will Cores be taken? If Yes, proposed zone:	RECEIVED KANSAS CORPORATION COMMINISTRATES CONSERVATION DIVISION all cases surface pipe shallowflasts ement is necessary prior to plugging; d in; urface within 120 days of spud date. CC District 3 area, alternate II cementing district office prior to any cementing. Title: President/COO P-1) with Intent to Drill; hin 120 days of spud date; ording to field proration orders; shours prior to workover or re-entry; fier plugging is completed; isposing or injecting salt water. authorized expiration date) please
CCC DKT #: The undersigned hereby affirms that is agreed that the following minim 1. Notify the appropriate district 2. A copy of the approved notic 3. The minimum amount of surf through all unconsolidated m 4. If the well is dry hole, an agr 5. The appropriate district office 6. If an ALTERNATE II COMPL Or pursuant to Appendix "B" must be completed within 30 hereby certify that the statements Date: 6/21/07 Signal For KCC Use ONLY API # 15 - //65 - 2/8/6 Conductor pipe required Minimum surface pipe required Approved by	at the drilling, compliant requirements we office <i>prior</i> to spute of intent to drill strate pipe as specificaterials plus a miniferement between the will be notified before ETION, production - Eastern Kansas days of the spud of made herein are that the complete product of the spud	AFFID letion and eventual plug vill be met: dding of well; hall be posted on each ed below shall be set mum of 20 feet into the ne operator and the dis fore well is either plugge pipe shall be cemented sturface casing order # date or the well shall be rue and to the best of r Agent:	(Note: Apply for Will Cores be taken? If Yes, proposed zone:	RECEIVED KANSAS CORPORATION COMMINISTRATES CONSERVATION DIVISION all cases surface pipe shallowerases rement is necessary prior to plugging; d in; urface within 120 days of spud date. CC District 3 area, alternate II cementing listrict office prior to any cementing. Title: President/COO P-1) with Intent to Drill; hin 120 days of spud date; ording to field proration orders; list hours prior to workover or re-entry; for plugging is completed; lisposing or injecting salt water. authorized expiration date) please to the address below.
CCC DKT #: The undersigned hereby affirms that is agreed that the following minim 1. Notify the appropriate district 2. A copy of the approved notic 3. The minimum amount of surfithrough all unconsolidated m 4. If the well is dry hole, an agr 5. The appropriate district office 6. If an ALTERNATE II COMPL Or pursuant to Appendix "B" must be completed within 30 hereby certify that the statements Date: 6/21/07 Signal For KCC Use ONLY API # 15 - 165 - 21816 Conductor pipe required Minimum surface pipe required Approved by 165 - 2577 This authorization expires: 125	at the drilling, complain requirements we office <i>prior</i> to spute of intent to drill strate pipe as specificaterials plus a minimerement between the will be notified before ETION, production - Eastern Kansas days of the spud of the sp	AFFID letion and eventual plug vill be met: dding of well; hall be posted on each ed below shall be set mum of 20 feet into the ne operator and the dis fore well is either plugge pipe shall be cemented date or the well shall be rue and to the best of r r Agent: feet feet per Ait. AFFID AFFID	(Note: Apply for Will Cores be taken? If Yes, proposed zone:	RECEIVED KANSAS CORPORATION COMMINISTRATION S.A. 55 et. seq. JUN 2 2 2007 CONSERVATION DIVISION all cases surface pipe shall characters ament is necessary prior to plugging; d in; urface within 120 days of spud date. CC District 3 area, alternate II cementing. Ilistrict office prior to any cementing. Title: President/COO P-1) with Intent to Drill; hin 120 days of spud date; ording to field proration orders; list hours prior to workover or re-entry; fier plugging is completed; isposing or injecting salt water. authorized expiration date) please to the address below. (cpired

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 165-21818-0000	Location of Well: County: Rush
Operator: Mull Drilling Company, Inc.	•
Lease: Showalter	2083 feet from N / ✓ S Line of Section 2314 feet from ✓ E / W Line of Section
Well Number: 1-33 Field: Wildcat	Sec. 33 Twp. 18 S. R. 20 East ✓ Wes
Number of Acres attributable to well:	Is Section: ☐ Regular or ✓ Irregular
QTR / QTR / QTR of acreage: NW - NW - SE - SE	If Section is Irregular, locate well from nearest corner boundary. Section corner used: ☐ NE ☐ NW ✓ SE ☐ SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)


5272.23'

33

331' FWL

*

| Id | E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E |
| E



NOTE: In all cases locate the spot of the proposed drilling locaton.

JUN 2 2 2007

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding section SERVATION DIVISION 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Mull Drilling Comp	any, Inc.	License Number: 5144	
Operator Address: P.O. Box 2758	Wichita KS 67201-2758		
Contact Person: Mark Shreve		Phone Number: (316) 264 - 6366	
Lease Name & Well No.: Showalter #	#1-33	Pit Location (QQQQ):	
Type of Pit:	Pit is:	_SWNWNWSE	
Emergency Pit Burn Pit	Proposed Existing	Sec. 33 Twp. 18S R. 20 East / West	
Settling Pit Drilling Pit	If Existing, date constructed:	2083 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit		2314 Feet from 🗸 East / West Line of Section	
(If WP Supply API No. or Year Drilled)	Pit capacity: (bbls)	Rush County	
A state of the control of the contro		Chloride concentration: mg/l	
Is the pit located in a Sensitive Ground Water	TAlea! les [v] No	(For Emergency Pits and Settling Pits only)	
is the bottom below ground level?	Artificial Liner?	How is the pit lined if a plastic liner is not used?	
Yes No	☐ Yes 🗸 No	Drilling Mud	
Pit dimensions (all but working pits):	80 Length (feet) 80	Width (feet) N/A: Steel Pits	
Depth	from ground level to deepest point: 4	(feet)	
If the pit is lined give a brief description of the		edures for periodic maintenance and determining including any special monitoring.	
If the pit is lined give a brief description of the material, thickness and installation procedu	re. liner integrity,	including any special monitoring.	
If the pit is lined give a brief description of the	ile of pit Depth to shall Source of info	owest fresh water	
If the pit is lined give a brief description of the material, thickness and installation procedu	ile of pit Depth to shall Source of info	owest fresh waterfeet.	
If the pit is lined give a brief description of the material, thickness and installation procedured by the procedure of the procedure of the pit of the pit of water well within one-material of the pit of water well of the pit of water water water well of the pit of water well of the pit of water wat	ile of pit Depth to shall Source of info 25 feet meas Y: Drilling, Worl	owest fresh water	
If the pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-material feet. Depth of water well. Emergency, Settling and Burn Pits ONL	ile of pit Depth to shall Source of info 25 feet meas Y: Drilling, Worl Type of mater	owest fresh water	
If the pit is lined give a brief description of the material, thickness and installation procedu Distance to nearest water well within one-material description. Graph of water well Emergency, Settling and Burn Pits ONL' Producing Formation: Number of producing wells on lease:	re. liner integrity, ile of pit Depth to shall Source of info meas Y: Drilling, Worl Type of mater Number of wo	owest fresh water	
If the pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-material procedure. Hoss feet Depth of water well. Emergency, Settling and Burn Pits ONL. Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily:	ille of pit Depth to shall Source of info 25 feet Drilling, Worl Type of mater Number of wo	owest fresh water	
If the pit is lined give a brief description of the material, thickness and installation procedu Distance to nearest water well within one-material procedure. Hoss feet Depth of water well Emergency, Settling and Burn Pits ONL' Producing Formation: Number of producing wells on lease:	ille of pit Depth to shall Source of info 25 feet Type of mater Number of wo Abandonment original soil.	owest fresh water	
If the pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-material procedure. Hoss feet Depth of water well. Emergency, Settling and Burn Pits ONL. Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow after the pit? Yes No	ille of pit Depth to shall Source of info 25 feet Type of mater Number of wo Abandonment original soil.	owest fresh water	
If the pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-meter of producing and Burn Pits ONL's Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow after the pit? Yes No	ille of pit Depth to shall Source of info AS feet Drilling, Worl Type of mater Number of wo Abandonment original soil. Drill pits must	owest fresh water	
If the pit is lined give a brief description of the material, thickness and installation procedure. Distance to nearest water well within one-material procedure. Hoss feet Depth of water well. Emergency, Settling and Burn Pits ONL. Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow after the pit? Yes No	ille of pit Depth to shall Source of info 25 feet Drilling, Worl Type of mater Number of wo Abandonment original soil. Drill pits must	owest fresh water	