For KCC Use:	7-107
Effective Date: _	1-1-01
District #	3
SGA? Yes	X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date June 30, 2007 month day year	Spot NESE NW NW Sec. 18 Two. 21 S	East
	4460 Sec. Twp. S	
DPERATOR: License# 3728	4285 feet from V E /	
lame: Roger Kent dba RJ Enterprises	Is SECTION ☐ RegularIrregular?	44 Fille of Section
Address: 1203 East 4th Avenue City/State/Zip: Garnett, KS 66032		
City/State/Zip:	(Note: Locate well on the Section Plat on rev	erse side)
Contact Person: Roger Kent Phone: (785) 448-6963 (785) 448-7725	County: Anderson	10
hone: (133) 113 3333 (133) 113	Lease Name: Hill Field Name: Bush City Shoestring	_Well #:
ONTRACTOR: License# 3728		
lame: Roger Kent dba RJ Enterprises	Is this a Prorated / Spaced Field? Target Formation(s): Squirrel	Yes ✓ No
	Nearest Lease or unit boundary: 500'	
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: n/a	feet MSL
✓ Oil Enh Rec ✓ Infield ✓ Mud Rotary	Water well within one-quarter mile:	Yes ✓ No
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	Yes ✓ No
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100+	
Seismic;# of Holes Other	Depth to bottom of usable water:	
Other	Surface Pipe by Alternate: 1	
OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'	
Operator:	Length of Conductor Pipe required: none	
Well Name:	Projected Total Depth: 800'	
Original Completion Date:Original Total Depth:	Formation at Total Depth: Squirrel	
/	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other	
f Yes, true vertical depth:		
r root troo vortion dopun	DWR Permit #:	
Bottom Hole Location:	DWR Permit #:(Note: Apply for Permit with DWR	
·	(Note: Apply for Permit with DWR Will Cores be taken?	Yes ✓No
Sottom Hole Location:	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone:	
Sottom Hole Location:	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone:	
AFF The undersigned hereby affirms that the drilling, completion and eventual pt is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on east through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; et by circulating cernent to the top; in all cases surface p the underlying formation. district office on plug length and placement is necessary gged or production casing is cemented in; ted from below any usable water to surface within 120 d r #133,891-C, which applies to the KCC District 3 area, a be plugged. In all cases, NOTIFY district office prior t	yes √No pe shall be set prior to plugging; sys of spud date. themate II cementing
AFF The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on eather of the appropriate district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below shall be strongh all unconsolidated materials plus a minimum of 20 feet into the fifth that is dry hole, an agreement between the operator and the strongh all unconsolidated materials plus a minimum of 20 feet into the fifth that is dry hole, an agreement between the operator and the strong propriate district office will be notified before well is either plus of the appropriate district office will be notified before well is either plus that the statements made herein are true and to the pest of the post of the spud date or the well shall be certify that the statements made herein are true and to the pest of the spud date or the well shall be certified before the well shall be certified before the spud date or the well shall be certified before the spud date or the well shall be certified before the spud date or the well shall be certified before the spud date or the well shall be certified before the spud date or the well shall be certified before the spud date or the well shall be certified before the spud date or the well shall be certified before the spud date or the well shall be certified before the spud date or the well shall be certified before the spud date or the well shall be certified before the spud date or the well shall be certified before the spud date or the well shall be certified before the spud date or the well shall be certified before the spud date or the well shall be certified before the spud date or the well shall be certified before the spud date or the well shall be certified before the spud date or the spud da	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; bet by circulating cement to the top; in all cases surface p the underlying formation. district office on plug length and placement is necessary gged or production casing is cemented in; ted from below any usable water to surface within 120 d r #133,891-C, which applies to the KCC District 3 area, a be plugged. In all cases, NOTIFY district office prior to firmy knowledge and belief.	Pes ✓ No pe shall be set prior to plugging; sys of spud date. Itemate II cementing
AFF The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ear through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the pest of	Will Cores be taken? If Yes, proposed zone: FIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; bet by circulating cernent to the top; in all cases surface p the underlying formation. district office on plug length and placement is necessary gged or production casing is cemented in; ted from below any usable water to surface within 120 d r #133,891-C, which applies to the KCC District 3 area, a be plugged. In all cases, NOTIFY district office prior to firmy knowledge and belief. Title: Agent	Pes √No pe shall be set prior to plugging; eys of spud date. liternate II cementing
AFF The undersigned hereby affirms that the drilling, completion and eventual processing that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be surfaced through all unconsolidated materials plus a minimum of 20 feet into the surface well is either plus. 4. If the well is dry hole, an agreement between the operator and the surface appropriate district office will be notified before well is either plus. 5. The appropriate district office will be notified before well is either plus. 6. If an ALTERNATE II COMPLETION, production pipe shall be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the pest of the complete of the spud date or the well shall hereby certify that the statements made herein are true and to the pest of the complete of the spud date or the well shall hereby certify that the statements made herein are true and to the pest of the spud date. For KCC Use ONLY	(Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; bet by circulating cement to the top; in all cases surface p the underlying formation. district office on plug length and placement is necessary gged or production casing is cemented in; ted from below any usable water to surface within 120 d r #133,891-C, which applies to the KCC District 3 area, a be plugged. In all cases, NOTIFY district office prior to firmy knowledge and belief.	yes √No pe shall be set prior to plugging; sys of spud date. Itemate II cementing o any cementing.
AFF The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ear 3. The minimum amount of surface pipe as specified below shall be surfaced through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cember or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the pest of the control of the control of the pest of the control of the control of the control of the pest of the control of the contr	Will Cores be taken? If Yes, proposed zone: FIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; but by circulating cement to the top; in all cases surface per the underlying formation. district office on plug length and placement is necessary gged or production casing is cemented in; atted from below any usable water to surface within 120 der #133,891-C, which applies to the KCC District 3 area, a be plugged. In all cases, NOTIFY district office prior to firmy knowledge and belief. Title: Agent	yes √No pe shall be set prior to plugging; ays of spud date. Itemate II cementing o any cementing.
AFF The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be surfaced through all unconsolidated materials plus a minimum of 20 feet into the surface pipe and the surface pipe and the surface pipe as specified below shall be surfaced to the surface pipe as specified below shall be surfaced in the surface pipe as specified below shall be surfaced. 4. If the well is dry hole, an agreement between the operator and the surface propriate district office will be notified before well is either plus for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the pest of the surface of the surface points. For KCC Use ONLY API # 15 - OO3-2443/-OO00	Will Cores be taken? If Yes, proposed zone: FIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; Let by circulating cement to the top; in all cases surface per the underlying formation. district office on plug length and placement is necessary gged or production casing is cemented in; ted from below any usable water to surface within 120 der #133,891-C, which applies to the KCC District 3 area, as be plugged. In all cases, NOTIFY district office prior to firmy knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Dr. File Completion Form ACO-1 within 120 days of spuce. File acreage attribution plat according to field proration.	yes No Type shall be set prior to plugging; ays of spud date. Itemate II cementing or any cementing.
AFF The undersigned hereby affirms that the drilling, completion and eventual process is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be at through all unconsolidated materials plus a minimum of 20 feet into the state of the well is drived the operator and the state of the surface of the specified before well is either plus. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall thereby certify that the statements made herein are true and to the pest of the specified of the specified pest of the specified of the specified pest of	Will Cores be taken? If Yes, proposed zone: FIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; bet by circulating cement to the top; in all cases surface p the underlying formation. district office on plug length and placement is necessary gged or production casing is cemented in; ted from below any usable water to surface within 120 dr #133,891-C, which applies to the KCC District 3 area, a be plugged. In all cases, NOTIFY district office prior to from knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Dr File Completion Form ACO-1 within 120 days of spuce. Notify appropriate district office 48 hours prior to work.	yes No Type shall be set prior to plugging; ays of spud date. Iternate II cementing o any cementing.
AFF The undersigned hereby affirms that the drilling, completion and eventual processing is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be such through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the sum of the sum	Will Cores be taken? If Yes, proposed zone: FIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; Lef by circulating cement to the top; in all cases surface post the underlying formation. district office on plug length and placement is necessary gged or production casing is cemented in; atted from below any usable water to surface within 120 dr. #133,891-C, which applies to the KCC District 3 area, a be plugged. In all cases, NOTIFY district office prior to firmy knowledge and belief. ### Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Dr. File Completion Form ACO-1 within 120 days of spuce. Notify appropriate district office 48 hours prior to work. Submit plugging report (CP-4) after plugging is comp	yes No Type shall be set prior to plugging; ays of spud date. Iternate II cementing o any cementing.
AFF The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on east through all unconsolidated materials plus a minimum of 20 feet into: 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the pest of the part of the part of the part of the pest of the part of the pest of the part of the pest of t	Will Cores be taken? If Yes, proposed zone: FIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; bet by circulating cement to the top; in all cases surface pethe underlying formation. district office on plug length and placement is necessary gged or production casing is cemented in; ted from below any usable water to surface within 120 degretary and the plugged. In all cases, NOTIFY district office prior to find the prio	yes √No pe shall be set prior to plugging; eys of spud date. Iternate II cementing o any cementing. III; date; on orders; cover or re-entry; leted; salt water.
AFF The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be such through all unconsolidated materials plus a minimum of 20 feet into the statement of the operator and the subject of the well is dry hole, an agreement between the operator and the subject of the sub	Will Cores be taken? If Yes, proposed zone: FIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; Let by circulating cernent to the top; in all cases surface point the underlying formation. district office on plug length and placement is necessary gged or production casing is cemented in; ted from below any usable water to surface within 120 dir #133,891-C, which applies to the KCC District 3 area, as be plugged. In all cases, NOTIFY district office prior to firmy knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Dr. File Completion Form ACO-1 within 120 days of spuce. Notify appropriate district office 48 hours prior to work submit plugging report (CP-4) after plugging is comp. Obtain written approval before disposing or injecting.	yes √No Ipe shall be set prior to plugging; ays of spud date. Iternate II cementing o any cementing. III; I date; on orders; over or re-entry; Ieted; salt water. Idate) please
AFF The undersigned hereby affirms that the drilling, completion and eventual parties agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on east through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into through all unconsolidated materials plus a minimum of 20 feet into the well is dry hole, an agreement between the operator and the solid through a proportial district office will be notified before well is either plus to the sum of the pest of the spud date or the well shall hereby certify that the statements made herein are true and to the pest of the prior to the spud date or the well shall hereby certify that the statements made herein are true and to the pest of the prior to the pest of the prior to the prior to the pest of the prior to the prior to the pest of the prior to the prior to the prior to the pest of the prior to the prior	Will Cores be taken? If Yes, proposed zone: FIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; bet by circulating cement to the top; in all cases surface poster the underlying formation. district office on plug length and placement is necessary gged or production casing is cemented in; atted from below any usable water to surface within 120 der #133,891-C, which applies to the KCC District 3 area, as be plugged. In all cases, NOTIFY district office prior to firmy knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Dr. File Completion Form ACO-1 within 120 days of spuce. Notify appropriate district office 48 hours prior to worth and the surface of the surface and production of the surface of the	yes No Ipe shall be set prior to plugging; says of spud date. Iternate II cementing o any cementing. III; I date; on orders; over or re-entry; leted; salt water. Idate) please
AFF The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on east through all unconsolidated materials plus a minimum of 20 feet into the understand of the well is dry hole, an agreement between the operator and the strength of the well is dry hole, an agreement between the operator and the strength of the well is either plus. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the pest of the part of the pest of the spud date of the well shall hereby certify that the statements made herein are true and to the pest of the spud date of the well shall hereby certify that the statements made herein are true and to the pest of the spud date or the well shall hereby certify that the statements made herein are true and to the pest of the spud date or the well shall hereby certify that the statements made herein are true and to the pest of the spud date or the well shall hereby certify that the statements made herein are true and to the pest of the spud date or the well shall hereby certify that the statements made herein are true and to the pest of the spud date or the well shall hereby certify that the statements made herein are true and to the pest of the spud date or the well shall hereby certify that the statements made herein are true and to the pest of the spud date or the well shall hereby certify that the statements made herein are true and to the pest of the spud date or the well shall hereby certify that the statements made herein are true and to the pest of the spud date or the well shall hereby certified before the shall hereby certified before the shall hereby certified before t	Will Cores be taken? If Yes, proposed zone: FIDAVIT Dlugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; Let by circulating cernent to the top; in all cases surface point the underlying formation. district office on plug length and placement is necessary gged or production casing is cemented in; ted from below any usable water to surface within 120 dir #133,891-C, which applies to the KCC District 3 area, as be plugged. In all cases, NOTIFY district office prior to firmy knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Dr. File Completion Form ACO-1 within 120 days of spuce. Notify appropriate district office 48 hours prior to work submit plugging report (CP-4) after plugging is comp. Obtain written approval before disposing or injecting.	yes √No Ipe shall be set prior to plugging; ays of spud date. Iternate II cementing o any cementing. III; I date; on orders; over or re-entry; Ieted; salt water. Idate) please

KANSAS CORPORATION COMMISSION

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 003-24431-0000	Location of Well: County: Anderson
Operator: Roger Kent dba RJ Enterprises	4460 feet from N / ✓ S Line of Section 4285 feet from ✓ E / W Line of Section
Lease: Hill	4285 feet from 🗸 E / W Line of Section
Well Number: 10	Sec. 18 Twp. 21 S. R. 21 ✓ East Wes
Field: Bush City Shoestring	
Number of Acres attributable to well: QTR / QTR / QTR of acreage:	Is Section: Regular or Irregular If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

				· · · · · · · · · · · · · · · · · · ·
			· · · · · · · · · · · · · · · · · · ·	
-	•		· ·	
		-	:	
	:		:	:
	•	:	•	· · ·



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Roger Kent dba RJ Enterprises		License Number: 3728		
Operator Address: 1203 East 4th A	venue, Garn	ett, KS 660)32	
Contact Person: Roger Kent		Phone Number: (785) 448 - 7725		
Lease Name & Well No.: Hill #10			Pit Location (QQQQ):	
Type of Pit:	Pit is:		NE SE NW NW	
Emergency Pit Burn Pit	Proposed Existing		Sec. 18 Twp. 21 R. 21 Fast West	
Settling Pit	If Existing, date constructed:		4460 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:		4285 Feet from 🗸 East / West Line of Section	
(If WP Supply API No. or Year Drilled)	140	(bbls)	Anderson County	
Is the pit located in a Sensitive Ground Water	Area? Yes] No	Chloride concentration: mg/l	
·			(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?	
Is the bottom below ground level? Ves No	Artificial Liner? ☐ Yes ✓	No	native clay	
			<u> </u>	
Pit dimensions (all but working pits):	rom ground level to de			
material, thickness and installation procedur				
		Depth to shalk Source of info	owest fresh waterfeet. mation:	
N/4 feet Depth of water wellfeet		meası	uredwell owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY	ì	Drilling, Workover and Haul-Off Pits ONLY:		
Producing Formation:			al utilized in drilling/workover: drilling mud	
·		Number of working pits to be utilized: 2		
Barrels of fluid produced daily:		Abandonment	procedure: air dry and backfill	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.		
I hereby certify that the above stat	ements are true and	correct to the bes	st of my knowledge and belief.	
June 25, 2007 Date	W	nna	handa Signature of Applicant or Agent	
	KCC	OFFICE USE O	NLY	
Date Received: <u>9/25/07</u> Permit Nur	nber:	Perm	nit Date: 4/26/07 Lease Inspection: Yes X No	

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

2 RECEIVED KANSAS CORPORATION COMMISSION