

STATE OF KANSAS  
STATE CORPORATION COMMISSION

WELL PLUGGING RECORD

Give All Information Completely  
Make Required Affidavit  
Mail or Deliver Report to:  
Conservation Division  
State Corporation Commission  
800 Bitting Building  
Wichita, Kansas

Rooks

County. Sec. 35 Twp. 9S Rge. 20W (E) (W)

Location as "NE/CNW $\frac{1}{4}$ /SW $\frac{1}{4}$ " or footage from lines NW NE NE

Lease Owner I. O. Miller

Lease Name Pywell "B" Well No. 4

Office Address 619 Brown Bldg., Wichita, Kan.

Character of Well (completed as Oil, Gas or Dry Hole) Dry

Date well completed 9-5-55 19

Application for plugging filed 9-5-55 19

Application for plugging approved 9-5-55 19

Plugging commenced 9-5-55 19


Plugging completed 9-5-55 19

Reason for abandonment of well or producing formation dry hole

If a producing well is abandoned, date of last production \_\_\_\_\_ 19

Was permission obtained from the Conservation Division or its agents before plugging was commenced? yes

NORTH



Locate well correctly on above  
Section Plat

Name of Conservation Agent who supervised plugging of this well \_\_\_\_\_

Producing formation \_\_\_\_\_ Depth to top \_\_\_\_\_ Bottom \_\_\_\_\_ Total Depth of Well 3845 Feet

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
		0	225	8 5/8"	228	none

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from \_\_\_\_\_ feet to \_\_\_\_\_ feet for each plug set.

Mudded to 220 ft set plug with 15 sax cement  
" " 40 ft " " " 10 sax cement & 1 sax hulls

RECEIVED  
STATE CORPORATION COMMISSION  
7-20-55

(If additional description is necessary, use BACK of this sheet)

Name of Plugging Contractor Virginia Drilling Co., Inc.

Address 701 Brown Bldg., Wichita, Kansas.

STATE OF Kansas, COUNTY OF Sedgwick, ss.

F. G. Trentle (employee of owner) or (~~owner~~) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) F. G. Trentle

619 Brown Bldg., Wichita, Kan.  
(Address)

SUBSCRIBED AND SWORN TO before me this 20th day of September, 19 55

Deward S. Greider  
Notary Public.

My commission expires My commission expires Jan. 31, 1957

PLUGGING  
FILE SEC 35 T 9 R 20W  
BOOK PAGE 147 LINE 14

Well: Pywell B # 4  
 Location: NW NE NE Section 35-9-20, Rooks Co., Kansas  
 Company: I. O. Miller  
 Contractor: Virginia Drilling Co., Inc.  
 Commenced: August 25, 1955  
 Completed: September 5, 1955  
 Elevation: 2245 R.B.  
 Rotary Total Depth: 3845

FORMATION	DEPTH	
Sand-surface clay	0-150	Set 225' of 8-5/8" csg.
Shale-shells	150-600	
Shells-sand	600-725	
Shells-sand	725-820	
Sandy Shale	820-925	
Shale-shells	925-985	
Shale-lime-shells	985-1180	
Shale-sand	1180-1390	
Shale-shells	1390-1691	
Anhydrite	1691-1730	
Shells-shale	1730-1900	
Lime-shale	1900-1960	
Shale-shells	1960-2060	
Shale-shells-lime	2060-2230	
Shale-shells	2230-2260	TOPS:
Broken Lime	2260-2425	Anhydrite 1691
Lime-shale	2425-2915	Heebner 3473
Broken lime	2915-3010	Lansing 3515
Shale-lime	3010-3380	Shaley Cong. 3790
Lime	3380-3535	Cherty Cong. 3800
K. C. Lime	3535-3570	
Lime	3570-3795	
Shale-lime	3795-3804	
Cong. Chert	3804-3825	
Solid Chert	3825-3835	
Chert	3835-3845	

Now comes S. A. Murphy, who states that he is familiar with the drilling of oil and gas wells, and knows of his own knowledge that the Pywell B#4, located in the NW NE NE, Section 35-9-20, Rooks County, Kansas, was drilled to a depth of 3845 feet. Same was plugged and abandoned.

*S. A. Murphy*  
 S. A. Murphy

Subscribed and sworn to before me, a Notary Public, this 12th day of September, 1955.

*Inez M. Underwood*  
 Inez M. Underwood, Notary Public

My commission expires March 15, 1958.

**PLUGGING**  
 FILE SEC 35 T 2 R 20a  
 BOOK PAGE 14 LINE 14