API NO. 15- 065-22,916-00-00

100' South & 130' West of

County _

Graham

FORM MUST BE TYPED

Notary Public

Date Commission Expires

STATE CORPORATION COMMISSION OF KANSAS
OIL & GAS CONSERVATION DIVISION
WELL COMPLETION FORM
ACO-1 WELL HISTORY
DESCRIPTION CO

Operator: License # 5135 Name: John O. Farmer, Inc. Address P.O. Box 352	
ر م	
Operator: License #5135	1880 Feet from SIN (circle one) Line of Section
Name: <u>John O. Farmer, Inc.</u>	1190 Feet from EW (circle one) Line of Section
Address P.O. Box 352	Footages Calculated from Nearest Outside Section Corner:
	NE, SE NW or (SW) (circle one)
City/State/Zip Russell, KS 67665	011-100
	Lease Name Clack "B" Well #
Purchaser: NCRA	Field NameProducing FormationArbuckle
	Producing Formation Arbuckle
Operator Contact Person:	2227
Phone (785) 483-3144	Elevation: Ground 2215 KB 2223 KB 277 (1)
	Total Depth 8791' PBTD 7756'
Contractor: Name: <u>Discovery Drilling Co., Inc.</u>	20/
License: <u>31548</u>	Amount of Surface Pipe Set and Cemented at Feet
Wellsite Geologist: Matt Dreiling	
	Multiple Stage Cementing Collar Used? X Yes No
Designate Type of Completion	If yes, show depth set Feet
X New Well Re-Entry Workover	
	If Alternate II completion, cement circulated from1692
Oil SWD SIOW Temp. Abd. Gas ENHR SIGW	feet depth to <u>surface</u> w/ <u>200</u> sx cmt.
Gas ENHR SIGW	Drilling Fluid Management Plan / LE // UP 10:20:03
Dry Other (Core, WSW, Expl., Cathodic, etc.)	Drilling Fluid Management Plan // L // UL 10:20:03
If Workover/Re-Entry: old well info. as follows:	(Data must be collected from the Reserve Pit)
,,,,,,,, .	
Operator:	Chloride content 6,000 ppm Fluid volume 160 bbls
Well Name:	Dewatering method used <u>allow to dry by evaporation</u>
Comp. DateOld Total Depth	
	Location of fluid disposal if hauled offsite:
Deepening Re-perf Conv. to Inj/SWD	
Plug Back PBTD	Operator Name NA
Commingled Docket No.	
Dual Completion Docket No.	Lease Name License No
Other (SWD or Inj?) Docket No.	
Other (SWD of Til):) Docker No.	Quarter Sec TwpS RngE/W
7-7-03 7-13-03 7-24-03	
	County Docket No
Spud Date Date Reached TD Completion Date	County
Room 2078, Wichita, Kansas 67202, within 120 days of the spu Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information on 12 months if requested in writing and submitted with the for	side two of this form will be held confidential for a period of m (see rule 82-3-107 for confidentiality in excess of 12 report shall be atached with this form. ALL CEMENTING TICKETS
	gated to regulate the oil and gas industry have been fully complied
with and the statements herein are complete and correct to the	e best of my knowledge.
Signature John O. Farmer III Title President Date	K.C.C. OFFICE USE ONLY F Letter of Confidentiality Attached C Wireline Log Received C Geologist Report Received
Subscribed and sworn to before me this 15th day of October	
Subscribed and sworn to before me this <u>15th</u> day of <u>October</u> 20 <u>03</u> .	

NOTARY PUBLIC - State of Kansas

MARGARET A. SCHULTE

Form ACO-1 (7-91)

Plug

__ KGS

_ Other

(Specify)

			SIDE TWO				
Operator Name	John O. Farmer,	Inc.	Lease Name	Clack "I	B"	Well#	
		East	County		Graham		
Sec. <u>9</u> Twp. <u>9S</u>	_ Rge21		dodn'ty	/			
	Lχ.J	West					* - * - = = = = = = = = = = = = = = = =
INSTRUCTIONS: Show im interval tested, time	portant tops and	base of formations	penetrated. D	etail all cor	es. Report al	ceached s	em tests giving
interval tested, time hydrostatic pressures,	bottom hole tem	perature fluid reco	overv. and flow	rates if cas	to surface du	ring test.	Attach extra sheet
if more space is neede							
	*/						Π.
Drill Stem Tests Taken		□ □ No	Γ ^X 7 Γ	og Formati.	on (Top), Dept		
(Attach Additional	Sheets.)	LXJ Yes └─ No	Name		To	ip 1931	Datum (+530)
Samples Sent to Geological Survey		□ Ves □ No	Anhydrite Topeka			72 i	(-949)
samples sent to deolog	ireat survey		Heebr			821	(-1159)
Cores Taken		☐ Yes 【X No	Toror	nto	34	(-1182)	
			Lans '	ing/KC		3422' (-1199)	
Electric Log Run		□ Yes □ No	Starl			991	(-1376)
(Submit Copy.)			Base			י33' י77'	(-1410) (-1514)
List All E.Logs Run:			Arbu			792 i	(-1569)
Dual Compensated Po	prosity Log D	ual Induction Log		•		-	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Microresistivity Lo	, -		İ				
			i				
		CASING RECO	RD XJ New	□			
	Damant all	strings set-conduc		LXJ Used	production et	·c	
Purpose of String	Size Hole	Size Casing	Weight	Setting	Type of	# Sacks	Type and Percent
rulpose of string	Drilled	Set (In O.D.)	Lbs./Ft.	Depth	Cement	Used	Additives
Surface	12-1/4"	8-5/8"	24#	2261	Common	150	3% CC, 2% gel
					 		
Production	7-7/8"	5-1/2"	14#	3786	ASC	125	2% gel, 500 gal.
	 		 ⊥Port Collar——	 16021	 	 200	WFR-2, 3/4% CFR-2 ⊥6% gel, 1/4# floseal
		ADDITIONAL C	EMENTING/SQUEE		00,40 1 021117	200	0/0 g01, 1, 1/1 1100000
Purpose:	Depth		1	1			
Perforate	Top Bottom	Type of Cement	#Sacks Used	<u> </u>	Type and Pe	ercent Addi	tives
Protect Casing]				
Plug Back TD				-			
Plug Off Zone			1				
	PERFORATION	RECORD - Bridge Pl	ugs Set/Type	Act	id, Fracture,	Shot, Cemer	nt Squeeze Record
Shots Per Foot	Specify Foot	age of Each Interva	l Perforated		t and Kind of I	<u>Material Us</u>	sed) Depth
4 SPF	3739-461			Complet	ted Natural		
	de la companya de la				**************************************		<u> </u>
				 			<u> </u>
TUBING RECORD	Size	Set At	Packer At	Liner Run		_	
	2-7/8"	37521		i '	☐ Yes !	X ^j No	
			- 	1			
Date of First, Resum		D or Inj. Proc	lucing Method [7			┐ ┘ Other (Explain)
Aug	ust 1, 2003	ļ.	1	Flowing -X-	Pumping	Gas Lift L	→ Other (Explain)
Estimated Production	Oil	Bbls. Gas	Mcf	Water Bb	ls. Ga	s-Oil Ratio	o Gravity
Per 24 Hours	25.88		1	31.73			28.0°
L	i	ii	i				
Disposition of Gas:		ME	THOD OF COMPLE	TION			Production Interva
☐ Vented ☐ Sold	I llead on Loose	Onen He	ole ^L X ^J Perf. ^L	Duelly se		lad	7770 //:
(If vented, sub		— open no	ne -x- Pert. '	— Dually Com	ρ. — comming	rea	3739-461
		U Other	(Specify)				
_							W

E F

All Marie

CONFIDENTIAL



RECEIVED OCT 1 6 2003 KCC WICHITA

P.O. Box 763 • Hays, KS 67601 • OFFICE (785) 623-2920 • CELLULAR (785) 635-1511

DRILLER'S LOG

Operator: John O. Farmer, Inc.

PO Box 352

Russell, KS 67665

Contractor: Discovery Drilling Co., Inc.

PO Box 763

Hays, KS 67601

Lease: Clack "B" #1

Location: 100' S & 130' W of C / N/2 / SW

Sec. 9/9S/21W

Graham Co., KS

Loggers Total Depth: 3792' Rotary Total Depth: 3791'

Commenced: 7/7/2003

Casing: 8 5/8" @ 226.67' w/150sks

5 1/2" @ 3783' w/125sks Port Collar @ 1692'

Elevation: 2215' GL / 2223' KB

Completed: 7/13/2003

Status: Oil Well

DEPTHS & FORMATIONS (All from KB)

Surface, Sand & Shale	0'	Shale	1726'			
Dakota Sand	842'	Shale & Lime	2186'			
Shale	1005'	Shale	2614'			
Cedar Hill Sand	1195'	Shale & Lime	3003'			
Red Bed Shale	1428'	Lime & Shale	3357'			
Anhydrite	1692'	RTD	3791'			
Base Anhydrite	1726'					
STATE OF KANSAS)						
) ss COUNTY OF ELLIS)						
Thomas H. Alm of Discovery Drilling states that to the best of his knowledge the above and foregoing is a true and correct log of the above captioned well.						


____/*MVMM*S_∠J。∠__ Thomas H. Alm

Subscribed and sworn to before me on

My Commission expires:

(Place stamp or seal below)

Notary Public



, , , , , , , , , , , , , , , , , , ,	ALLIED	EMEI Federal Tax		CC, II	NC. 1	5226		
REMIT TO P.O. BOX	X 31 L, KANSAS 6766		SERVICE POINT:					
DATE 7-2-03 S	EC. 9 TWP.	RANGE	CALLED OUT	ON LOCATION	JOB START	JOB FINISH		
LEASE Jack W	VELL#B-I	LOCATION HURCH	0 0	3W .	COUNTY	STATE		
OLD OP NEW (Circle	e one)		3~	15E 2N		•		
CONTRACTOR TYPE OF JOB	iscovery D SORFALO	Rig Rig#1	OWNER		one and the transfer of the tr	C		
HOLE SIZE 124	T.D.	221	CEMENT		اس ده	•		
CASING SIZE	S DEF	TH 226	AMOUNT ORD	DERED 150	SK.Co	m.		
TUBING SIZE	DEF	TH		3 % cc				
DRILL PIPE	DEF			27	GIEL			
TOOL	DEF				- 715	107250		
PRES. MAX		IIMUM	COMMON	150	- "	10725°		
MEAS. LINE		DE JOINT	POZMIX			2000		
CEMENT LEFT IN C	SG. /3		GEL		© 79.€	15		
PERFS.	ıf	> 12 \ 88L	CHLORIDE	3	<u> </u>			
DISPLACEMENT	<i>.</i>	32/-						
	EQUIPMENT		· · · · · · · · · · · · · · · · · · ·		_@ _@			
*		<i>a</i> ,)			- @			
PUMP TRUCK CE	MENTER	2 level						
	ELPER D	70 R	HANDLING_	\ ^	·@	17250		
BULK TRUCK				50 - 101		22756		
# 282 DR	EIVER JUFE	<	MILEAGE		TIDILE			
BULK TRUCK # DF	RIVER REMARKS:			SERVIO		176250		
		100 1000 1		SERVIC	J.813			
_ cemen	r Pio Ci	RCalATE V	DEDUIT OF TO			water and the second second second		
			DEPTH OF JOI			52000		
			PUMP TRUCK			_520 =		
			EXTRA FOOTA	45	@ @	15750		
			MILEAGE	Madden	@	721=		
	····		PLUG 0 78	COOTNEY	_@	42=		
		THANKS	***************************************		. @	***************************************		
		/ ////// 0-	\		_ @			
CHARGE TO:	un O F	PARE THE			TOTAL	722 5		
STREET				FLOAT EQUI	PMENT			
CITY	STATE	ZIP	***************************************					
,					@	Water de la constitució de la		
•					. @			
			to the first the		@			
					@			
To A11: 1 C	a Ca Tas				@			
To Allied Cementin								
You are hereby requ					TOTAL			
and furnish cemente			а		1011111			
contractor to do wo								
done to satisfaction			TAX					
contractor. I have r			TOTAL CITY	ייני				
CONDITIONS" list	ed on the reverse	side.	TOTAL CHARG	GE		Colonia de		
			DYGGOYDY					

PRINTED NAME

SIGNATURE

RECEIVED

OCT 1 6 2003

KCC WICHITA

ALLIED SEMENTING CC., INC.

15685

REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665 SERVICE POINT: JOB FINISH 3.130 pm ON LOCATION CALLED OUT JOB START TWP. RANGE SEC. Z!45m DATE 7-13-07 11:DOAM LOCATION CHURCH OF GOD BW 341/45 LEASE CLAC WELL# 7-/ Circle one) Teed 125 st CONTRACTOR TOSCOVERY **OWNER** TYPE OF JOB PROSYCTION STRANC CEMENT T.D. 3791 HOLE SIZE DEPTH 3786 150 ASC 290 CEI AMOUNT ORDERED **CASING SIZE** 500 CAL WFR-Z TUBING SIZE DEPTH 3/4 of 1% CFR-Z **DEPTH** DRILL PIPE TOOL DEPTH 150 ASC @ 900 **MINIMUM** COMMON_ PRES. MAX SHOE JOINT 21.91 POZMIX MEAS. LINE CEMENT LEFT IN CSG. GEL CHLORIDE PERFS. 9134 BBL WFR-2 @ DISPLACEMENT C#B-5 **EQUIPMENT** PUMP TRUCK CEMENTER MARK 345 HELPER HANDLING 150 BULK TRUCK MILEAGE __ DRIVER ZUSUS 782 **BULK TRUCK** TOTAL _3286 DRIVER SERVICE REMARKS: DEPTH OF JOB P.C. DN 31 52 10 SKCMH. 15 SKCZH PUMP TRUCK CHARGE **EXTRA FOOTAGE** CLOST HELL MILEAGE PLUG 5/2 -180 CHARGE TO: J.D. FARMER FLOAT EQUIPMENT STREET _____ CITY_____STATE ____ ZIP_ CIUTAS SADE JUSERT - CENT RASKET RECORP SORATION To Allied Cementing Co., Inc. You are hereby requested to rent cementing equipment TOTAL _1541@ and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND TOTAL CHARGE CONDITIONS" listed on the reverse side. _____ IF PAID IN 30 DAYS DISCOUNT -SIGNATURE Que Wellules

PRINTED NAME

RECEIVED

OCT 1 6 2003

KCC WICHITA

ALLIED CEMENTING CO., INC. 14954 Federal Tax I.D.# 4

REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665

SERVICE POINT:

ON LOCATION JOB START JOB FINISH

7/07/-0	SEC.	TWP.	RANGE	CALLED OUT	ON LOCATION	JOB START	JOB FINISH
DATE 7/23/02		0 1				COUNTY	STATE
LEASEC/ACK		B-1	LOCATIONCHURC	hofGod IW	3010	GRah gm	11/20
OLD OR NEW (Cir	rcle one)						
CONTRACTOR 6	205			OWNER			
TYPE OF JOB		llar		-			
HOLE SIZE フシ		T.D		CEMENT			
CASING SIZE -CZ		DE	PTH	AMOUNT OF	RDERED		
TUBING SIZE 2	<u> </u>		PTH	100 100	40 67.64 - +	F16	
DRILL PIPE			PTH	Used 200	M		
TOOL			PTH	- COMMACNI	120	@ 745	وجوء
PRES. MAX			NIMUM OE JOINT	COMMON POZMIX	80	@ 38 <u>2</u>	30400
MEAS. LINE CEMENT LEFT IN	CSG	SIT	OE JOINT	GEL	30	@ <u>1000</u>	
PERFS.	CSG.			CHLORIDE		@	
DISPLACEMENT				Flosen	50#	@ <u>745</u>	70=
DIST ENCERNE	FOI	IPMENT	I				
,	EQU	TE MINT I				_@	
						_@	
_		ER_ <i>3</i> ;		-		_@	
	HELPER	PA	<i>U</i> L	 HANDLING_ 		@145	37375
BULK TRUCK	DRIVER	ρ.	Cur	MILEAGE	<u>54</u> SV	Mile	
# 362 BULK TRUCK	DRIVER		<u> </u>	-	,		21270
	DRIVER					TOTA	L <u>2437</u> °
			. 33	-			
	RE	MARKS:			SERVI	CE	
BPC 2700'	Test	TO 15	oo" ok	DEPTH OF JO			
TURNHOLE				_ PUMP TRUC	K CHARGE		&ವೆರಿತ
P.C. P 164	<u> 2 - 2</u>	st. Ciri	2.	EXTRA FOO		_@	- \
Cent of 20	Och Cer	nt. C	RC. TO SURF	eeMILEAGE _	45	_@_ 35 \$	
	, Test	P.C.		_ PLUG		@	
fan s J	$\frac{\xi}{2} \omega a$	sh Cle	<u>an</u>			@ 	
Refficul /	2011-	PULL TO	ъ.				
							- 7075
						ТОТА	L : 7875
CHARGE TO: _t1	O. FAR	MER		-			
STREET				_	FLOAT EQU	IPMENT	
			77113				
CITY	ST	ATE	ZIP			@	
			+	·			
						@	
		•				@	
To Allied Cemen							
			menting equipment			TOTA	L
and furnish ceme				*			
***************************************			he above work was				
done to satisfacti	on and su	pervision	of owner agent or			_	
			d the "TERMS ANI	TOTAL CHA	RGE		
CONDITIONS"	nsted on	ine revers	se side.				
		•		DISCOUNT -		IF PA	MD IN 30 DAY
	1 N		/	1	C • •		
SIGNATURE	Sven h	Vear	den .		m		
		="		-	PRINT	ED NAME	
					_		

RECEIVED

OCT 1 6 2003

KCC WICHITA