

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form ACO-1
September 1999
Form Must Be Typed

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

CONFIDENTIAL

ORIGINAL

Operator: License # 32309
Name: Presco Western, LLC
Address: 1775 Sherman Street, Suite 2950
City/State/Zip: Denver, CO 80203
Purchaser: Plains
Operator Contact Person: Richard J. Gray
Phone: (303) 864-1881 x.103
Contractor: Name: Cheyenne Drilling
License: 5382
Wellsite Geologist: N/A

API No. 15 - 081-21472-0000
County: Haskell
C NW SE Sec. 30 Twp. 30 S. R. 33 East West
2245 feet from S / N (circle one) Line of Section
2265 feet from E / W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
(circle one) NE SE NW SW
Lease Name: ELS Properties Well #: 1-1030
Field Name: Lemon Victory

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SLOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

Producing Formation: Lansing
Elevation: Ground: 2951.08' Kelly Bushing: 2957.8'
Total Depth: 4254' Plug Back Total Depth: 4250'
Amount of Surface Pipe Set and Cemented at 1558 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set 3064 Feet
If Alternate II completion, cement circulated from _____
feet depth to _____ w/ _____ sx cmt.

If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Cemented
 Plug Back _____ Plug Back Total Depth _____
 Commingled _____ Docket No. _____
 Dual Completion _____ Docket No. _____
 Other (SWD or Enhr.?) _____ Docket No. _____

Drilling Fluid Management Plan ACTI W HM
(Data must be collected from the Reserve Pit) 2-13-07
Chloride content 31,000 ppm Fluid volume 800 bbls
Dewatering method used Dried and Filled
Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____ License No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Docket No.: _____

3/7/03 3/12/03 5/23/03
Spud Date or Date Reached TD Completion Date or
Recompletion Date Recompletion Date

RECEIVED

JUN 1 6 2003

KCC WICHITA

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: _____
Title: President Date: 6/13/03
Subscribed and sworn to before me this 13th day of June,
19 2003.
Notary Public: James R. BHB
Date Commission Expires: 11-9-04

KCC Office Use ONLY
 Letter of Confidentiality Attached
If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

CONFIDENTIAL

Side Two

TIGHT ORIGINAL

Operator Name: Presco Western, LLC Lease Name: ELS Properties Well #: 1-1030
Sec. 30 Twp. 30 S. R. 33 East West County: Haskell

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken Yes No Samples Sent to Geological Survey Yes No Cores Taken Yes No Electric Log Run Yes No

Log Formation (Top), Depth and Datum Sample Name Top Datum Heebner 3965' -1007' Lansing KCC 4109' -1151' JUN 13 2003

List All E. Logs Run: Gamma Ray Neutron

CONFIDENTIAL

CASING RECORD table with columns: Purpose of String, Size Hole Drilled, Size Casing Set (In O.D.), Weight Lbs. / Ft., Setting Depth, Type of Cement, # Sacs Used, Type and Percent Additives. Includes rows for Surface and Production.

ADDITIONAL CEMENTING / SQUEEZE RECORD table with columns: Purpose, Depth Top Bottom, Type of Cement, #Sacks Used, Type and Percent Additives. Includes row for 1/4# Flo-seal Port Collar Cementing.

PERFORATION RECORD - Bridge Plugs Set/Type table with columns: Shots Per Foot, Specify Footage of Each Interval, Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used), Depth. Includes rows for acidizing treatments.

TUBING RECORD table with columns: Size, Set At, Packer At, Liner Run, Date of First Resumerd Production, SWD or Enhr., Producing Method, Estimated Production Per 24 Hours, Oil Bbls., Gas Mcf, Water Bbls., Gas-Oil Ratio, Gravity.

Disposition of Gas METHOD OF COMPLETION Production Interval Vented Sold Used on Lease Open Hole Perf. Dually Comp. Commingled 4110-4150'

CONFIDENTIAL

ORIGINAL

DRILLER'S LOG

PRESCO WESTERN, LLC
ELS PROPERTIES #1-1030
SECTION 30-T30S-R33W
HASKELL COUNTY, KANSAS

COMMENCED: 03-07-03
COMPLETED: 03-12-03

KCC
JUN 13 2003
CONFIDENTIAL

SURFACE CASING: 1556' OF 8 5/8" CMTD
W/475 SKS LITE + 3% CC + 1/4#/SK FLOCELE.
TAILED W/150 SKS CLASS A + 3% CC.

FORMATION

DEPTH

| | |
|-------------------|-----------------|
| SURFACE HOLE | 0 - 1560 |
| RED BED | 1560 - 2511 |
| SHALE | 2511 - 2670 |
| LIMESTONE & SHALE | 2670 - 4254 RTD |

I DO HEREBY CERTIFY THAT THE FOREGOING STATEMENTS ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

CHEYENNE DRILLING, INC.


WRAY VALENTINE

STATE OF KANSAS: ss:

SUBSCRIBED AND SWORN TO BEFORE ME THIS 14TH DAY OF MARCH, 2003.

JOLENE K. RUSSELL

NOTARY PUBLIC



RECEIVED

JUN 16 2003

KCC WICHITA

CONFIDENTIAL

ALLIED CEMENTING CO., INC.

ORIGINAL 11971

Federal Tax I.D.#

KCC

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

Oakley

JUN 13 2003

| | | | | | | | |
|--------------------------------|----------------|----------------------|---|--------------|----------------------------|--------------------------|---------------------------|
| DATE <u>3/8/03</u> | SEC. <u>30</u> | TWP. <u>30s</u> | RANGE <u>33</u> | CONFIDENTIAL | ON LOCATION <u>6:45 PM</u> | JOB START <u>8:25 AM</u> | JOB FINISH <u>9:30 PM</u> |
| E L S Properties LEASE | | WELL # <u>1-1030</u> | LOCATION <u>Satanta 1/2 S 1/2 E 2 S E/S</u> | | COUNTY <u>Haskell</u> | STATE <u>KS</u> | |
| OLD OR <u>NEW</u> (Circle one) | | | | | | | |

CONTRACTOR Cheyenne #8
 TYPE OF JOB Cmt 8 3/4 Surface Csg
 HOLE SIZE 12 1/4 T.D. 1555
 CASING SIZE 8 3/4 23 # DEPTH 1558
 TUBING SIZE DEPTH
 DRILL PIPE DEPTH
 TOOL DEPTH
 PRES. MAX 1000 MINIMUM 150
 MEAS. LINE SHOE JOINT 42
 CEMENT LEFT IN CSG. 42
 PERFS.
 DISPLACEMENT 96.57 BBL

OWNER SMMC
 CEMENT
 AMOUNT ORDERED
475 sks Lite + 390 cc 4 # Flo-seal
150 sks com + 390 cc
 COMMON 150 sks @ 7.85 1177.50
 POZMIX @
 GEL @
 CHLORIDE 19 sks @ 90.00 570.00
Liteweight 475 sks @ 6.90 3277.50
Flo-seal 119 # @ 1.40 166.60
 @
 @
 @
 @
 HANDLING 625 sks @ 1.10 687.50
 MILEAGE 4 @ 1 sk/mi 750.00
 TOTAL 6629.10

EQUIPMENT

PUMP TRUCK CEMENTER Max
 # 191 HELPER Andrew
 BULK TRUCK
 # 361 DRIVER Lonnice
 BULK TRUCK
 # 309 DRIVER Fuzzy

REMARKS:

SERVICE

Cmt 8 3/4 Surface Csg with 475 sks Lite
+ 150 sks com Drop Plug Displace
96 1/2 BBL Land Plug Float Iteld
Cement Did Circulate

DEPTH OF JOB 1555
 PUMP TRUCK CHARGE 850.00
 EXTRA FOOTAGE @
 MILEAGE 30 mi @ 3.00 90.00
 PLUG 8 3/4 Rubber @ 100.00
 @
 @

CHARGE TO: Presco Western
 STREET _____
 CITY _____ STATE _____ ZIP _____

RECEIVED

TOTAL 1040.00

JUN 16 2003

FLOAT EQUIPMENT

KCC WICHITA

1-9 3/4 Guide Shoe @ 190.00
1-9 3/4 AFU INSCIT @ 242.00
3-8 1/2 Centralizer @ 33.00 99.00
 @
 @

TOTAL 531.00

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____
 TOTAL CHARGE 8200.10
 DISCOUNT 920.01 IF PAID IN 30 DAYS
7380.09

SIGNATURE Rodney Gonzales

PRINTED NAME

CONFIDENTIAL

ORIGINAL
11290

ALLIED CEMENTING CO., INC.

Federal Tax I.D.# ~~XXXXXX~~ KCC

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

JUN 13 2003

SERVICE POINT:

Ogkley

| | | | | | | | |
|--------------------------------|----------------------|--|------------------|--------------------------------|-------------------------|-------------------------|--------------------------|
| DATE <u>3-12-03</u> | SEC. <u>30</u> | TWP. <u>30s</u> | RANGE <u>33w</u> | CALLED OUT <u>CONFIDENTIAL</u> | LOCATION <u>12.50PM</u> | JOB START <u>4:00PM</u> | JOB FINISH <u>4:30PM</u> |
| LEASE <u>ELS Properties</u> | WELL # <u>1-1030</u> | LOCATION <u>Santa Rosa 1/2 S 1/2 E 1/2 S E/2</u> | | | COUNTY <u>Haskell</u> | STATE <u>KS</u> | |
| OLD OR <u>NEW</u> (Circle one) | | | | | | | |

CONTRACTOR Cheyenne Drlg Rig 8 OWNER Samc

TYPE OF JOB Longstring

HOLE SIZE 7 1/2 T.D. 4254'

CASING SIZE 5 1/2 DEPTH 4250'

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL Port Collar DEPTH 3104

PRES. MAX 1500# MINIMUM _____

MEAS. LINE _____ SHOE JOINT 35.65'

CEMENT LEFT IN CSG. 35.65'

PERFS. _____

DISPLACEMENT 100 1/2 Bbls

EQUIPMENT

PUMP TRUCK CEMENTER Dean

191 HELPER Andrew/Max

BULK TRUCK

315 DRIVER Jarrod

BULK TRUCK

_____ DRIVER _____

CEMENT

AMOUNT ORDERED

125 sks ASC, 290 gal 10% Sd T

500 gals WPR2

| | | | |
|----------|----------------|---------|---------|
| ASC | 125 SKS | @ 9.35 | 1168.75 |
| COMMON | | | |
| POZMIX | | @ | |
| GEL | 2 SKS | @ 10.00 | 20.00 |
| CHLORIDE | | @ | |
| WPR2 | 500 gals | @ 1.00 | 500.00 |
| SALT | 12 SKS | @ 7.50 | 90.00 |
| | | @ | |
| | | @ | |
| | | @ | |
| HANDLING | 125 SKS | @ 1.10 | 137.50 |
| MILEAGE | 4# / SK / mile | | 130.00 |

TOTAL 2046.25

REMARKS:

SERVICE

Plug Land

Float Head Landed Plug 1500#

DEPTH OF JOB 4250'

PUMP TRUCK CHARGE 1130.00

EXTRA FOOTAGE @ _____

MILEAGE 26 miles @ 3.00 78.00

PLUG 5 1/2 Rubber @ _____ 48.00

@ _____

@ _____

TOTAL 1256.00

CHARGE TO: Presco Western

STREET _____

CITY _____ STATE _____ ZIP _____

5 1/2 FLOAT EQUIPMENT

| | | |
|----------------|---------|--------|
| Guide Shoe | @ | 150.00 |
| AFU Insert | @ | 235.00 |
| 6 Centralizers | @ 50.00 | 300.00 |
| 1 Basket | @ | 128.00 |
| 1 Port Collar | @ | 170.00 |

TOTAL 2563.00

RECEIVED
JUN 16 2003

KCC WICHITA

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____

TOTAL CHARGE 5865.25

DISCOUNT 586.52 IF PAID IN 30 DAYS
5278.73

SIGNATURE Rodney Gonzales

PRINTED NAME

CONFIDENTIAL

ORIGINAL

ALLIED CEMENTING CO., INC. 11151

Federal Tax I.D.# ~~██████████~~ KCC

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

JUN 13 2003

SERVICE POINT:

Oakley

| | | | | | | | |
|---------------------|----------------|----------------------|---|--------------------------------|-----------------------------|--------------------------|---------------------------|
| DATE <u>3/17/03</u> | SEC. <u>25</u> | TWP. <u>30s</u> | RANGE <u>33W</u> | CALLED OUT <u>CONFIDENTIAL</u> | ON LOCATION <u>10:00 AM</u> | JOB START <u>2:45 PM</u> | JOB FINISH <u>3:45 PM</u> |
| ELIS Properties | | WELL # <u>1-1030</u> | LOCATION <u>Satanta 1/2 S 1/2 E 1/2 S E/S</u> | | COUNTY <u>Haskell</u> | STATE <u>Ks</u> | |
| LEASE | | | | OLD OR <u>NEW</u> (Circle one) | | | |

CONTRACTOR Midwestern Well Service

OWNER Same

TYPE OF JOB Cmt Port Cellar

| | |
|-------------------------------|--------------------|
| HOLE SIZE | T.D. |
| CASING SIZE <u>5 1/2</u> | DEPTH <u>4250</u> |
| TUBING SIZE <u>2 3/4</u> | DEPTH <u>3064</u> |
| DRILL PIPE | DEPTH |
| TOOL <u>Port Cellar</u> | DEPTH <u>3064</u> |
| PRES. MAX <u>1500</u> | MINIMUM <u>350</u> |
| MEAS. LINE | SHOE JOINT |
| CEMENT LEFT IN CSG. | |
| PERFS. | |
| DISPLACEMENT <u>17.77 BBL</u> | |

| |
|--|
| CEMENT |
| AMOUNT ORDERED <u>425 sks Lite + 4# Flo-seal</u> |

EQUIPMENT

| | |
|--------------|---------------------|
| PUMP TRUCK | CEMENTER <u>Max</u> |
| # <u>300</u> | HELPER <u>Wayne</u> |
| BULK TRUCK | |
| # <u>357</u> | DRIVER <u>Jim</u> |
| BULK TRUCK | |
| # | DRIVER |

| | | | |
|----------------------------|---|-------------|----------------------|
| COMMON | @ | | |
| POZMIX | @ | | |
| GEL | @ | | |
| CHLORIDE | @ | | |
| <u>Lite weight 425 sks</u> | @ | <u>6.95</u> | <u>2953.75</u> |
| <u>Flo-seal 106#</u> | @ | <u>1.40</u> | <u>148.40</u> |
| | @ | | |
| | @ | | |
| | @ | | |
| HANDLING <u>425 sks</u> | @ | <u>1.10</u> | <u>467.50</u> |
| MILEAGE <u>4#/sk/mi</u> | | | <u>442.00</u> |
| | | | TOTAL <u>4011.65</u> |

REMARKS:

Test Csg to 1500 PSI Open Tool
Estalish Rate Mix 425 sks
Cmt Displace 17 3/4 BBL Close
Tool Test Csg to 1500 PSI Run
3 JTS 7 1/4 Reverse Hole Clean

SERVICE

| | | |
|--------------------------|---|--------------------------|
| DEPTH OF JOB <u>3064</u> | | |
| PUMP TRUCK CHARGE | | <u>650.00</u> |
| EXTRA FOOTAGE | @ | |
| MILEAGE <u>26 mi</u> | @ | <u>3.00</u> <u>78.00</u> |
| PLUG | @ | |
| | @ | |
| | @ | |
| | | TOTAL <u>728.00</u> |

CHARGE TO: Presco Western

STREET _____

CITY _____ STATE _____ ZIP _____

FLOAT EQUIPMENT

| | | |
|--|---|--|
| | @ | |
| | @ | |
| | @ | |
| | @ | |
| | @ | |

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is-listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE Rodney Douglas

RECEIVED
 JUN 16 2003
 KCC WICHITA

TAX _____

TOTAL CHARGE 4739.65

DISCOUNT 473.97 IF PAID IN 30 DAYS

4265.69

PRINTED NAME