

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form ACO-1
September 1999
Form Must Be Typed

WELL COMPLETION FORM

WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

CONFIDENTIAL

Operator: License # 32309
Name: Presco Western, LLC
Address: 1775 Sherman Street, Suite 2950
City/State/Zip: Denver, CO 80203
Purchaser: Plains
Operator Contact Person: Richard J. Gray
Phone: (303) 864-1881 x.103
Contractor: Name: Cheyenne Drilling, Inc.
License: 5382
Wellsite Geologist: N/A

KCC
SEP 19 2003

CONFIDENTIAL

RECEIVED

SEP 19 2003

KCC WICHITA

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SIOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:

Operator: _____

Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____

Deepening Re-perf. Conv. to Enhr./SWD

Plug Back _____ Plug Back Total Depth _____

Commingled _____ Docket No. _____

Dual Completion _____ Docket No. _____

Other (SWD or Enhr.?) _____ Docket No. _____

6/17/03 6/23/03 7/16/03

Spud Date or Date Reached TD Completion Date or Recompletion Date

API No. 15 - 081-21485 -00 -00

County: Haskell

C SE SW Sec. 30 Twp. 30 S. R. 33 East West

725 feet from (S) N (circle one) Line of Section

1942 feet from E (W) (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:

(circle one) NE SE NW (SW)

Lease Name: EE&L Stalker Well #: 1-1430

Field Name: Victory

Producing Formation: Lansing

Elevation: Ground: 2952.82' Kelly Bushing: 2968'

Total Depth: 4410' Plug Back Total Depth: 4140'

Amount of Surface Pipe Set and Cemented at 1538' Feet

Multiple Stage Cementing Collar Used? Yes No

If yes, show depth set 3122 Feet

If Alternate II completion, cement circulated from _____

feet depth to _____ w/ _____ sx cmt.

Drilling Fluid Management Plan ALT I WITHIN 2-13-07
(Data must be collected from the Reserve Pit)

Chloride content 3700 ppm Fluid volume 1500 bbls

Dewatering method used Dried and Filled

Location of fluid disposal if hauled offsite: _____

Operator Name: _____

Lease Name: _____ License No.: _____

Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West

County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: _____

Title: President Date: 9/16/03

Subscribed and sworn to before me this 16th day of September

2003

Notary Public: James R. BNB

Date Commission Expires: 11-9-04

KCC Office Use ONLY

Letter of Confidentiality Attached

If Denied, Yes Date: _____

Wireline Log Received

Geologist Report Received

UIC Distribution

TIGHT

CONFIDENTIAL

Side Two

ORIGINAL

Operator Name: Presco Western, LLC Lease Name: EE&L Stalker Well #: 1-1430
Sec. 30 Twp. 30 S. R. 33 East West County: Haskell

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken [] Yes [x] No
Samples Sent to Geological Survey [] Yes [x] No
Cores Taken [] Yes [x] No
Electric Log Run [x] Yes [] No
List All E. Logs Run:

[x] Log Formation (Top), Depth and Datum [] Sample
Name Top Datum
Lansing A 4104'
Lansing B 4142'
Lansing G 4382'
TD 4410'

Gamma Ray/Neutron Cement Bond Log

KCC SEP 19 2003 KCC WICHITA SEP 19 2003

Table with 8 columns: Purpose of String, Size Hole Drilled, Size Casing Set (In O.D.), Weight Lbs./ Ft., Setting Depth, Type of Cement, # Sacjs Used, Type and Percent Additives. Rows include Surface and Production data.

Table with 5 columns: Purpose, Depth Top Bottom, Type of Cement, #Sacks Used, Type and Percent Additives. Row for Port Collar at 3122' depth.

Table with 4 columns: Shots Per Foot, PERFORATION RECORD - Bridge Plugs Set/Type, Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used), Depth. Rows for acidizing treatments at various depths.

Table with 4 columns: TUBING RECORD (Size, Set At, Packer At, Liner Run), Date of First, Resumerd Production, SWD or Enhr., Producing Method, Estimated Production Per 24 Hours (Oil Bbls., Gas Mcf, Water Bbls., Gas-Oil Ratio, Gravity).

Disposition of Gas [] Vented [] Sold [] Used on Lease [] Open Hole [x] Perf. [] Dually Comp. [] Commingled [] Other (Specify)
METHOD OF COMPLETION Production Interval 4104-4136'

CONFIDENTIAL

ORIGINAL

DRILLER'S LOG

PRESCO WESTERN, LLC
EE & L STALKER #1-1430
SECTION 30-T30S-R33W
HASKELL COUNTY, KANSAS

KCC

SEP 19 2003

COMMENCED: 06-17-03
COMPLETED: 06-23-03

RECEIVED

CONFIDENTIAL

9 2003

WICHITA

SURFACE CASING: 1538' OF 8 5/8" CMTD
W/475 SKS LITE + 3% CC+ 1/4#/SK FLOCELE.
TAILED W/150 SKS COMMON + 3% CC.

FORMATION

DEPTH

FORMATION	DEPTH
SURFACE HOLE	0- 1540
RED BED	1540 - 2946
LIMESTONE & SHALE	2946 - 4450 RTD

I DO HEREBY CERTIFY THAT THE FOREGOING STATEMENTS ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.


CHEYENNE DRILLING, INC.

WRAY VALENTINE

STATE OF KANSAS: ss:

SUBSCRIBED AND SWORN TO BEFORE ME THIS 25TH DAY OF JUNE, 2003.

JOLENE K. RUSSELL

NOTARY PUBLIC

CONFIDENTIAL

KCC

LOG-TECH, INC.

1011 240th Ave.

SEP 19 2003 HAYS, KANSAS 67601 (785) 625-3858

INVOICE

ORIGINAL 10620

Date 7 29 03

CONFIDENTIAL

CHARGE TO: PRESCO Western LLC
ADDRESS _____

R/A SOURCE NO. _____ CUSTOMER ORDER NO. OW

LEASE AND WELL NO. EE & L STALKER 1430 FIELD Victory

NEAREST TOWN Santa Fe COUNTY Harvey STATE KANSAS

SPOT LOCATION SE25W SEC. 30 TWP. 30S RANGE 33W

ZERO 6' AOK CASING SIZE 5 1/2" WEIGHT _____

CUSTOMER'S T.D. _____ LOG TECH _____ FLUID LEVEL 3300

ENGINEER D. Hensley OPERATOR T. Danner

PERFORATING				
Description	No. Shots	Depth		Amount
		From	To	

RECEIVED
SEP 19 2003
KCC WICHITA

DEPTH AND OPERATIONS CHARGES					
Description	From	Depth To	Total No. Ft.	Price Per Ft.	Amount
<u>5 1/2" CIBP</u>	<u>0</u>	<u>4140</u>		<u>.16</u>	<u>662.40</u>

TJ 11:00 AM
AOK 10:30 AM
ST 12:00 1 HR Waiting
FJ 12:45

MISCELLANEOUS		
Description	Quantity	Amount
Service Charge		<u>450.00</u>

RECEIVED
8-4-03
PAID

PRICES SUBJECT TO CORRECTION BY BILLING DEPARTMENT

RECEIVED THE ABOVE SERVICES ACCORDING TO THE TERMS AND CONDITIONS SPECIFIED ON THE REVERSE SIDE TO WHICH WE HEREBY AGREE.

Rodney Gonzalez 7-29-03
Customer Signature Date

Sub Total	<u>1662.40</u>
Code Ref. Tool Insurance	<u>1200.00</u>
5.8 Tax	<u>69.60</u>
IF PAID WITHIN 30 DAYS PAY DISCOUNT AMOUNT	<u>1269.60</u>

CONFIDENTIAL

ORIGINAL

ALLIED CEMENTING CO., INC. 11183

Federal Tax I.D.# ~~XXXXXX~~ RCC

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SEP 19 2013

SERVICE POINT: OAKLEY

DATE <u>6-27-03</u>	SEC. <u>30</u>	TWP. <u>30S</u>	RANGE <u>33W</u>	CALLED OUT <u>CONFIDENTIAL</u>	ON LOCATION <u>10:30 AM</u>	JOB START <u>3:00 PM</u>	JOB FINISH <u>4:30 PM</u>
LEASE <u>EE+L STALKER</u>	WELL # <u>1-1430</u>	LOCATION <u>SATANTA 2 3/4 S - 1/4 E</u>			COUNTY <u>HASKELL</u>	STATE <u>KS</u>	
OLD OR <u>(NEW)</u> (Circle one)							

CONTRACTOR BORDER-LINE
 TYPE OF JOB PORT COLLAR
 HOLE SIZE _____ T.D. _____
 CASING SIZE 5 1/2" DEPTH _____
 TUBING SIZE 2 3/8" DEPTH 3122'
 DRILL PIPE _____ DEPTH _____
 TOOL PORT COLLAR DEPTH 3022'
 PRES. MAX _____ MINIMUM _____
 MEAS. LINE _____ SHOE JOINT _____
 CEMENT LEFT IN CSG. _____
 PERFS. _____
 DISPLACEMENT _____

OWNER SAME
 CEMENT AMOUNT ORDERED 425 SKS LITE 1/4" FLO-SEAL
 COMMON _____ @ _____
 POZMIX _____ @ _____
 GEL _____ @ _____
 CHLORIDE _____ @ _____
LITE 425 SKS @ 7.35 3123.75
FLO-SEAL 106 # @ 1.40 148.40
 HANDLING 425 SKS @ 1.15 488.75
 MILEAGE 0.54 PER SK / MILE 637.80
 TOTAL 4398.40

EQUIPMENT

PUMP TRUCK CEMENTER TERRY
 # 300 HELPER WAYNE
 BULK TRUCK DRIVER LONNIE
 # 218
 BULK TRUCK DRIVER JANCOI
 # 212

REMARKS:

PRESSURE SYSTEM TO 1500 PSI. HELD
OPEN PORT COLLAR MIX 425 SKS
LITE 1/4" FLO-SEAL. DISPLACE 17' BBL
CLOSE PORT COLLAR. REPRESSURE SYSTEM
TO 1500 PSI. HELD RUN 2 JTS +
REVERSE DAT

THANK YOU

SERVICE

DEPTH OF JOB 3122'
 PUMP TRUCK CHARGE 630.80
 EXTRA FOOTAGE _____ @ _____
 MILEAGE 30 MF @ 3.50 105.00
 PLUG _____ @ _____
 TOTAL 735.80

CHARGE TO: PRESCO WESTERN L.L.C.
 STREET _____
 CITY _____ STATE _____ ZIP _____

FLOAT EQUIPMENT

 @ _____
 @ _____
 @ _____
 @ _____
 @ _____
 TOTAL _____

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE Rodney Gonzalez

TAX _____
 TOTAL CHARGE 630.80
 DISCOUNT 630.80 IF PAID IN 30 DAYS

PRINTED NAME

CONFIDENTIAL

ALLIED CEMENTING CO., INC.

ORIGINAL 11274

Federal Tax I.D.# ~~██████████~~ KCC

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SEP 19 2003

SERVICE POINT:

C. Kley

DATE <u>6-23-03</u>	SEC <u>30</u>	TWP <u>30s</u>	RANGE <u>33w</u>	CALLER <u>CONFIDENTIAL</u>	LOCATION <u>3:15 AM</u>	JOB START <u>11:00 AM</u>	JOB FINISH <u>11:50 AM</u>
LEASE <u>ES 91 Ket</u>	WELL # <u>1-1420</u>	LOCATION <u>Satanta 2 3/4 S 1/4 E</u>	COUNTY <u>Haskell</u>	STATE <u>KS</u>			

OLD OR NEW (Circle one)

CONTRACTOR Cheyenne Drilg Co # 8

TYPE OF JOB Production string

HOLE SIZE 7 1/8 T.D. 4450'

CASING SIZE 5 1/2 DEPTH 4450'

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL Port Collar DEPTH _____

PRES. MAX _____ MINIMUM _____

MEAS. LINE 12004 SHOE JOINT 22.67'

CEMENT LEFT IN CSG. 22.67'

PERFS. _____

DISPLACEMENT 105 1/2 Bbls

EQUIPMENT _____

PUMP TRUCK CEMENTER Dean

191 HELPER Andrew

BULK TRUCK

315 DRIVER Lonnie

BULK TRUCK

_____ DRIVER _____

OWNER Same

CEMENT

AMOUNT ORDERED

125 sks ASC 2% Gel 10% Salt 500 gals
1/4" Flo Seal WFR2

COMMON	@	_____	_____
POZMIX	@	_____	_____
GEL	<u>2.5 sks</u>	@ <u>10.00</u>	<u>20.00</u>
CHLORIDE	@	_____	_____
ASC	<u>125 sks</u>	@ <u>9.85</u>	<u>1231.25</u>
Salt	<u>12 sks</u>	@ <u>15.00</u>	<u>180.00</u>
500 gals WFR-2	@ <u>1.00</u>		<u>500.00</u>
Flo Seal	<u>119 #</u>	@ <u>1.40</u>	<u>166.60</u>
HANDLING	<u>125 sks</u>	@ <u>1.15</u>	<u>143.75</u>
MILEAGE			<u>181.50</u>

RECEIVED

TOTAL ~~2428.60~~
2339.10

SEP 19 2003

SERVICE

KCC WICHITA

DEPTH OF JOB	<u>4450'</u>	
PUMP TRUCK CHARGE		<u>1130.00</u>
EXTRA FOOTAGE	@	_____
MILEAGE	<u>30 miles</u>	@ _____ <u>105.-</u>
PLUG	<u>5/2 Rubber</u>	@ _____ <u>50.00</u>
	@	<u>125.00</u>
	@	_____

TOTAL 1285.00

5 1/2 FLOAT EQUIPMENT

Guide shoe	@	_____	<u>150.00</u>
APU Insert	@	_____	<u>235.00</u>
6 Centralizers	@ <u>40.00</u>		<u>240.00</u>
1 Basket	@ <u>142.00</u>		<u>142.00</u>
1 Port Collar	@	_____	<u>1150.00</u>

TOTAL 2517.00

TAX _____

TOTAL CHARGE 2517.00

DISCOUNT 2517.00 IF PAID IN 30 DAYS

REMARKS:

Pump 500 gals WFR2 followed w/ 125 sks ASC 2% gel 10% salt 1/4 Flo Seal.

Plug landed float held

Thank you

CHARGE TO: Presco-western

STREET _____

CITY _____ STATE _____ ZIP _____

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE Randy [Signature]

PRINTED NAME

CONFIDENTIAL

ORIGINAL

ALLIED CEMENTING CO., INC. 11109

Federal Tax I.D.# ~~XXXXXX~~ KCC

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SEP 19 2003

SERVICE POINT: Oakley

DATE <u>6-18-03</u>	SEC. <u>30</u>	TWP. <u>30^s</u>	RANGE <u>33^w</u>	CALLED OUT <u>CONFIDENTIAL</u>	LOCATION <u>12:30^{pm}</u>	JOB START	JOB FINISH
LEASE <u>EE-1- Stalker</u>	WELL# <u>1-1430</u>	LOCATION <u>Satura 294S-14E</u>			COUNTY <u>Haskell</u>	STATE <u>Kan</u>	
OLD OR <u>NEW</u> (Circle one)							

CONTRACTOR Cheyenne Drls Co #8

TYPE OF JOB Surface

HOLE SIZE 12 1/4 T.D. 1540'

CASING SIZE _____ DEPTH 1538'

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX 1000 # MINIMUM _____

MEAS. LINE _____ SHOE JOINT 42'

CEMENT LEFT IN CSG. 42'

PERFS. _____

DISPLACEMENT 95 1/4 BBL

EQUIPMENT _____

PUMP TRUCK CEMENTER Walt

102 HELPER Walt

BULK TRUCK _____

361 DRIVER Louise

BULK TRUCK _____

353 DRIVER Thad

OWNER Same

CEMENT

AMOUNT ORDERED 150 sks com, 3%cc

475 sks lta, 3%cc, 1/4" Flo-Seal

COMMON	<u>150 sks</u>	@	<u>8.35</u>	<u>1,252.50</u>
POZMIX		@		
GEL		@		
CHLORIDE	<u>19 sks</u>	@	<u>30.00</u>	<u>570.00</u>
<u>Life</u>	<u>475 sks</u>	@	<u>7.35</u>	<u>3,491.25</u>
<u>Flo-Seal</u>	<u>119 #</u>	@	<u>1.40</u>	<u>166.60</u>
		@		
		@		
		@		
HANDLING	<u>625 sks</u>	@	<u>1.15</u>	<u>718.75</u>
MILEAGE	<u>5¢ per sk/mile</u>			<u>937.50</u>

RECEIVED TOTAL 7,136.60

SEP 19 2003

KCC WICHITA SERVICE

DEPTH OF JOB		
PUMP TRUCK CHARGE		<u>850.00</u>
EXTRA FOOTAGE	@	
MILEAGE	<u>30 miles</u>	@ <u>3.50</u> <u>105.00</u>
PLUG	<u>8 5/8 rubber</u>	@ <u>100.00</u> <u>100.00</u>
	@	
	@	

REMARKS:

Cement Did Cure

CHARGE TO: Presco-Western

STREET _____

CITY _____ STATE _____ ZIP _____

TOTAL 1,055.00

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

FLOAT EQUIPMENT

8 5/8

<u>1- Guide shoe</u>	@	<u>190.00</u>
<u>1- AFU insert</u>	@	<u>242.00</u>
<u>3- Centralizers</u>	@ <u>33.00</u>	<u>99.00</u>
	@	
	@	

TOTAL 531.00

SIGNATURE Rodney Loyales

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

PRINTED NAME _____