
Kansas Corporation Commission Oil & Gas Conservation Division

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Form ACO-1 September 1999 Form Must Be Typed

ORIGINAL

Operator: License #	API No. 15 - 023-20556-0000		
Name: LOBO PRODUCTION, INC.	County: CHEYENNE		
Address: 6715 ROAD 22	SESW_NW_Sec. 31 Twp. 4 S. R. 41 _ East V West		
City/State/Zip: GOODLAND, KS 66735	feet from S (N) (circle one) Line of Section		
Purchaser: PRG, L.C.	845' feet from E /W (circle one) Line of Section		
Operator Contact Person: JOHN SANDERS	Footages Calculated from Nearest Outside Section Corner:		
705 000 5004	(circle one) NE SE (NW) SW		
Phone: (785) 899-5684 RECEIVE Contractor: Name: SCHALL DRILLING # 33229	Lease Name: O'BRIEN Well #: 2-31		
License: POE SERVICING, INC. #3152 JUL 15 200	Field Name: CHERRY CREEK NIOBRARA GAS AREA		
	NIOBRARA		
Designate Type of Completion:	Producing Formation: 3542' Kelly Bushing: 1405'		
New Well Re-Entry Workover	Total Depth: 1445' Plug Back Total Depth: 1405'		
OilSWDSIOWTemp. Abd.	Amount of Surface Pipe Set and Cemented at Feet		
Gas ENHR SIGW	Multiple Stage Cementing Collar Used? ☐ Yes ✓ No		
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet		
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from		
Operator:	feet depth tow/sx cmt.		
Well Name:	feet depth to		
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)		
Deepening Re-perf Conv. to Enhr./SWD	Chloride contentppm Fluid volumebbls		
Plug Back Plug Back Total Depth	Dewatering method used		
Commingled Docket No			
Dual Completion Docket No	Location of fluid disposal if hauled offsite:		
Other (SWD or Enhr.?) Docket No	Operator Name:		
4 - 20 - 04 5-14-04 5-24-04	Lease Name: License No.:		
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West		
Recompletion Date Recompletion Date	County: Docket No.:		
INSTRUCTIONS: An original and two copies of this form shall be filed with t Kansas 67202, within 120 days of the spud date, recompletion, workover Information of side two of this form will be held confidential for a period of 12 107 for confidentiality in excess of 12 months). One copy of all wireline logs a TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells.	or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. months if requested in writing and submitted with the form (see rule 82-3-ind geologist well report shall be attached with this form. ALL CEMENTING		
All requirements of the statutes, rules and regulations promulgated to regulate herein are complete and correct to the best of my knowledge.	e the oil and gas industry have been fully complied with and the statements		
and the San Disant	V00 077		
Signature: All All All All All All All All All Al	KCC Office Use ONLY		
Title: Likoldent Date: 4/28/04	Letter of Confidentiality Attached		
Subscribed and sworn to before me this 28 day of	If Denied, Yes Date:		
ts. 2014	Wireline Log Received		
Chilia Ann Ciar	Geologist Report Received		
Notary Public: And Comments of the Angles	UIC Distribution		
Date Commission Expires: 9/29/07			



Side Two

etrated. In the there shows the there is the	ut-in presental chart Lo Name NIOE Newface, internet ht Ft.	I cores. Repo ssure reached t(s). Attach ex og Forma	Type of Cernent COMMON COMMON	static pressu pace is need	ests giving in ires, bottom r led. Attach c	nole copy of all mple cum
ECORD ductor, surl Lbs. / I 23#	ut-in presental chart Lo Name NIOE Newface, internet ht Ft.	essure reached (s). Attach expose Formal exp	tion (Top), Depth a tion (Top), Depth a tion (Top), Depth a tion (Top), Depth a tion, etc. Type of Cement COMMON COMMON	# Sacjs Used	Type and Addit 4% BEN	eppy of a
Weight Lbs. / I 23# 13.5#	Name NIOE NIOE Nev face, inter	w V Used rmediate, produ Setting Depth 200'	ction, etc. Type of Cement COMMON COMMON	Top 1302' # Sacjs Used 38	Type and Addit 4% BEN	Percent ives
Weight Lbs. / I 23# 13.5#	NIOE	w V Used rmediate, produing Depth 200' 1438'	Type of Cernent COMMON COMMON	# Sacjs Used	Type and Addit	Percent ives
Weight Lbs. / I 23# 13.5#	New face, inter the fit.	w V Used rmediate, produ Setting Depth 200' 1438'	Type of Cernent COMMON COMMON	# Sacjs Used 38	Type and Addit	Percent ives
Weight Lbs. / I 23# 13.5#	face, inter	rmediate, produi Setting Depth 200'	Type of Cernent COMMON COMMON	Used 38	4% BEN	ives
Weight Lbs. / I 23# 13.5#	face, inter	rmediate, produi Setting Depth 200'	Type of Cernent COMMON COMMON	Used 38	4% BEN	ives
Weight Lbs. / I 23# 13.5#	face, inter	rmediate, produi Setting Depth 200'	Type of Cernent COMMON COMMON	Used 38	4% BEN	ives
Weigi Lbs./I 23# 13.5#	ht Ft.	Setting Depth 200' 1438'	Type of Cernent COMMON COMMON	Used 38	4% BEN	ives
23# 13.5# EMENTING	f . G / SQUI	200' 1438'	COMMON	38	4% BEN	
13.5#	G / SQU	1438'	COMMON			
	T	EEZE RECOR	D			
	T	EEZE RECOR	D			
			Type and Pe	ercent Additives	s	
Set/Type ated			acture, Shot, Cement imount and Kind of Mai		rd	Depth
		99,340	LBS. 16/30 SAN	ND	13	02-134
		20 TONS CO2				
Packer At		Liner Run	Yes No		1	
√	Flowing	· 🗌 Pumpi	ing Gas Lift	Othe	er (Explain)	
f	Water	Е	Bbls. Ga	ıs-Oil Ratio	G	aravity
		Production Inter	rval			
	· ·	l ✓ Flowing	Flowing Pumpi	Yes No	Yes No Yes No Flowing Pumping Gas Lift Other Mater Bbls. Gas-Oil Ratio	Yes No Yes No Gas Lift Other (Explain) f Water Bbls. Gas-Oil Ratio G

No. 011304

ST. FRANCIS SAND

Redi-Mix

P. 0	Э.	Box	281	ST.	FRANCIS,	KS.	67756
------	----	-----	-----	-----	----------	-----	-------

REDI-MIX CONCRETE 3954 EXCAVATING

(785) 332-3123

ADDRESS:

Time Loaded Time Delivered It is agreed that free unloading time shall be 15 minutes for each first cubic yard and 10 minutes for each yard thereafter. A charge of \$1.00 for each 10 minutes excess time will be made.

Delivery inside curb line made only at risk of purchaser.

No damage claims considered without proof of driver

Time Returned

Time Released

Rec'd by ...

Truck No.	Driver	Quantity	Price	Amoun	t		
		386	8 800	364	00		
Mix	Slump	Total Miles	Mileage	,	رخ		
	S - M - D	12	2"	25	20		
Added Water	Reduces Streng	th & durabilit	ty				
		****	a. <u>-1</u>	50	00		
Gals Added	Authorize	d By 🔪 🚐	agrant co		<u> </u>		
276 Gol Vate							
				255	30		
Cash	Char	ge	Sales Tax	26	22		
			Total	341	42		

DELIVERY TICKET

ST. FRANCIS SAND AND

011393

Redi-Mix

P. O. Box 281 ST. FRANCIS, KS. 67756 **REDI-MIX CONCRETE**

EXCAVATING

Phone (785) 332-3123

ADDRESS:

Time Loaded Time Delivered It is agreed that free unloading time shall be 15 minutes for each first cubic yard and 10 minutes for each yard thereafter. A charge of \$1.00 for each 10 minutes excess time will be made.

Delivery inside curb line made only at risk of purchaser.

No damage claims considered without proof of driver negligence.

Time Returned

Time Released

Rec'd by.

Truck No.	Driver	Quantit		e	Amoun	t			
		702	& 800 800	2	40	OD			
Mix	Slump	Total Miles	Mileage						
	S - M - D	15	20		3/	30			
Added Water	Reduces Streng	th & durabil	ity		,,				
Gals Added	Authorize	d By 50	demonto 1	70	30	00			
Cash	Charg	ge	Sales Tax		45	30			
			Total		1.1.1	82			

to onone do or or or	DELIVERY TICKET FRANCIS SAND Redi-Mix 281 ST. FRANCIS, KS. 67756 EDI-MIX CONCRETE FXCAVATING	<u> </u>	It is agreed that free unloading time shall be 15 minutes for each first cubic yard and 10 minutes for each yard thereafter. A charge of \$1.00 for each 10 minutes excess time will be made. Delivery inside cuch the made only at risk of purchaser. No damage states considered without proof of driver negligence.	Stump Total Miles Committy S-M-D Reduces Strength & durability	Sales Tax 12 29 C
c dop of	ST. FRANCIS SAN Redi-Mix O Box 281 ST. FRANCIS, KS. PEDI-MIX CONCRET	PROJECT SOLD .	that cha	Slump To Slump To Slump To Slump To Shangth & San D	RECEIVED 109. 15 2004 CC WICHTA