# ORIGINAL

### Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1 September 1999 Form Must Be Typed

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 30282	API No. 15 - 023-20571-00-00
Name: LOBO PRODUCTION, INC. RECEIVED	County: CHEYENNE
Address: 6715 RD. 22	SE_SE_NW_SE_Sec. 35 Twp. 4 S. R. 42 East  West
City/State/Zip: GOODLAND, KS 67735 AUG 1 8 2004	1430' teet from S/ N (circle one) Line of Section
Purchaser: PRG, L.C.	1570' feet from E/ W (circle one) Line of Section
Operator Contact Person: JOHN SANDERS KCC WICHITA	Footages Calculated from Nearest Outside Section Corner:
Phone: (_785) _899-5684	(circle one) NE (SE) NW SW
Contractor: Name: WOOFTER PUMP & WELL #33421	Lease Name: O'BRIEN Well #: 3-35
License: POE SERVICING, INC. #3152	Field Name: CHERRY CREEK NIOBRARA GAS AREA
Wellsite Geologist:	Producing Formation: NIOBRARA
Designate Type of Completion:	Elevation: Ground: 3541' Kelly Bushing:
✓ New Well Re-Entry Workover	Total Depth: 1477' Plug Back Total Depth: 1444'
OilSWDTemp. Abd.	Amount of Surface Pipe Set and Cemented at 175 Feet
✓ Gas ENHR SIGW	Multiple Stage Cementing Collar Used?
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from
Operator:	feet depth tosx cmt.
Well Name:	
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)  2-26-67
Deepening Re-perf Conv. to Enhr./SWD	Chloride content ppm Fluid volume bbls
Plug Back Total Depth	Dewatering method used
Commingled Docket No	
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No	Operator Name:
6-9-04 6/25/04 7/6/04	Lease Name: License No.:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West
Recompletion Date Recompletion Date	County: Docket No.:
INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas 67202, within 120 days of the spud date, recompletion, workover information of side two of this form will be held confidential for a period of 12 107 for confidentiality in excess of 12 months). One copy of all wireline logs at TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells.	r or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply 2 months if requested in writing and submitted with the form (see rule 82-3- and geologist well report shall be attached with this form. ALL CEMENTING Submit CP-111 form with all temporarily abandoned wells.
All requirements of the statutes, rules and regulations promulgated to regulat herein are complete and correct to the best of my knowledge.	e the oil and gas industry have been fully complied with and the statements
Signatura John Saulans	KCC Office Use ONLY
Title: President Date: 8/14/04	ROC Office use ONLY
Title: Date: Old 104	Letter of Confidentiality Attached
Subscribed and sworn to before me this <u>lu</u> day of <u>duquot</u>	If Denied, Yes Date:
18 2004.	Wireline Log Received
Notary Public: Julie Ann Croes	Geologist Report Received
9/00/04	UIC Distribution
Date Commission Expires: 1/29   107	IIII IE ANN ODOW
	JULIE ANN CROW  NOTARY PUBLIC  STATE OF KANSAS  My Appt. Exp. 1/24/07

#### Side Two

rates if gas to surficient final geological  Yes  Yes  Yes  Yes  Yes  Yes  Yes  Ye	rmations pene pressures, who face test, alon of the well site report of the we	etrated. Deta nether shut-ing with final coort.  ECORD Volume and the coort.  ECORD Volume and the coort.  Weight Lbs. / Ft.  23#  13.5#	ail all cores. Repressure reach pressure reach chart(s). Attach Log Form Name  ILOBRARA  New Usec pressure intermediate, properting Depth 175'	oduction, etc. Type of Cement COMMON	pstatic pressure space is neede and Datum Top 1296'	es, bottom ho	le by of a bole m	
rates if gas to surfacts final geological  Yes  Yes  Yes  Yes  Yes  Yes  Yes  Ye	oressures, who face test, alon if well site report of the face test, alon is along the face test, along th	ECORD Volume to the state of th	Log Form Name  New Usec  Neter mediate, pro Setting Depth 175'	extra sheet if more sextra sheet if more sheet if more sextra sheet if m	# Sacjs Used	Es, bottom ho ed. Attach cop  Samp  Datur  G.L.  Type and F  Additiv  0	le by of a bole m	
Type of C	✓ No ✓ No ☐ No ☐ No ☐ CASING RE I strings set-cond asing O.D.)  2"	ECORD Moductor, surfaces Weight Lbs. / Ft. 23# 13.5#	New Used intermediate, pro Setting Depth 175'	d oduction, etc. Type of Cement COMMON	# Sacjs Used	Type and F	Percen	
Report all le Size Ca Set (In o	CASING REIstrings set-concasing O.D.)	ECORD Value of Notice of N	New Used b, intermediate, pro Setting Depth 175' 1469'	oduction, etc. Type of Cement COMMON	# Sacjs Used	G.L.  Type and F Additiv 0	Percen	
Report all le Size Ca Set (In o	CASING REIstrings set-concasing O.D.)	ECORD Valuator, surface Weight Lbs./Ft. 23# 13.5#	New Usec b, intermediate, pro Setting Depth 175'	oduction, etc. Type of Cement COMMON	# Sacjs Used	Type and F Additiv		
Report all le Size Ce Set (In 6  " 7"  4 1/2  All	CASING RE I strings set-cone asing O.D.)  2"	Weight Lbs. / Ft. 23# 13.5#	e, intermediate, pro Setting Depth 175'	oduction, etc. Type of Cement COMMON	Used I 37	Additiv		
le Size Ca Set (In 0 " 7" 4 1/2	asing O.D.)  2"  DDITIONAL CI	Weight Lbs. / Ft. 23# 13.5#	e, intermediate, pro Setting Depth 175'	oduction, etc. Type of Cement COMMON	Used I 37	Additiv		
Set (In 6) 7" 4 1/2 AI	O.D.)  2"  DDITIONAL C	Lbs. / Ft. 23# 13.5#	175' 1469'	COMMON	Used I 37	Additiv		
7" 7" 4 1/2 AI	2"	13.5# EEMENTING /	1469'					
Al Type of C	DDITIONAL CI	EMENTING /		' COMMON	60	0		
Type of C								
Type of C								
	Sement				Percent Additives			
		HODERS USE	1	Type and	, croom radiiis			
Foot PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated					Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth			
	4-14-14-14-14-14-14-14-14-14-14-14-14-14							
And the second s								
Set At		Packer At	Liner Run		o			
VD or Enhr. Pr	roducing Method	p	lowing P	Parameter Control of C		ner <i>(Explain)</i>		
l Bbls.	Gas Mo	1cf	Water	Bbis.	Gas-Oil Ratio	G	iravity	
D OF COMPLETION			Production	ı İnterval				
il	Set At  WD or Enhr. P  il Bbls.	Set At  WD or Enhr. Producing Metho	Set At Packer At  WD or Enhr. Producing Method	Set At Packer At Liner Run  WD or Enhr. Producing Method Flowing F	Set At Packer At Liner Run Yes N  WD or Enhr. Producing Method Pumping Gas L  il Bbls. Gas Mcf Water Bbls.	Set At Packer At Liner Run  Yes No  WD or Enhr. Producing Method  Flowing Pumping Gas Lift Oth  Bbls. Gas Mcf Water Bbls. Gas-Oil Ratio	Set At Packer At Liner Run  Yes No  WD or Enhr. Producing Method Flowing Pumping Gas Lift Other (Explain)  Bbls. Gas Mcf Water Bbls. Gas-Oil Ratio G	

Ticket

### ST. FRANCIS SAND AND

01145

Redi-Mix

P. O. Box 281 ST. FRANCIS, KS. 67756

(785) 332-3123

**REDI-MIX CONCRETE EXCAVATING** 

SOLD TO:

ADDRESS:

Time Loaded Time Delivered It is agreed that free unloading time shall be 15 minutes for each first cubic and and 10 minutes for each yard thereafter. A charge of \$1.00 for each 10 minutes excess time will be made.

Delivery inside curb line made only at risk of purchaser.

No damage claims considered without proof of driver negligence.

Time Returned

Time Released

Truck No.	Truck No. Driver Quan			Price	Amount		
	Į.	600	2	800	40	00	
Mix	Slump	Total Miles		Mileage	, 0		
	S - M - D	14		212	29	40	
Added Water	Reduces Streng	th & durabi	lity		-	~7	
Gals Added	Authorize	d By	4	911	30		
			· 🕸	0.1		ļ	
Cash	Char	ge	No.	Sales Tax	一分	32	

**DELIVERY TICKET** 

ST. FRANCIS SAND AND

No. 011420

Redi-Mix

P. O. Box 281 ST. FRANCIS, KS. 67756 REDI-MIX CONCRETE

Phone EXCAVATING (785) 332-3123

0/Brien 3-35

Sur Socretion

SOLD TO:

ADDRESS:

Time Loaded Time Delivered It is agreed that free unloading time shall be 15 minutes for each first cubic yard and 10 minutes for each yard thereafter. A charge of \$1.00 for each 10 minutes excess time will be made.

Total

Time Released

Delivery inside curb line made only at risk of purchaser. No damage claims considered without proof of driver

negligence.

Time Returned

Mix

Truck No. Driver Price U Quantity Amount

S - M - D

Slump

Added Water Reduces Strength & durability

Gals Added

Cash Charge Sales Tax Total

RECEIVED AUG 182004 KCC WICHITA