


KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 September 1999 Form Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License #	API No. 15 - 023-20572-00-00
Name: LOBO PRODUCTION, INC.	County: CHEYENNE
Address: 6715 RD. 22 RECEIVED	120W _S/2 _SW _SE Sec. 35 Twp. 4 S. R. 42 ☐ East ✓ West
City/State/Zip: GOODLAND, KS 67735	330' feet from (S) / N (circle one) Line of Section
Purchaser: PRG, L.C.	2100' feet from (E) / W (circle one) Line of Section
Operator Contact Person: JOHN SANDERS KCC WICHITA	Footages Calculated from Nearest Outside Section Corner:
Phone: (_785) _899-5684	(circle one) NE SE NW SW
Contractor: Name: WOOFTER PUMP & WELL #33421	Lease Name: O'BRIEN Well #: 4-35
License: POE SERVICING, INC. #3152	Field Name: CHERRY CREEK NIOBRARA GAS AREA
Wellsite Geologist:	Producing Formation: NIOBRARA
Designate Type of Completion:	Elevation: Ground: 3526' Kelly Bushing:
✓ New Well Re-Entry Workover	Total Depth: 1393' Plug Back Total Depth: 1353'
Oil SWD SIOWTemp. Abd.	Amount of Surface Pipe Set and Cemented at147.5' Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used?
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from
Operator:	feet depth tosx cmt.
Well Name:	Drilling Fluid Management Plan AUTIWHM
Original Comp. Date: Original Total Depth:	(Data must be collected from the Reserve Pit) 2-26-07
Deepening Re-perf Conv. to Enhr./SWD	Chloride contentppm Fluid volumebbls
Plug Back Plug Back Total Depth	Dewatering method used
Commingled Docket No.	
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No	Operator Name:
6-8-04 6/29/04 7/8/04	Lease Name: License No.:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East _ West
Recompletion Date Recompletion Date	County: Docket No.:
INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas 67202, within 120 days of the spud date, recompletion, workover Information of side two of this form will be held confidential for a period of 12 107 for confidentiality in excess of 12 months). One copy of all wireline logs at TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells.	or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. months if requested in writing and submitted with the form (see rule 82-3-nd geologist well report shall be attached with this form. ALL CEMENTING Submit CP-111 form with all temporarily abandoned wells.
All requirements of the statutes, rules and regulations promulgated to regulate herein are complete and correct to the best of my knowledge.	the oil and gas industry have been fully complied with and the statements
Signature: My Market	KCC Office Use ONLY
Title: PRUSIDENT Date: 5/16/04	Letter of Confidentiality Attached
Subscribed and sworn to before me this 10 day of 00000	If Denied, Yes Date:
,	Wireline Log Received
16 2004.	Geologist Report Received
Notary Publics Illu ANK CIQU	UIC Distribution
Date Commission Expires: 9/29/07	
	JULIE ANN CROW



Side Two

en allemander e Greener

Onerator Name: LOB	O PRODUCTION	I, INC.	Lease Name:_),RKIEN		Well #: 4-35	<u> </u>
	S. R. <u>42</u>	East West	County: CHE	ENNE			
ested, time tool open emperature, fluid rec	and closed, flowing overy, and flow rates	nd base of formations pe and shut-in pressures, v if gas to surface test, al nal geological well site re	whether shut-in pre long with final char	ssure reached	static level, hydrost	tatic pressure	es, bottom hole
Drill Stem Tests Taken ☐ Yes ✓ No (Attach Additional Sheets)				og Formati	on (Top), Depth an	d Datum	Sample
		Nam	Name		Тор	Datum	
Samples Sent to Geological Survey		Niol	Niobrara			G.L.	
Electric Log Run (Submit Copy)		✓ Yes No					
ist All E. Logs Run:							
Dual Spaced (Cement Bond		RECORD V N	ew 🗸 Used			
		Report all strings set-c	1		tion, etc.		-
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacjs Used	Type and Perc Additives
SURFACE	9 5/8"	7"	23#	147.5'	COMMON	33	0
PRODUCTION	6 1/4"	4 1/2"	13.5#	1385'	COMMON	55	0
		ADDITIONAL	CEMENTING / SQ	JEEZE RECORI			
Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone	Depth Top Bottom	Type of Cement	#Sacks Used			rcent Additives	i
Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated			Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth			
2	1262-1272			55,610 lbs 16/30 sand 1262-1310			
2	1270-1280			15 tons CO2			
2	1276-1286						
2	1290-1310						
TUBING RECORD	Size	Set At	Packer At	Liner Run	Yes No		
Date of First, Resumero	d Production, SWD or E	nhr. Producing Met	hod ✓ Flowin	g 🔲 Pump	ing Gas Lift	Oth	er <i>(Explain)</i>
Estimated Production Per 24 Hours	Oil I	Bbis. Gas 30 MCF/D	Mcf Wat	er t	Bbls. Ga	as-Oil Ratio	Gravi
Disposition of Gas	METHOD OF C	OMPLETION		Production Inte	rval		
Vented ✓ Sold (If vented, Su	Used on Lease	Open Hole Other (Spec	tunud tourst	Dually Comp.	Commingled		

DELIVERY TICKET

ST. FRANCIS SAND

Redi-Mix

P. O. Box 281 ST. FRANCIS, KS. 67756

REDI-MIX CONCRETÉ **EXCAVATING**

ADDRESS:

Time Loaded

Time Delivered

Time Released

Time Returned

It is agreed that free unloading time shall be 15 minutes for each first cubic yard and 10 minutes for each yard thereafter. A charge of \$1.00 for each 10 minutes excess time will be made.

Delivery inside curb line made only at risk of purchaser.

No damage claims considered without proof of driver negligence.

Truck No.	Driver	Quantity		Price	Amount		
		33.6	₽.	8000	214	00	
Mix	Slump	Total Miles	(Mileage	001		
,	S - M - D	15	6	214	31	50	
Added Water	Reduces Streng	th & durabil	ity		-		

Gals Added Authorized By

> Cash Charge Sales Tax Total

DELIVERY TICKET

ST. FRANCIS SAND AND

Redi-Mix

P. O. Box 281 ST. FRANCIS, KS. 67756

REDI-MIX CONCRETE EXCAVATING

(785) 332-3123

PROJECT

. SOLD TO:

ADDRESS:

Time Loaded

Time Delivered

Time Released

It is agreed that free unloading time shall be 15 minutes for each first cubic yard and 10 minutes for each yard thereafter. A charge of \$1.00 for each 10 minutes excess time will be made.

Delivery inside curb line made only at risk of purchaser. No damage claims considered without proof of driver

Time Returned

	Acc u	·,·,·	<i>y</i> , <i>y</i>	····~	1.0.8				
Truck No.	Driver	Quantit	у 	Price	Amount				
		55	2	5,00	1440	60			
Mix	Slump	Total Miles	/ Mile	age	1 31	50			
3	S - M - D	M	70	10'	2皇				
Added Water	Added Water Reduces Strength & durability								
Gals Added	Authorize	d By	LOAL	in f	30	00			
\ /	1	1	•	7	ıt.				
		1.2		AX	,36	60			
Cash	Charg	se e	Sales	Гаж	7-	1			
7					_35=	==			
			Tota	1 8	PI				

RECEIVED AUG 18 2004 KCC WICHITA