

**KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE**

Form ACO-1
September 1999
Form Must Be Typed

ORIGINAL

**RECEIVED
OCT 25 2004
KCC WICHITA**

Operator: License # 30282
Name: LOBO PRODUCTION, INC.
Address: 6715 ROAD 22
City/State/Zip: GOODLAND, KS 66735
Purchaser: PRG, L.C.
Operator Contact Person: JOHN SANDERS
Phone: (785) 899-5684
Contractor: Name: WOOFER PUMP & WELL #33421
License: POE SERVICING, INC. #3152

Wellsite Geologist: _____
Designate Type of Completion:
 New Well _____ Re-Entry _____ Workover
_____ Oil _____ SWD _____ SIOW _____ Temp. Abd.
 Gas _____ ENHR _____ SIGW
_____ Dry _____ Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
_____ Deepening _____ Re-perf. _____ Conv. to Enhr./SWD
_____ Plug Back _____ Plug Back Total Depth
_____ Commingled Docket No. _____
_____ Dual Completion Docket No. _____
_____ Other (SWD or Enhr.?) Docket No. _____

<u>7 - 26 - 04</u>	<u>7 - 30 - 04</u>	<u>8-19-04</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 023-20581-0000
County: CHEYENNE
N/2 NE NE SE Sec. 3 Twp. 5 S. R. 42 East West
2470' feet from (S) N (circle one) Line of Section
425' feet from (E) W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
(circle one) NE (SE) NW SW
Lease Name: WALZ Well #: 3-3
Field Name: CHERRY CREEK NIOBRARA GAS AREA
Producing Formation: NIOBRARA
Elevation: Ground: 3583' Kelly Bushing: _____
Total Depth: 1427' Plug Back Total Depth: 1386'
Amount of Surface Pipe Set and Cemented at 211' Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set _____ Feet
If Alternate II completion, cement circulated from _____
feet depth to _____ w/ _____ sx cm.

Drilling Fluid Management Plan *ALTI WHM*
(Data must be collected from the Reserve Pit) *2-26-07*
Chloride content _____ ppm Fluid volume _____ bbls
Dewatering method used _____
Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____ License No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Docket No.: _____


INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: John Sanders
Title: President Date: 10/22/04
Subscribed and sworn to before me this 22 day of October,
2004.
Notary Public: Julie Ann Crow
Date Commission Expires: 9/29/07

KCC Office Use ONLY

_____ Letter of Confidentiality Attached
If Denied, Yes Date: _____
_____ Wireline Log Received
_____ Geologist Report Received
_____ UIC Distribution


**JULIE ANN CROW
NOTARY PUBLIC
STATE OF KANSAS
My Appt. Exp. 9/29/07**

Operator Name: LOBO PRODUCTION, INC. Lease Name: WALZ Well #: 3-3
 Sec. 3 Twp. 5 S. R. 42 East West County: CHEYENNE

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i> List All E. Logs Run: <p style="text-align: center;">GAMMA RAY COLLAR LOG</p>	<input type="checkbox"/> Log - Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top Datum NIOBRARA 1301' G.L.
--	--

CASING RECORD <input checked="" type="checkbox"/> New <input checked="" type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacs Used	Type and Percent Additives
SURFACE	10"	7" USED	20#	211'	COMMON	48	0
PRODUCTION	6 1/4"	4 1/2" NEW	13.5#	1419'	COMMON	55	0

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
2	1301-1321'	55,720 LBS 16/30 SAND	1301-1337
2	1327-1337'	20 TONS CO2	

TUBING RECORD		Size	Set At	Packer At	Liner Run <input type="checkbox"/> Yes <input type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr. 9-1-04			Producing Method <input checked="" type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)		
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
		63 MCFD			

Disposition of Gas METHOD OF COMPLETION Production Interval

Vented Sold Used on Lease Open Hole Perf. Dually Comp. Commingled
(If vented, Submit ACO-18.) Other (Specify) _____

Ticket

DELIVERY TICKET

1 ST. FRANCIS SAND

No. 011518

AND Redi-Mix

P. O. Box 281 ST. FRANCIS, KS. 67756

REDI-MIX CONCRETE EXCAVATING

Phone (785) 332-3123

Date 7-30-04

WALZ 3-3

PROJECT: LONG STRING

SOLD TO: Lobo Production

ADDRESS:

Time Loaded
Time Delivered
Time Released
Time Returned

It is agreed that free unloading time shall be 15 minutes for each first cubic yard and 10 minutes for each yard thereafter. A charge of \$1.00 for each 10 minutes excess time will be made.

Delivery inside curb line made only at risk of purchaser.

No damage claims considered without proof of driver negligence.

Rec'd by J. Sanders

Truck No.	Driver	Quantity	Price	Amount
		55 cu	8.00	440.00
Mix	Slump S - M - D	Total Miles 16	Mileage \$ 2.10	33.60
Added Water Reduces Strength & durability				
Gals Added	Authorized By	loading fee		30.00
Cash	Charge	Sales Tax	36.76	
		Total	540.36	

Ticket

DELIVERY TICKET

ST. FRANCIS SAND

No. 011506

AND

Redi-Mix

P. O. Box 281 ST. FRANCIS, KS. 67756

REDI-MIX CONCRETE EXCAVATING

Phone (785) 332-3123

Date 7-27-04

PROJECT: WALZ 3-3

SOLD TO: Lobo Production

ADDRESS:

Time Loaded
Time Delivered
Time Released
Time Returned

It is agreed that free unloading time shall be 15 minutes for each first cubic yard and 10 minutes for each yard thereafter. A charge of \$1.00 for each 10 minutes excess time will be made.

Delivery inside curb line made only at risk of purchaser.

No damage claims considered without proof of driver negligence.

Rec'd by Rick Miller

Truck No.	Driver	Quantity	Price	Amount
		48 cu	8.00	384.00
Mix	Slump S - M - D	Total Miles 16	Mileage 2.10	33.60
Added Water Reduces Strength & durability				
Gals Added	Authorized By	loading fee		30.00
Cash	Charge	Sales Tax	32.67	
		Total	486.27	

RECEIVED
OCT 25 2004
KCC WICHITA