

**KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE**

Form ACO-1
September 1999
Form Must Be Typed

ORIGINAL

Operator: License # 30282
 Name: LOBO PRODUCTION, INC.
 Address: 6715 ROAD 22
 City/State/Zip: GOODLAND, KS 66735
 Purchaser: PRG, L.C.
 Operator Contact Person: JOHN SANDERS
 Phone: (785) 899-5684
 Contractor: Name: WOOFER PUMP & WELL #33421
 License: POE SERVICING, INC. #3152
 Wellsite Geologist: _____
 Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SLOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)
 If Workover/Re-entry: Old Well Info as follows:
 Operator: _____
 Well Name: _____
 Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back Plug Back Total Depth
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. _____

<u>7 - 27 - 04</u>	<u>8 - 5 - 04</u>	<u>8-20-04</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

**RECEIVED
OCT 25 2004
KCC WICHITA**

API No. 15 - 023-20582-0000
 County: CHEYENNE
C NE SW Sec. 2 Twp. 5 S. R. 42 East West
1850' feet from (S) N (circle one) Line of Section
1860' feet from E / (N) (circle one) Line of Section
 Footages Calculated from Nearest Outside Section Corner:
 (circle one) NE SE NW (SW)
 Lease Name: RUEB FARMS Well #: 5-2
 Field Name: CHERRY CREEK NIOBRARA GAS AREA
 Producing Formation: NIOBRARA
 Elevation: Ground: 3570' Kelly Bushing: _____
 Total Depth: 1421' Plug Back Total Depth: 1405'
 Amount of Surface Pipe Set and Cemented at 210' Feet
 Multiple Stage Cementing Collar Used? Yes No
 If yes, show depth set _____ Feet
 If Alternate II completion, cement circulated from _____
 feet depth to _____ w/ _____ sx cmf.

Drilling Fluid Management Plan *AW I with 2-26-07*
 (Data must be collected from the Reserve Pit)
 Chloride content _____ ppm Fluid volume _____ bbls
 Dewatering method used _____
 Location of fluid disposal if hauled offsite: _____
 Operator Name: _____
 Lease Name: _____ License No.: _____
 Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
 County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: John Sanders
 Title: President Date: 10/22/04
 Subscribed and sworn to before me this 22 day of October,
2004.
 Notary Public: Julie Ann Crow
 Date Commission Expires: 9/29/07

KCC Office Use ONLY

Letter of Confidentiality Attached
 If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

**JULIE ANN CROW
NOTARY PUBLIC
STATE OF KANSAS
My Appt. Exp. 9/29/07**

✓

Operator Name: LOBO PRODUCTION, INC. Lease Name: RUEB FARMS Well #: 5-2
 Sec. 2 Twp. 5 S. R. 42 East West County: CHEYENNE

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i> List All E. Logs Run: <div style="text-align: center; font-weight: bold; font-size: 1.2em;">DUAL SPACED CEMENT BOND LOG</div>	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top Datum NIOBRARA 1298' G.L.
---	--

CASING RECORD <input checked="" type="checkbox"/> New <input checked="" type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacs Used	Type and Percent Additives
SURFACE	10"	7"	20#	210'	COMMON	48	0
PRODUCTION	6 1/4"	4 1/2"	13.5#	1414'	COMMON	55	0

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	
			Depth
2	1298-1308'	99,100 LBS 16/30 SAND	1298-1334
2	1314-1334'	20 TONS CO2	

TUBING RECORD		Size	Set At	Packer At	Liner Run <input type="checkbox"/> Yes <input type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr. 8-30-04		Producing Method <input checked="" type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)			
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
		87 MCFD			

Disposition of Gas Vented Sold Used on Lease *(If vented, Submit ACC-18.)*

METHOD OF COMPLETION Open Hole Perf. Dually Comp. Commingled Other (Specify) _____

Production Interval _____

DELIVERY TICKET

DELIVERY TICKET

ST. FRANCIS SAND

No. 011535

ST. FRANCIS SAND

No. 011508

AND
Redi-Mix

AND
Redi-Mix

P. O. Box 281 ST. FRANCIS, KS, 67756

P. O. Box 281 ST. FRANCIS, KS, 67756

REDI-MIX CONCRETE

REDI-MIX CONCRETE

Phone EXCAVATING

Phone EXCAVATING

(785) 332-3123

(785) 332-3123

Date 8-5-04

Date 7-27-04

PROJECT: Long Spring

PROJECT: Sur Face

SOLD TO: Lobo Productions

SOLD TO: Lobo Productions

ADDRESS: _____

ADDRESS: _____

Time Loaded
Time Delivered
Time Released
Time Returned

It is agreed that free unloading time shall be 15 minutes for each first cubic yard and 10 minutes for each yard thereafter. A charge of \$1.00 for each 10 minutes excess time will be made.

Delivery inside curb line made only at risk of purchaser.

No damage claims considered without proof of driver negligence.

Rec'd by J. Lunden

Time Loaded
Time Delivered
Time Released
Time Returned

It is agreed that free unloading time shall be 15 minutes for each first cubic yard and 10 minutes for each yard thereafter. A charge of \$1.00 for each 10 minutes excess time will be made.

Delivery inside curb line made only at risk of purchaser.

No damage claims considered without proof of driver negligence.

Rec'd by J. Lunden

Truck No.	Driver	Quantity	Price	Amount
		<u>35.8</u>	<u>8.00</u>	<u>440.00</u>
Mix	Slump S - M - D	Total Miles <u>16</u>	Mileage <u>12.10</u>	<u>33.60</u>
Added Water Reduces Strength & durability				
Gals Added	Authorized By	<u>30.00</u>		
Cash	Charge	Sales Tax	<u>31.76</u>	
		Total	<u>540.36</u>	

Truck No.	Driver	Quantity	Price	Amount
		<u>48.5</u>	<u>8.00</u>	<u>384.00</u>
Mix	Slump S - M - D	Total Miles <u>16</u>	Mileage <u>12.10</u>	<u>33.60</u>
Added Water Reduces Strength & durability				
Gals Added	Authorized By	<u>30.00</u>		
Cash	Charge	Sales Tax	<u>32.67</u>	
		Total	<u>480.27</u>	

RECEIVED
OCT 25 2004
KCC WICHITA