

**KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE**

Form ACO-1
September 1999
Form Must Be Typed

ORIGINAL

Operator: License # 30282
Name: LOBO PRODUCTION, INC.
Address: 6715 RD. 22
City/State/Zip: GOODLAND, KS 67735
Purchaser: PRG, L.C.
Operator Contact Person: JOHN SANDERS
Phone: (785) 899-5684
Contractor: Name: WOOFER PUMP & WELL #33421
License: POE SERVICING, INC. #3152

Wellsite Geologist: _____
Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SLOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:

Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back Plug Back Total Depth
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. _____

<u>8-24-04</u>	<u>9-10-04</u>	<u>9-24-04</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

**RECEIVED
OCT 25 2004
KCC WICHITA**

API No. 15 - 023-20584-00-00
County: CHEYENNE
S/2 NW, SE Sec. 35 Twp. 4 S. R. 42 East West
1538' feet from (S) N (circle one) Line of Section
1910' feet from (E) W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
(circle one) NE (SE) NW SW
Lease Name: O'BRIEN Well #: 5-35
Field Name: CHERRY CREEK NIOBRARA GAS AREA

Producing Formation: NIOBRARA
Elevation: Ground: 3552' Kelly Bushing: _____
Total Depth: 1419' Plug Back Total Depth: 1404'
Amount of Surface Pipe Set and Cemented at 159' Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set _____ Feet
If Alternate II completion, cement circulated from _____
feet depth to _____ w/ _____ sx cmt.
ACT I WITHIN 2-20-07

Drilling Fluid Management Plan
(Data must be collected from the Reserve Pit)
Chloride content _____ ppm Fluid volume _____ bbls
Dewatering method used _____
Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____ License No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: John Sanders
Title: President Date: 10/22/04
Subscribed and sworn to before me this 22 day of October,
2004.
Notary Public: Julie Ann Crow
Date Commission Expires: 9/29/07

KCC Office Use ONLY

Letter of Confidentiality Attached
If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution


JULIE ANN CROW
NOTARY PUBLIC
STATE OF KANSAS
My Appt. Exp. 9/29/07

Operator Name: **LOBO PRODUCTION, INC.** Lease Name: **O'BRIEN** Well #: **5-35**
 Sec. **35** Twp. **4** S. R. **42** East West County: **CHEYENNE**

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i> List All E. Logs Run: Gamma Ray Log	<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td><input type="checkbox"/> Log</td> <td>Formation (Top), Depth and Datum</td> <td><input type="checkbox"/> Sample</td> </tr> <tr> <td>Name</td> <td>Top</td> <td>Datum</td> </tr> <tr> <td>Niobrara</td> <td>1266</td> <td>G.L.</td> </tr> </table>	<input type="checkbox"/> Log	Formation (Top), Depth and Datum	<input type="checkbox"/> Sample	Name	Top	Datum	Niobrara	1266	G.L.
<input type="checkbox"/> Log	Formation (Top), Depth and Datum	<input type="checkbox"/> Sample								
Name	Top	Datum								
Niobrara	1266	G.L.								

CASING RECORD <input checked="" type="checkbox"/> New <input checked="" type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacs Used	Type and Percent Additives
SURFACE	9 5/8"	7"	23#	159'	COMMON	39	0
PRODUCTION	6 1/4"	4 1/2"	13.5#	1411'	COMMON	55	0

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
2	1266-1276	100,760 LBS. 16/30 SAND	1266-1302
	1282-1302	20 TONS CO2	

TUBING RECORD		Size	Set At	Packer At	Liner Run <input type="checkbox"/> Yes <input type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr. 9 - 28 - 04		Producing Method <input checked="" type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)			
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
		49 Mcf/d			

Disposition of Gas **METHOD OF COMPLETION** Production Interval

Vented Sold Used on Lease Open Hole Perf. Dually Comp. Commingled
(If vented, Submit ACO-18.) Other (Specify) _____

Ticket

Ticket

DELIVERY TICKET

DELIVERY TICKET

ST. FRANCIS SAND

No. 011625

ST. FRANCIS SAND

No. 01

AND
Redi-Mix

AND

Redi-Mix

P. O. Box 281 ST. FRANCIS, KS. 67756

P. O. Box 281 ST. FRANCIS, KS. 67756

REDI-MIX CONCRETE
EXCAVATING

REDI-MIX CONCRETE
EXCAVATING

Phone
(785) 332-3123

Phone
(785) 332-3123

Date 9-10-04

Date 9-10-04

PROJECT: D/B 5-35 Long String

PROJECT: OKK... ..

SOLD TO: Solo Productions

SOLD TO: Solo Productions

ADDRESS: _____

ADDRESS: _____

Time Loaded	It is agreed that free unloading time shall be 15 minutes for each first cubic yard and 10 minutes for each yard thereafter. A charge of \$1.00 for each 10 minutes excess time will be made. Delivery inside curb line made only at risk of purchaser. No damage claims considered without proof of driver negligence.
Time Delivered	
Time Released	
Time Returned	
Rec'd by <u>J. Larden</u>	

Time Loaded	It is agreed that free unloading time shall be 15 minutes for each first cubic yard and 10 minutes for each yard thereafter. A charge of \$1.00 for each 10 minutes excess time will be made. Delivery inside curb line made only at risk of purchaser. No damage claims considered without proof of driver negligence.
Time Delivered	
Time Released	
Time Returned	
Rec'd by <u>Keith Mill</u>	

Truck No.	Driver	Quantity	Price	Amount
		<u>55</u>	<u>8⁰⁰</u>	<u>440⁰⁰</u>
Mix	Slump	Total Miles	Mileage	
	<u>S - M - D</u>	<u>16</u>	<u>2¹⁰</u>	<u>33⁶⁰</u>
Added Water Reduces Strength & durability				
Gals Added	Authorized By <u>Trading</u>			<u>30⁰⁰</u>
Cash	Charge	Sales Tax	Total	
			<u>36⁷⁶</u>	
			<u>540³⁶</u>	

Truck No.	Driver	Quantity	Price	Amount
		<u>39</u>	<u>8⁰⁰</u>	<u>312⁰⁰</u>
Mix	Slump	Total Miles	Mileage	
	<u>S - M - D</u>	<u>18</u>	<u>2¹⁰</u>	<u>37⁸⁰</u>
Added Water Reduces Strength & durability				
Gals Added	Authorized By <u>Trading</u>			<u>30⁰⁰</u>
Cash	Charge	Sales Tax	Total	
			<u>110⁰⁰</u>	
			<u>30⁶⁵</u>	
			<u>140⁶⁵</u>	

RECEIVED
OCT 25 2004
KCC WICHITA