For KCC Use: Effective Date: District # __ SGA? Yes K No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

| lune 27, 2007 | | |
|--|--|--|
| Expected Spud Date June 27, 2007 | Spot 24 | ✓ East |
| month day year | NE SE SW Sec. 7 Twp. 24 | |
| OPERATOR: License#_33640 | | S Line of Section |
| Name. Haas Petroleum, LLC | | W Line of Section |
| | ls SECTIONRegularIrregular? | |
| City/State/Zip: Kansas City, MO 64112 | (Note: Locate well on the Section Plat on | reverse side) |
| Contact Person: Mark Haas | County: Woodson | 40 |
| Phone: (816) 531-5922 | Lease Name: Dye | Well #: 40 * |
| | Field Name: Winterschied | |
| CONTRACTOR: License# 33557 | Is this a Prorated / Spaced Field? | Yes 🗸 No |
| Name: Skyy Drilling, LLC | Target Formation(s): Mississippian | |
| Well Drilled For: Well Class: Type Equipment: | Nearest Lease or unit boundary: 170 | |
| | Ground Surface Elevation: 1,162 | feet MSL |
| | Water well within one-quarter mile: | Yes No |
| | Public water supply well within one mile: | Yes V No |
| | Depth to bottom of fresh water: 100+ | |
| | Depth to bottom of usable water. | |
| Other | Curtoes Dies by Alternate: 1 1/2 | |
| If OWWO; oid well information as follows: | Length of Surface Pipe Planned to be set: 40' | <u>_</u> |
| Operator: | Length of Conductor Pipe required: **** | |
| Well Name: | Projected Total Depth: 1700' Mississipping | <u> </u> |
| Original Completion Date:Original Total Depth: | Formation at Total Depth: Mississippian | <u></u> |
| | Water Source for Drilling Operations: | - |
| Directional, Deviated or Horizontal wellbore? | Well Farm Pond Other | |
| If Yes, true vertical depth: | DWR Permit #: | |
| Bottom Hole Location: | (Note: Apply for Permit with DWF | |
| KCC DKT #: | Will Cores be taken? | Yes No |
| | If Yes, proposed zone: | RECEIVED |
| AFF | IDAVIT KANSAS CO | RPORATION COMMISSION |
| The undersigned hereby affirms that the drilling, completion and eventual p | lugging of this well will comply with K.S.A. 55 et. seg | a a ann# |
| It is agreed that the following minimum requirements will be met: | Jl | IM 5 & SOOL |
| Notify the appropriate district office <i>prior</i> to spudding of well; | 201 | SERVATION DIVISION |
| 1. Identify the appropriate district office prior to operating or main | ch drilling rig: | |
| 2. A conv of the approved notice of intent to drill shall be posted on ea | on animy ng, | MICHITA KS |
| A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be se | et by circulating cement to the top; in all cases surfa- | MICHITA KS |
| A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the s | et by circulating cement to the top; in all cases surface the underlying formation. | WICHITA, KS ce pipe <i>shall be set</i> |
| A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constant of the set of | ∍t by circulating cement to the top; in all cases surface he underlying formation. district office on plug length and placement is necess | WICHITA, KS ce pipe <i>shall be set</i> |
| A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the common state of the appropriate district office will be notified before well is either plus | ≥t by circulating cement to the top; in all cases surface the underlying formation. Jistrict office on plug length and placement is necessing or production casing is cemented in; | WICHITA KS ce pipe shall be set eary prior to plugging; |
| A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the constant of the set of the appropriate district office will be notified before well is either plus of the analysis of the appropriate district office will be notified before well is either plus of the analysis of the appropriate of the set of | et by circulating cement to the top; in all cases surface the underlying formation. district office on plug length and placement is necessing or production casing is cemented in; ted from below any usable water to surface within 12 #133,891-C, which applies to the KCC District 3 are | WICHITA KS se pipe shall be set sary prior to plugging; to days of spud date. sa, alternate II cementing |
| A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the common state of the appropriate district office will be notified before well is either plus | et by circulating cement to the top; in all cases surface the underlying formation. district office on plug length and placement is necessing or production casing is cemented in; ted from below any usable water to surface within 12 #133,891-C, which applies to the KCC District 3 are | WICHITA KS se pipe shall be set sary prior to plugging; to days of spud date. sa, alternate II cementing |
| A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the set | et by circulating cement to the top; in all cases surfactive underlying formation. Jistrict office on plug length and placement is necessinged or production casing is cemented in; ted from below any usable water to surface within 12 #133,891-C, which applies to the KCC District 3 are be plugged. In all cases, NOTIFY district office properties. | WICHITA KS se pipe shall be set sary prior to plugging; 20 days of spud date. sa, alternate II cementing |
| A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the appropriate district office will be notified before well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be demented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the set of the | et by circulating cement to the top; in all cases surface the underlying formation. district office on plug length and placement is necessaged or production casing is cemented in; ted from below any usable water to surface within 12 #133,891-C, which applies to the KCC District 3 are be plugged. In all cases, NOTIFY district office put f my knowledge and belief. | WICHITA KS se pipe shall be set sary prior to plugging; 20 days of spud date. sa, alternate II cementing |
| A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the set | et by circulating cement to the top; in all cases surfactive underlying formation. Jistrict office on plug length and placement is necessinged or production casing is cemented in; ted from below any usable water to surface within 12 #133,891-C, which applies to the KCC District 3 are be plugged. In all cases, NOTIFY district office properties. | WICHITA KS se pipe shall be set sary prior to plugging; 20 days of spud date. sa, alternate II cementing |
| A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the appropriate district office will be notified before well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be demented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the set of the | et by circulating cement to the top; in all cases surfactive underlying formation. district office on plug length and placement is necessinged or production casing is cemented in; ted from below any usable water to surface within 12 #133,891-C, which applies to the KCC District 3 are be plugged. In all cases, NOTIFY district office profit my knowledge and belief. Title: Agent | WICHITA KS se pipe shall be set sary prior to plugging; to days of spud date. sa, alternate II cementing |
| A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the construction of the set of the set | et by circulating cement to the top; in all cases surfactive underlying formation. district office on plug length and placement is necessinged or production casing is cemented in; ted from below any usable water to surface within 12 #133,891-C, which applies to the KCC District 3 are be plugged. In all cases, NOTIFY district office profit my knowledge and belief. Title: Agent Remember to: | WICHITA KS ce pipe shall be set sary prior to plugging; co days of spud date. ea, alternate II cementing rior to any cementing. |
| 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the second of the second o | et by circulating cement to the top; in all cases surfactive underlying formation. district office on plug length and placement is necessinged or production casing is cemented in; ted from below any usable water to surface within 12 #133,891-C, which applies to the KCC District 3 are be plugged. In all cases, NOTIFY district office profit my knowledge and belief. Title: Agent | wichita KS ce pipe shall be set sary prior to plugging; co days of spud date. ea, alternate II cementing rior to any cementing. |
| A copy of the approved notice of intent to drill shall be posted on ea The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the lifeth through all unconsolidated materials plus a minimum of 20 feet into the lifeth through all unconsolidated materials plus a minimum of 20 feet into the lifeth through all unconsolidated materials plus a minimum of 20 feet into the lifeth through all unconsolidated materials plus a minimum of 20 feet into the lifeth through all lifeth through a materials plus a minimum of 20 feet into the lifeth through all lifeth through a materials plus a minimum of 20 feet into the lifeth through a minimum of | et by circulating cement to the top; in all cases surface to underlying formation. district office on plug length and placement is necessing or production casing is cemented in; ted from below any usable water to surface within 12 #133,891-C, which applies to the KCC District 3 are be plugged. In all cases, NOTIFY district office plugged. In all cases, NOTIFY district office plugged. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of File acreage attribution plat according to field products. | wichita KS ce pipe shall be set sary prior to plugging; co days of spud date. ea, alternate II cementing rior to any cementing. o Drill; spud date; bration orders; |
| 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into to 4. If the well is dry hole, an agreement between the operator and the cost of 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: 6/27/2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 207-27/93-0000 Conductor pipe required Nove feet | et by circulating cement to the top; in all cases surfact the underlying formation. Histrict office on plug length and placement is necessinged or production casing is cemented in; ted from below any usable water to surface within 12 #133,891-C, which applies to the KCC District 3 are be plugged. In all cases, NOTIFY district office professional materials and belief. Title: Agent Remember to: - File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of | wichita KS ce pipe shall be set sary prior to plugging; co days of spud date. ea, alternate II cementing rior to any cementing. o Drill; spud date; bration orders; |
| 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the construction of the set of the se | et by circulating cement to the top; in all cases surface the underlying formation. ilistrict office on plug length and placement is necessing of the underlying formation. ged or production casing is cemented in; ted from below any usable water to surface within 12 #133,891-C, which applies to the KCC District 3 are to be plugged. In all cases, NOTIFY district office profit my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of File acreage attribution plat according to field profit in Notify appropriate district office 48 hours prior to Submit plugging report (CP-4) after plugging is contact. | wichita KS ce pipe shall be set sary prior to plugging; co days of spud date. ea, alternate II cementing cior to any cementing. o Drill; spud date; coration orders; workover or re-entry; completed; |
| 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the construction of the set of the se | et by circulating cement to the top; in all cases surfact he underlying formation. Histrict office on plug length and placement is necessinged or production casing is cemented in; ted from below any usable water to surface within 12 #133,891-C, which applies to the KCC District 3 are be plugged. In all cases, NOTIFY district office profit my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of File acreage attribution plat according to field properties. Submit plugging report (CP-4) after plugging is continued to the completion of | wichita KS ce pipe shall be set sary prior to plugging; co days of spud date. sa, alternate il cementing rior to any cementing. o Drill; spud date; bration orders; workover or re-entry; completed; ting salt water. |
| 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the construction of the set of the se | et by circulating cement to the top; in all cases surfact he underlying formation. Histrict office on plug length and placement is necessinged or production casing is cemented in; ted from below any usable water to surface within 12 #133,891-C, which applies to the KCC District 3 are be plugged. In all cases, NOTIFY district office profit my knowledge and belief. Hemember to: File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of File acreage attribution plat according to field profit in Notify appropriate district office 48 hours prior to Submit plugging report (CP-4) after plugging is continued in the profit of the profit of the profit of the profit in this permit has expired (See: authorized expiration). | wichita KS ce pipe shall be set sary prior to plugging; co days of spud date. ea, alternate II cementing cior to any cementing. o Drill; spud date; poration orders; workover or re-entry; completed; ting salt water. tion date) please |
| 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into to 4. If the well is dry hole, an agreement between the operator and the construction of 5. The appropriate district office will be notified before well is either plugion. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the construction of the spudic o | et by circulating cement to the top; in all cases surfact he underlying formation. Histrict office on plug length and placement is necessinged or production casing is cemented in; ted from below any usable water to surface within 12 #133,891-C, which applies to the KCC District 3 are be plugged. In all cases, NOTIFY district office profit my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of File acreage attribution plat according to field properties. Submit plugging report (CP-4) after plugging is continued to the completion of | wichita KS ce pipe shall be set sary prior to plugging; co days of spud date. ea, alternate II cementing cior to any cementing. o Drill; spud date; poration orders; workover or re-entry; completed; ting salt water. tion date) please |
| 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the construction of the set of the se | et by circulating cement to the top; in all cases surfact he underlying formation. Histrict office on plug length and placement is necessinged or production casing is cemented in; ted from below any usable water to surface within 12 #133,891-C, which applies to the KCC District 3 are be plugged. In all cases, NOTIFY district office profit my knowledge and belief. Hemember to: File Drill Pit Application (form CDP-1) with Intent to File Completion Form ACO-1 within 120 days of File acreage attribution plat according to field profit in Notify appropriate district office 48 hours prior to Submit plugging report (CP-4) after plugging is continued in the profit of the profit of the profit of the profit in this permit has expired (See: authorized expiration). | wichita KS ce pipe shall be set sary prior to plugging; co days of spud date. ea, alternate II cementing cior to any cementing. o Drill; spud date; poration orders; workover or re-entry; completed; ting salt water. tion date) please |
| 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into to 4. If the well is dry hole, an agreement between the operator and the construction of 5. The appropriate district office will be notified before well is either plugion. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of Date: 6/27/2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 207 - 27/93 - OOO Conductor pipe required | et by circulating cement to the top; in all cases surface he underlying formation. district office on plug length and placement is necessing of or production casing is cemented in; led from below any usable water to surface within 12 #133,891-C, which applies to the KCC District 3 are be plugged. In all cases, NOTIFY district office profession of my knowledge and belief. Hemember to: File Drill Pit Application (form CDP-1) with Intent to a File Completion Form ACO-1 within 120 days of File acreage attribution plat according to field profession. Notify appropriate district office 48 hours prior to submit plugging report (CP-4) after plugging is considered to the box below and return to the address to the lock the box below and return to the address to the submit plugging return to the address to the submit plugging and return to the address to the submit plugging return to the submit plugging return to th | wichita KS ce pipe shall be set sary prior to plugging; co days of spud date. ea, alternate II cementing cior to any cementing. o Drill; spud date; poration orders; workover or re-entry; completed; ting salt water. tion date) please |

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

| API No. 15 - 207-27193-0000 | Location of Well: County: Woodson |
|---|--|
| Operator: Haas Petroleum, LLC | 1271 feet from N / 🛩 S Line of Section |
| Lease: Dye | 2470 feet from ☐ E / ₩ Line of Section |
| Well Number: 40 Field: Winterschied | Sec. 7 Twp. 24 S. R. 14 Fast West |
| Number of Acres attributable to well: QTR / QTR / QTR of acreage: NE - SE - SW | Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW |

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

| | | | | • | • | • |
|-------|---------------------------------------|---|-----------------|--------|--------|---|
| | | | | | | |
| ļ | | | | | | |
| 1 | | | | | | |
| ' ' ' | | | | | | |
| | | | | | | |
| 1 | | | | | | |
| | | | | • | • | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | • | | | | |
| | | | | | | |
| | | • | | • | • | • |
| | | | ţ | • | • | • |
| Į. | | | [| | | |
| | | | | | | |
| | | | ļ | - | • | |
| | | | 1 | | | |
| | | | | | | |
| | | • | | • | • | |
| | | | | | • | |
| | | | | | | |
| | | | | | | |
| | | | | | • | |
| | • | • | | • | • | |
| | | | | • | • | |
| | | | | · · | | |
| | | | | • | · · | |
| | | | | | | |
| | | | | | | • |
| | | | | | | |
| | · · · · · · | | | | · · | |
| | · · · · · · | | | | : | |
| | · · · · · · | | | | · · | |
| | · · · · · · | | | | · · | |
| | · · · · · · · · · · · · · · · · · · · | | | | | |
| | · · · · · · | | | | · · | |
| | · · · · · · · · · · · · · · · · · · · | | | | | |
| | | | • *** | | | |
| | · · · · · · · · · · · · · · · · · · · | | · · · · · · • | | | |
| | | | | | | |
| | | | ◆ | | | |
| | | | | | | |
| | | | • •#•(10 | | | |
| | | | ∳ ૠ4t | | | |
| | | | • • | | | |
| | | | ∳ ૠ4t | | | |



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

RECEIVED

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with Assettone etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.

HIN 2 8 2007

- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached SEBVATION DIVISIONS; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

| Operator Name: Haas Petroleum, LLC | | | License Number: 33640 | | |
|---|--------------------------------|-----------------|---|--|--|
| Operator Address: 800 West 47t | Kansas City, MO 64112 | | | | |
| Contact Person: Mark Haas | | | Phone Number: (816) 531 - 5922 | | |
| Lease Name & Well No.: Dye #40 | | | Pit Location (QQQQ): | | |
| Type of Pit: | Pit is: | | NE NE SE SW | | |
| Emergency Pit Burn Pit | Proposed Existing | | Sec. 7 Twp. 24S R. 14 East West | | |
| Settling Pit | If Existing, date constructed: | | 1271 Feet from North / South Line of Section | | |
| Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) | Pit capacity: | | 2470 Feet from East / West Line of Section Woodson | | |
| | 120 | (bbls) | VVOOQSOIT | | |
| Is the pit located in a Sensitive Ground Water | Area? Yes | No No | Chloride concentration: mg/l (For Emergency Pits and Settling Pits only) | | |
| Is the bottom below ground level? | Artificial Liner? | -· | How is the pit lined if a plastic liner is not used? | | |
| ✓ Yes No | Yes 🔽 | No | Native Mud | | |
| Pit dimensions (all but working pits): | Length (fe | eet) 8 | Width (feet) N/A: Steel Pits | | |
| Depth from ground level to deepest point: 3 (feet) | | | | | |
| | | | | | |
| | | Depth to shallo | owest fresh waterfeet. | | |
| NA feet Depth of water wellfeet | | measi | uredwell owner electric logKDWR | | |
| | | i | lling, Workover and Haul-Off Pits ONLY: | | |
| ' | | Type of materi | rial utilized in drilling/workover: Drilling Mud | | |
| | | | of working pits to be utilized: 2 | | |
| Barrels of fluid produced daily: Abandonm | | Abandonment | procedure: Air dry and backfill | | |
| Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pit | | Drill pits must | Drill pits must be closed within 365 days of spud date. | | |
| I hereby certify that the above statements are true and correct to the best of my knowledge and belief. | | | | | |
| 6/27/2007 Brad Lower KANSAS CORPORATION COMMISS Date Signature of Applicant or Agent | | | | | |
| KCC OFFICE USE ONLY CONSERVATION DIVISION | | | | | |
| Date Received: <u>၆/ಎ೯/೧</u> Permit Nun | nber: | Perm | wit Date: 428/~? Lease Inspection: Yes No | | |