For KCC Use: 7-3-07 Effective Date: 3 District # SGA? Yes Y No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1

December 2002

Form must be Typed

Form must be Signed

All blanks must be Filled

| Expected Spud Date June 27, 2007 | Spot East |
|--|--|
| month day year | NE _ SE _ SW Sec. 7 Twp. 24 S. R. 14 West |
| OPERATOR: License# 33640 | 985 feet from N / V S Line of Section |
| Name. Haas Petroleum, LLC | 2260feet fromE / _v W Line of Section |
| 800 West 47th St. Suite 409 | is SECTIONRegularIrregular? |
| City/State/Zip: Kansas City, MO 64112 | (Note: Locate well on the Section Plat on reverse side) |
| Contact Person: Mark Haas | County: Woodson |
| Phone: (816) 531-5922 | Lease Name: Dye Well #: 44 |
| / | Field Name: Winterschied |
| CONTRACTOR: License# 33557 | Is this a Prorated / Spaced Field? |
| Name: Skyy Drilling, LLC | Target Formation(s): Mississippian |
| Well Drilled For: Well Class: Type Equipment: | Nearest Lease or unit boundary: 380' |
| | Ground Surface Elevation: 1,164 feet MSL |
| | Water well within one-quarter mile: |
| | Public water supply well within one mile: |
| OWO Disposal Wildcat Cable Seismic; # of Holes Other | Depth to bottom of fresh water: |
| Other | Depth to bottom of usable water: 2007/50 |
| Other | Surface Pipe by Alternate: 1 1 1 2 |
| If OWWO: old well information as follows: | Length of Surface Pipe Planned to be set: |
| Operator: | Length of Conductor Pipe required: 14/A |
| Well Name: | Projected Total Depth: 1700' |
| Original Completion Date:Original Total Depth: | Formation at Total Depth: Mississippian |
| But the Butter of District Country of Manager Manager | Water Source for Drilling Operations: |
| Directional, Deviated or Horizontal wellbore? | Well Farm Pond Other |
| If Yes, true vertical depth: | DWR Permit #; |
| Bottom Hole Location: | (Note: Apply for Permit with DWR) |
| KCC DKT #: | Will Cores be taken?Yes ✓ No |
| | If Yes, proposed zone: |
| | IDAVIT RECEIVED |
| The undersigned hereby affirms that the drilling, completion and eventual p | lugging of this well will comply with K.S.AKASSSSS SORPORATION COMMISSION |
| It is agreed that the following minimum requirements will be met: | |
| Notify the appropriate district office <i>prior</i> to spudding of well; | JUN 2 8 2007 |
| 2. A copy of the approved notice of intent to drill shall be posted on ear | ch drilling rig; |
| 3. The minimum amount of surface pipe as specified below shall be se | et by circulating cement to the top; in all cases @UNACE WIPEN AND Set |
| through all unconsolidated materials plus a minimum of 20 feet into t | he underlying formation. WICHITA, KS |
| والمراجع والمستقول والمناط والمستقول المستقول والمراجع والمراجع والمراجع والمراجع والمراجع والمراجع والمراجع والمراجع | "stated office on allow breath and placement is necessary unless to interesting |
| | listrict office on plug length and placement is necessary prior to plugging; |
| 5. The appropriate district office will be notified before well is either plug | listrict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; |
| The appropriate district office will be notified before well is either plug If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order | listrict office on plug length and placement is necessary <i>prior to plugging</i> ; gged or production casing is cemented in; sed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing |
| 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall | listrict office on plug length and placement is necessary <i>prior to plugging</i> ; aged or production casing is cemented in; sed from below any usable water to surface within <i>120 days</i> of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. |
| The appropriate district office will be notified before well is either plug If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order | listrict office on plug length and placement is necessary <i>prior to plugging</i> ; aged or production casing is cemented in; sed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. |
| 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best or a surface casing order. | listrict office on plug length and placement is necessary <i>prior to plugging</i> ; god or production casing is cemented in; god from below any usable water to surface within <i>120 days</i> of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. |
| 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best or | listrict office on plug length and placement is necessary <i>prior to plugging</i> ; aged or production casing is cemented in; sed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. |
| 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best or a surface casing order. | listrict office on plug length and placement is necessary <i>prior to plugging</i> ; god or production casing is cemented in; god from below any usable water to surface within <i>120 days</i> of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. |
| 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best o Date: 6/27/2007 Signature of Operator or Agent: For KCC Use ONLY | listrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Social Krama Title: Agent Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; |
| 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best o Date: 6/27/2007 Signature of Operator or Agent: For KCC Use ONLY | listrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Strock Kram Title: Agent Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; |
| 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: 6/27/2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 207-27197-0000 | listrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; |
| 5. The appropriate district office will be notified before well is either pluc 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: 6/27/2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 207-27/97-0000 Conductor pipe required 1000000000000000000000000000000000000 | listrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Agent |
| 5. The appropriate district office will be notified before well is either pluc 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: 6/27/2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 207-27197-000 Conductor pipe required 100 feet per Alt. 12 | listrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Agent |
| 5. The appropriate district office will be notified before well is either pluc 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: 6/27/2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 207 - 27197 - 0000 Conductor pipe required 1000 feet per Alt. 1200 feet | listrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water. |
| 5. The appropriate district office will be notified before well is either pluc 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: 6/27/2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 207-27/97-000 Conductor pipe required 1000 feet per Alt. (2) Approved by: Full (0-28-07) This authorization expires: 12-28-07 | listrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Agent |
| 5. The appropriate district office will be notified before well is either pluc 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: 6/27/2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 207-27/97-0000 Conductor pipe required Minimum surface pipe required Approved by: WH (0-28-07) | listrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Agent |
| 5. The appropriate district office will be notified before well is either pluc 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: 6/27/2007 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 207-27/97-000 Conductor pipe required 1000 feet per Alt. (2) Approved by: Full (0-28-07) This authorization expires: 12-28-07 | listrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ged from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: Agent Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please |

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the Intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


| API No. 15 - 207-27197-0000 | Location of Well: County: Woodson |
|--|--|
| Operator: Haas Petroleum, LLC | 985 Feet from N / V S Line of Section |
| Lease: Dye | 2260 feet from E / W Line of Section |
| Well Number: 44 Field: Winterschied | Sec7 Twp24 S. R14 |
| Number of Acres attributable to well: | is Section: Pegular or Irregular |
| QTR / QTR / QTR of acreage: NE - SE - SW | If Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW |

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

| • | • | | • | • | • |
|-----|---|-----------|---|---|---|
| | | | | | |
| | • | | | | |
| : | • | | | • | |
| | | · | | | |
| | • | - | • | • | |
| - | • | • | | • | |
| l · | | · l | | | · |
| - | | - ' ' ' | | | |
| | • | | : | • | |
| | | • | | | |
| | | • | | | |
| | | | | | |
| | • | - | • | | • |
| | | | | | |
| | | | • | | - |
| • | • | : | • | • | |
| | | · · · · · | | | |
| | | | | | |
| | | #44 | • | • | • |
| | | • | | | |
| | • | | • | • | |
| | ÷ | : | : | | · |
| 1 | - | | | | |



NOTE: In all cases locate the spot of the proposed drilling locaton.

JUN 2 8 2007

In plotting the proposed location of the well, you must show:

CONSERVATION DIVISION

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding rections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).


Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

| Operator Name: Haas Petroleum, LLC | | | License Number: 33640 | | |
|--|--------------------------------|------------------------------------|--|--|--|
| Operator Address: 800 West 47th Street, Suite 409, Kansas City, MO 64112 | | | | | |
| Contact Person: Mark Haas | | Phone Number: (816) 531 - 5922 | | | |
| Lease Name & Well No.: Dye #44 | | Pit Location (QQQQ): | | | |
| Type of Pit: | Pit is: | | SW NE SE SW | | |
| Emergency Pit Burn Pit | Proposed Existing | | Sec. 7 Twp. 24S R. 14 | | |
| Settling Pit Prilling Pit | if Existing, date constructed: | | 985 Feet from North / South Line of Section | | |
| Workover Pit Haul-Off Pit | Pit capacity: | | 2260 Feet from East / 🗹 West Line of Section | | |
| (If WP Supply API No. or Year Drilled) | 120 (bbls) | | Woodson County | | |
| Is the pit located in a Sensitive Ground Water | Area? Yes | ' No | Chloride concentration: mg/l | | |
| Is the bottom below ground level? | Artificial Liner? | | (For Emergency Pits and Settling Pits only) | | |
| v Yes No | Yes V | No | How is the pit lined if a plastic liner is not used? Native Mud | | |
| | 5 | 8 | | | |
| Pit dimensions (all but working pits): | om ground level to de | _ | | | |
| | | <u> </u> | | | |
| If the pit is lined give a brief description of the material, thickness and installation procedure | | | edures for periodic maintenance and determining ncluding any special monitoring. | | |
| | | | | | |
| | | | | | |
| | | | • | | |
| | | Depth to shallo Source of infor | llowest fresh waterfeet. | | |
| | | 1 | easuredwell owner electric log KDWR | | |
| Emergency, Settling and Burn Pits ONLY: | | Drilling, Work | Drilling, Workover and Haul-Off Pits ONLY: | | |
| Producing Formation: | | Type of materia | Type of material utilized in drilling/workover: Drilling Mud | | |
| 1 | | | Number of working pits to be utilized: 2 | | |
| Barrels of fluid produced daily: Abai | | Abandonment | Abandonment procedure: Air dry and backfill | | |
| Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pi | | Drill pits must l | Drill pits must be closed within 365 days of spud date. | | |
| | | | | | |
| I hereby certify that the above statements are true and correct to the best of my knowledge and belief. RECEIVED KANSAS CORPORATION COMMISSIO | | | | | |
| 6/27/2007 | | Bond | Krare / JUN 2 8 2007 | | |
| 0/21/2007 Date | ignature of Applicant or Agent | | | | |
| CONSERVATION DIVISION WICHITA, KS | | | | | |
| KCC OFFICE USE ONLY | | | | | |
| Date Received: 428/07 Permit Number: Permit Date: 4/28/07 Lease Inspection: Yes 🗷 No | | | | | |





NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.