For KCC Use: SGA? Yes X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Must be approved by KCC five				
Expected Spud DateJune 27, 2007	Spot ✓ East			
month day year	NE - NE - SW Sec. 7 Twp. 24 S. R. 14 West			
33640	2200 feet from N / S Line of Section			
OPERATOR: License# 33640 Name: Haas Petroleum, LLC	2215feet from E / _w W Line of Section			
Address: 800 West 47th St. Suite 409	Is SECTION Regular Irregular?			
City/State/Zip: Kansas City, MO 64112	(Note: Locate well on the Section Plat on reverse side)			
City/State/Zip:	County: Woodson			
Phone: (816) 531-5922	Lease Name: Dye Well #: 45			
	Field Name: Winterschied			
CONTRACTOR: License# 33557	Is this a Prorated / Spaced Field? Yes ✓ No			
Name; Skyy Drilling, LLC	Target Formation(s): Mississippian			
	Nearest Lease or unit boundary; 425'			
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 1,180 feet MSL			
Oil Enh Rec V Infield V Mud Rotary	Water well within one-quarter mile:			
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:			
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 100+			
Selsmic; # of Holes Other	Depth to bottom of usable water:			
Other	Surface Pipe by Alternate: 1 2			
MANAGE AND CONTRACTOR OF SHARES	Length of Surface Pipe Planned to be set: 40'			
If OWWO: old well information as follows:	Length of Conductor Pipe required: N/A			
Operator:	Projected Total Depth: 1700'			
Mississippian /				
Original Completion Date:Original Total Depth:	Water Source for Drilling Operations:			
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other			
If Yes, true vertical depth:	DWR Permit #:			
Bottom Hole Location:	(Note: Apply for Permit with DWR			
KCC DKT #:	Will Cores be taken?			
KCC DKT #:	Will Cores be taken?			
	If Yes, proposed zone:			
AFF	If Yes, proposed zone: RECEIVED WANSAS CORPORATION COMMISS			
	If Yes, proposed zone: RECEIVED WANSAS CORPORATION COMMISS			
AFF	If Yes, proposed zone: RECEIVED IDAVIT KANSAS CORPORATION COMMISS lugging of this well will comply with K.S.A. 55 et. seq.			
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well;	If Yes, proposed zone: RECEIVED RANSAS CORPORATION COMMISS lugging of this well will comply with K.S.A. 55 et. seq. JUN 2 8 2007			
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea	If Yes, proposed zone: RECEIVED RECEIVED KANSAS CORPORATION COMMISS lugging of this well will comply with K.S.A. 55 et. seq. JUN 2 8 2007 ch drilling rig;			
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be se	If Yes, proposed zone: RECEIVED RANSAS CORPORATION COMMISS lugging of this well will comply with K.S.A. 55 et. seq. JUN 2 8 2007 ch drilling rig; CONSERVATION DIVISION of by circulating cement to the top; in all cases surface pipe septimberset			
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into t	If Yes, proposed zone: RECEIVED RECEIVED IDAVIT RANSAS CORPORATION COMMISS Lugging of this well will comply with K.S.A. 55 et. seq. JUN 2 8 2007 Ch drilling rig; CONSERVATION DIVISION of by circulating cement to the top; in all cases surface pipe and the set the underlying formation.			
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into t	IDAVIT RECEIVED RANSAS CORPORATION COMMISS lugging of this well will comply with K.S.A. 55 et. seq. JUN 2 8 2007 ch drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe and the set he underlying formation. listrict office on plug length and placement is necessary prior to plugging;			
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement	If Yes, proposed zone: RECEIVED RANSAS CORPORATION COMMISS lugging of this well will comply with K.S.A. 55 et. seq. JUN 2 8 2007 The drilling rig; CONSERVATION DIVISION to be underlying formation. Identifying formation. Identifying formation and placement is necessary prior to plugging; goed or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.			
AFF The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order	If Yes, proposed zone: RECEIVED RECEIVED Iugging of this well will comply with K.S.A. 55 et. seq. JUN 2 8 2007 Ich drilling rig; CONSERVATION DIVISION of by circulating cement to the top; in all cases surface pipe set the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing			
The undersigned hereby affirms that the drilling, completion and eventual p It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on ea 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into t 4. If the well is dry hole, an agreement between the operator and the c 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	IDAVIT RECEIVED RECEIVED RANSAS CORPORATION COMMISS Lugging of this well will comply with K.S.A. 55 et. seq. JUN 2 8 2007 Ch drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe and the set he underlying formation. Listrict office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.			
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into to the total structure. 4. If the well is dry hole, an agreement between the operator and the construction of the set of the appropriate district office will be notified before well is either pluging. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of	IDAVIT RECEIVED RECEIVED IUN 2 8 2007 Ch drilling rig; CONSERVATION DIVISION of the underlying formation. Ristrict office on plug length and placement is necessary prior to plugging; god or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.			
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the description of the district office will be notified before well is either pluging. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of the spud date.	IDAVIT RECEIVED RECEIVED RANSAS CORPORATION COMMISS Received Research Received			
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into to the total structure. 4. If the well is dry hole, an agreement between the operator and the construction of the set of the appropriate district office will be notified before well is either pluging. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of	IDAVIT RECEIVED RECEIVED RANSAS CORPORATION COMMISS Lugging of this well will comply with K.S.A. 55 et. seq. JUN 2 8 2007 Ch drilling rig; CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe and the set he underlying formation. Listrict office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.			
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the description of the district office will be notified before well is either pluging. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of the spud date.	IDAVIT RECEIVED RECEIVED RANSAS CORPORATION COMMISS Received Research Received			
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into to the second state of the second shall be shall shal	IDAVIT RECEIVED RECEIVED RANSAS CORPORATION COMMISS Region of this well will comply with K.S.A. 55 et. seq. JUN 2 8 2007 Conservation division In all cases surface pipe and the set in all cases surface pipe and the set in a literate office on plug length and placement is necessary prior to plugging; good or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC district 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;			
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into to 4. If the well is dry hole, an agreement between the operator and the constitution of the district office will be notified before well is either pluging the surface of the surface of the surface casing order must be completed within 30 days of the spud date or the well shall be the properties of the surface of	IDAVIT RECEIVED RECEIVED RECEIVED RANSAS CORPORATION COMMISS Region of this well will comply with K.S.A. 55 et. seq. JUN 2 8 2007 Conservation division In all cases surface pipe and the set in all cases surface pipe and the set in a underlying formation. Identification casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC district 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;			
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into to the total structure. 4. If the well is dry hole, an agreement between the operator and the construction of the set of the appropriate district office will be notified before well is either plugical. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of the construction of the statements of the construction of the statements. For KCC Use ONLY API # 15 - 207 - 27198 - ONLY Conductor pipe regulated feet	IDAVIT RECEIVED RECEIVED RECEIVED RANSAS CORPORATION COMMISS Region of this well will comply with K.S.A. 55 et. seq. JUN 2 8 2007 The drilling rig; CONSERVATION DIVISION of by circulating cement to the top; in all cases surface pipe set the underlying formation. Histrict office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;			
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through all through a materials plus a minimum of 20 feet into the first through all unconsolidated materials plus a minimum of 20 feet into the first through a minimum of 20 feet into the first through a minimum of 20 feet into the first through a minimum of 20 feet into the first through a minimum of 20 feet into the first through a minimum of 20 feet into the first through a minimum of 20 feet into the first through a minimum of 20 feet into the first through a minimum of 20 feet into the first through a minimum of 20 feet into the first through a minimum of 20 feet into the first through a minimum of 20 feet into the first through a minimum of 20 feet into the first through a minimum of 20 feet into through a minimum of 20 feet int	IDAVIT RECEIVED RECEIVED RECEIVED RANSAS CORPORATION COMMISS Region of this well will comply with K.S.A. 55 et. seq. JUN 2 8 2007 The drilling rig; CONSERVATION DIVISION of by circulating cement to the top; in all cases surface pipe and the set in the underlying formation. Restrict office on plug length and placement is necessary prior to plugging; good or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;			
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into to the set into the surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into to the set into	IDAVIT RECEIVED RECEIVED RECEIVED RANSAS CORPORATION COMMISS Region of this well will comply with K.S.A. 55 et. seq. JUN 2 8 2007 The drilling rig; CONSERVATION DIVISION of by circulating cement to the top; in all cases surface pipe set the underlying formation. Histrict office on plug length and placement is necessary prior to plugging; goed or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;			
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into to the second shall be supported to the second shall be come must be completed within 30 days of the spud date or the well shall be	IDAVIT RECEIVED RECEIVED RUGGING of this well will comply with K.S.A. 55 et. seq. JUN 2 8 2007 Conservation Division to the top; in all cases surface pipe and the set the underlying formation. Received the underlying formation casing is cemented in; Received the underlying formation. Received the underlying formation form to plugging. Received the underlying formation is necessary prior to plugging. Received the underlying formation or plugging. Received the underlying formation plugging is completed; Received the underlying formation or plugging. Received the underlying formation or plugging. Received the underlying formation or plugging. Received the underlying formation plugging. Received the underlying formation. Received the underlying formation plugging. Received the underlying formation. Received the underlying for			
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into to the second shall be supported that the statement between the operator and the conflict office will be notified before well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be demended or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of the confliction of the production pipe required. For KCC Use ONLY API # 15 - 207 - 27198-000 Conductor pipe required. Minimum surface pipe required. Minimum surface pipe required. Approved by: Public 28-07 This authorization expires: 228-07	IDAVIT RECEIVED RECEIVED RECEIVED RANSAS CORPORATION COMMISS Region of this well will comply with K.S.A. 55 et. seq. JUN 2 8 2007 The drilling rig; Conservation division by circulating cement to the top; in all cases surface pipe and the set in a underlying formation. Sistrict office on plug length and placement is necessary prior to plugging; good or production casing is cemented in; led from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC district 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed;			
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into to the second shall be supported to the second shall be come must be completed within 30 days of the spud date or the well shall be	IDAVIT RECEIVED Received			
The undersigned hereby affirms that the drilling, completion and eventual point is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on ea. 3. The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into to the second shall be supported that the statement between the operator and the conflict office will be notified before well is either plugible. If an ALTERNATE II COMPLETION, production pipe shall be demended or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall. I hereby certify that the statements made herein are true and to the best of the confliction of the production pipe required. For KCC Use ONLY API # 15 - 207 - 27198-000 Conductor pipe required. Minimum surface pipe required. Minimum surface pipe required. Approved by: Public 28-07 This authorization expires: 228-07	IDAVIT RECEIVED Received			

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15-207-27/98-0000	Location of Well: County: Woodson
Operator: Haas Petroleum, LLC	2200 feet from N / V S Line of Section
Lease: Dye	2215 feet from E / 🗹 W Line of Section
Well Number: 45 Field: Winterschied	Sec7 Twp24 S. R14
Number of Acres attributable to well:	Is Section: 🔽 Regular or 🔲 Irregular
QTR / QTR / QTR of acreage: NE - NE - SW	if Section is irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

	•	:	
•	•		
•	• •		
-			
•			
•			
•	•	•	•
	٠	•	
· ·			· · ·
	±45 •±45		
			· · · · · · · · · · · · · · · · · · ·
	±45 •±45		
	:		: : : : : : : : : : : : : : : : : : :
	:		
	:		: : : : : : : : : : : : : : : : : : :
	:		
	:		



NOTE: In all cases locate the spot of the proposed drilling locaton.

JUN 2 8 2007

In plotting the proposed location of the well, you must show:

CONSERVATION DIVISION WICHITA, KS

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).


Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Haas Petroleum, LLC		License Number: 33640				
Operator Address: 800 West 47th Street, Suite 409, Kansas City, MO 64112						
Contact Person: Mark Haas		Phone Number: (816) 531 - 5922				
Lease Name & Well No.: Dye #45			Pit Location (QQQQ):			
Type of Pit:	Pit is:		SW NE NE SW			
Emergency Pit Burn Pit	✔ Proposed Existing		Sec. 7 Twp. 24S R.	14 🗸 East 🗌 West		
Settling Pit	If Existing, date constructed:		Feet from	North / V South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		2215 Feet from East / V West Line of Section			
(If WP Supply API No. or Year Drilled)	120	(bbis)	Woodson			
Is the pit located in a Sensitive Ground Water	Area? Yes	' No	Chloride concentration:	mg/i		
			(For Emergency Pits and Settling Pits only)			
is the bottom below ground level?	Artificial Liner?	Nο	How is the pit lined if a plastic liner is not used? Native Mud			
		_	1			
Pit dimensions (all but working pits):4	5 Length (fe	eet) <u>8</u>	Width (feet)	N/A: Steel Pits		
Depth fro	om ground level to de	eepest point: 3	(feet)			
material, thickness and installation procedure		iller integrity, ii	ncluding any special monitorin	a.		
			Depth to shallowest fresh waterfeet. Source of information:			
	feet	measu	redwell owner	electric log KDWR		
Emergency, Settling and Burn Pits ONLY: Dr			Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation: Type of ma		Type of materia	of material utilized in drilling/workover: Drilling Mud			
		Į.	mber of working pits to be utilized: 2			
Barrels of fluid produced daily: Abando		Abandonment	Abandonment procedure: Air dry and backfill			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.				
I hereby certify that the above state	ments are true and	correct to the best	t of my knowledge and belief.	RECEIVED KANSAS CORPORATION COMMISSI		
6/27/2007		Front	Kane	JUN 2 8 2007		
Date			ignature of Applicant or Agent			
CONSERVATION SIMIST KCC OFFICE USE ONLY						
Date Received: 6/25/27 Permit Numi	ber:	Permi	it Date: <u>6/28/c7</u> Leas	se Inspection: Yes 🗷 No		





NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in **K.A.R. 82-3-400 et seq** of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.