For KCC Use:

Effective Date:

District #

SGA? Yes X No

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

## NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Expected Spud Date July 4, 2007	Obo.	ast
month day year	<u>SW</u> - <u>SW</u> Sec. 33 Twp. 30 S. R. 14 W	est
OPERATOR: License# 33365	644 feet from N / S Line of Section	
Name: Layne Energy Operating, LLC	864 feet from E / W Line of Section	
1900 Shawnee Mission Parkway	Is SECTION RegularIrregular?	
Address: Mission Woods, KS 66205	(Note: Locate well on the Section Plat on reverse side)	
Contact Person M. Brent Nattrass	County: Wilson	
Phone: 913-748-3960	tease Name: McCabeWell #: 13-33	
	Field Name: Cherokee Basin Coal	
CONTRACTOR: License# 33606	Is this a Prorated / Spaced Field?	No
Name: Thornton Air	Target Formation(s): Cherokee Coals	
W. Charles Transferred	Nearest Lease or unit boundary: 520'	
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 898' feet M	//SL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:	]No
Gas Storage Pool Ext.	Public water supply well within one mile:	No
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 150'	<del>-</del>
Seismic;# of Holes Other	Depth to bottom of usable water: 200'	
Other	Surface Pipe by Alternate: 1 2	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40'	
Operator:	Length of Conductor Pipe required: None	
Well Name:	Projected Total Depth: 1500'	
Original Completion Date:Original Total Depth:	Formation at Total Depth: Mississippian	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Well Farm Pond Other X	
If Yes, true vertical depth:	DWR Permit #:	<del></del>
Bottom Hole Location:	(Note: Apply for Permit with DWR [])	_
		٦
KCC DKT #:	Will Cores be taken?	No
KCC DKT #:	If Yes, proposed zone:	
	If Yes, proposed zone:	
AFFIL	If Yes, proposed zone:	
AFFII The undersigned hereby affirms that the drilling, completion and eventual plu	If Yes, proposed zone:  RECEIVE  CANSAS CORPORATION  Igging of this well will comply with K.S.A. 55 et. seq.	ED COMMISSIO
AFFII The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met:	If Yes, proposed zone:  RECEIVE  CANSAS CORPORATION  Igging of this well will comply with K.S.A. 55 et. seq.	ED COMMISSIO
AFFII  The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to soudding of well:	If Yes, proposed zone:  RECEIVE  CORPORATION  Ingging of this well will comply with K.S.A. 55 et. seq.  JUN 2 8 20	ED COMMISSIC
AFFII  The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to soudding of well:	If Yes, proposed zone:  RECEIVE  CORPORATION  Ingging of this well will comply with K.S.A. 55 et. seq.  JUN 2 8 20	ED COMMISSIC
AFFII  The undersigned hereby affirms that the drilling, completion and eventual plust is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone:  RECEIVE  RANSAS CORPORATION  Ingging of this well will comply with K.S.A. 55 et. seq.  JUN 2 8 20  CONSERVATION DIVISION  The drilling rig;  The by circulating cement to the top; in all cases surface pipe stretches, ks, in a case of the content of the	ED COMMISSIC 07 SION
AFFII  The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis	If Yes, proposed zone:  RECEIVE  RECEIVE  RECEIVE  RECEIVE  RECEIVE  RECEIVE  RECEIVE  RECEIVE  SANSAS CORPORATION  JUN 2 8 20  CONSERVATION DIV.  The drilling rig; The prior to plugging	ED COMMISSIC 07 SION
AFFIE The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugg	If Yes, proposed zone:  RECEIVE  RECEIVE  RECEIVE  RECEIVE  RECEIVE  RECEIVE  RECEIVE  RECEIVE  SANSAS CORPORATION  JUN 2 8 20  CONSERVATION DIVIDING A CONSERVATION DIVIDINGA	ED COMMISSIC <b>07</b> SION g;
AFFIE The undersigned hereby affirms that the drilling, completion and eventual plu It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente	If Yes, proposed zone:  RECEIVE  SANSAS CORPORATION  JUN 2 8 20  CONSERVATION DIVIDING  To by circulating cement to the top; in all cases surface pipe strong properties of the control of the cont	ED COMMISSIC <b>07</b> SION g;
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #	If Yes, proposed zone:  RECEIVE  SANSAS CORPORATION  JUN 2 8 20  CONSERVATION DIVIDING  The by circulating cement to the top; in all cases surface pipe strong properties of pipe strong pipe strong properties of pipe strong	COMMISSIC 07 SION g;
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be	DAVIT  RECEIVE  CONSERVATION  CONSERVATION  RECEIVE  CONSERVATION  RECEIVE  CONSERVATION  CONSERVATION  RECEIVE  CONSERVATION  CONSERVATION  RECEIVE  CONSERVATION  CONS	COMMISSIC 07 SION g;
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of	If Yes, proposed zone:  RECEIVE  SANSAS CORPORATION  JUN 2 8 20  CONSERVATION DIV.  By circulating cement to the top; in all cases surface pipe strong properties of pipe strong properties on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementer plugged. In all cases, NOTIFY district office prior to any cementing.  The plugged and belief.	COMMISSIC 07 SION g;
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be	DAVIT  RECEIVE  CONSERVATION  CONSERVATION  RECEIVE  CONSERVATION  RECEIVE  CONSERVATION  CONSERVATION  RECEIVE  CONSERVATION  CONSERVATION  RECEIVE  CONSERVATION  CONS	COMMISSIC 07 SION g;
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and to the best of	DAVIT  RECEIVE  CONSERVATION DIVIDING  By by circulating cement to the top; in all cases surface pipe strong properties on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cemente plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Agent	COMMISSIC 07 SION g;
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: June 27, 2007  Signature of Operator or Agent:	DAVIT  RECEIVE  CONSERVATION DIVIDING  Provided to the will comply with K.S.A. 55 et. seq.  CONSERVATION DIVIDING  CONSERVATION DIVIDING  En underlying formation.  Strict office on plug length and placement is necessary prior to plugging  ged or production casing is cemented in;  and from below any usable water to surface within 120 days of spud date.  At 133,891-C, which applies to the KCC District 3 area, alternate II cemente plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Agent  Remember to:	COMMISSIC 07 SION g;
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: June 27, 2007  Signature of Operator or Agent:  For KCC Use ONLY	DAVIT  RECEIVE  CONSERVATION DIVIDING  By by circulating cement to the top; in all cases surface pipe strong properties on plug length and placement is necessary prior to plugging ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cemente plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Agent	COMMISSION SION g;
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: June 27, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 205-27247-0000	DAVIT  RECEIVE  CONSERVATION  CONSERVATION  RECEIVE  CONSERVATION  CONSERVATION  CONSERVATION  RECEIVE  CONSERVATION  CONSERVATION  CONSERVATION  RECEIVE  CONSERVATION  CONSERVATION  CONSERVATION  CONSERVATION  CONSERVATION  RECEIVE  CONSERVATION  CONSER	COMMISSIC COMMISSIC 07 SION g; tting
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: June 27, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - Conductor pipe required 1004  Conductor pipe required 1004  For Conductor pipe required 1004  Conductor pipe required 1006  Cond	DAVIT  RECEIVE  CONSERVATION DIVIDITION  Recommend to the top; in all cases surface pipe stocking, key  e underlying formation.  Strict office on plug length and placement is necessary prior to plugging  ged or production casing is cemented in;  and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cemente plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;	COMMISSION SION g;
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: June 27, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 205-27347  Conductor pipe required 40 feet per Alt. 12	DAVIT  RECEIVE  CONSERVATION DIVIDITION  Recommender to the service of the service of the construction of the constructi	COMMISSIC COMMISSIC 07 SION g; tting
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be after the statements made herein are true and to the best of Date: June 27, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 205-27247  Conductor pipe required  feet per Alt. 2  Approved by: W. 6-38-07	DAVIT  RECEIVE  CONSERVATION DIVIDITION  Recommend to the top; in all cases surface pipe strong and acceptance of the conceptance of the concept	COMMISSION SION SION SION SION SION SION SIO
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an immum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the disc. The appropriate district office will be notified before well is either plugg. If an ALTERNATE II COMPLETION, production pipe shall be cemente. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of the pluggest of the spud date. The statements of the spud date or the well shall be completed. Signature of Operator or Agent:    For KCC Use ONLY	DAVIT  RECEIVE  CONSERVATION DIVIDITION  Recommender of the top	COMMISSIC COMMISSIC 07 SION g; tting
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be after the statements made herein are true and to the best of Date: June 27, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 205-27247  Conductor pipe required  feet per Alt. 2  Approved by: W. 6-38-07	DAVIT  RECEIVE  CONSERVATION DIVIDITION  Recommend to the top; in all cases surface pipe strong and acceptance of the conceptance of the concept	COMMISSION SION SION SION SION SION SION SIO
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugged. If the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be approved to the statements made herein are true and to the best of Date: June 27, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 205-27247  Conductor pipe required feet  Minimum surface pipe required feet  Minimum surface pipe required feet per Alt. 2  Approved by: Late 1-28-07  This authorization expires: 12-28-07  (This authorization void if drilling not started within 6 months of approval date.)	DAVIT  RECEIVE  RANSAS CORPORATION  Igging of this well will comply with K.S.A. 55 et. seq.  JUN 2 8 20  CONSERVATION DIVIDING TO SERVATION DIVIDING TO SE	COMMISSION SION SION SION SION SION SION SIO
The undersigned hereby affirms that the drilling, completion and eventual plut it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an immimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg. If an ALTERNATE II COMPLETION, production pipe shall be cemente. Or pursuant to Appendix "B" - Eastern Kansas surface casing order and the district office will be notified before well is either plugg. If hereby certify that the statements made herein are true and to the best of the plugge of the spud date or the well shall be approved by:    For KCC Use ONLY	DAVIT  RECEIVE  CONSERVATION DIVI  Report  Reversation  CONSERVATION DIVI  Review of special description of the top; in all cases surface pipe stretches, ks  re underlying formation.  Strict office on plug length and placement is necessary prior to plugging  red or production casing is cemented in;  red from below any usable water to surface within 120 days of spud date.  Reversation and cases, NOTIFY district office prior to any cementing.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	COMMISSION SION SION SION SION SION SION SIO

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 205-27247-0000	Location of Well: County: Wilson
Operator: Layne Energy Operating, LLC	644 feet from N / S Line of Section
Lease: McCabe	864 feet from ☐ E / ✓ W Line of Section
Well Number: 13-33	Sec. 33 Twp. 30 S. R. 14 ✓ East West
Field: Cherokee Basin Coal	
Number of Acres attributable to well:  QTR / QTR / QTR of acreage:  SW SW	Is Section: ✓ Regular or Irregular
QTH/QTH/QTH of acreage:	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW


#### PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	-					
			•			
			•			
:				I	· .	 •
			,,,,			 
	:					
			·		· .	
864'	0					 
	644	4				
-						 •





NOTE: In all cases locate the spot of the proposed drilling locaton.

#### in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Layne Energy Operating, LLC			License Number: 33365		
Operator Address: 1900 Shawnee Mission Parkway,		Mission Woods, KS 66205			
Contact Person: M. Brent Nattrass	3		Phone Number: ( 913 ) 748 - 3960		
Lease Name & Well No.: McCabe 1	=		Pit Location (QQQQ):		
Type of Pit:	Pit is:		_Nω_ SE _SW _SW_		
Emergency Pit Burn Pit	Proposed Existing		Sec. 33 Twp. 30 R. 14		
Settling Pit	If Existing, date constructed:		644 Feet from North / South Line of Section		
☐ Workover Pit ☐ Haul-Off Pit	Pit capacity:		864 Feet from East / V West Line of Section		
(If WP Supply API No. or Year Drilled)		(bbis)	Wilson		
Is the pit located in a Sensitive Ground Water	Area? ☐ Yes 🗸	No	Chloride concentration: mg/l		
	A (15 11 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?  Ves No	Artificial Liner?  ☐ Yes  ✓	No	How is the pit lined if a plastic liner is not used?  Self-Sealing		
			<u> </u>		
i it difficients (diff but from diff pito).	O' Length (fe		Width (feet) N/A: Steel Pits		
Depth fr	om ground level to de	eepest point: 3	(feet)		
If the pit is lined give a brief description of the material, thickness and installation procedure			edures for periodic maintenance and determining ncluding any special monitoring.		
			RECEIVED KANSAS CORPORATION COMMISS		
			JUN 2 8 2007		
		Depth to shallo Source of infor	owest fresh waterfeet. CONSERVATION DIVISION mation: WICHITA, KS		
nonefeet Depth of water wellfeet		measu	uredwell owner electric logKDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover: Fresh Water Mud			
Number of producing wells on lease:		Number of working pits to be utilized: Two			
		Abandonment procedure: Let evaporate until dry, then backfill			
Does the slope from the tank battery allow all spilled fidids to		and restore	he closed within 265 days of court data		
flow into the pit? Yes No		<u> </u>	be closed within 365 days of spud date.		
I hereby certify that the above state	ments are true and o	correct to the best	t of my knowledge and belief.		
		MR +/au			
June 27, 2007 Date			Ad Signature of Applicant or Agent		
	KCC	OFFICE USE OF	NLY		
Date Received: 6/28/07 Permit Num	ber:	Permi	it Date: 6/25/07 Lease Inspection: Yes X No		