# For KCC Use: Effective Date: District # SGA? Yes Y No

# Kansas Corporation Commission Oil & Gas Conservation Division

# NOTICE OF INTENT TO DRILL

lust he approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Expected Spud Date		5	07		East
	month	day	year	SE NE NW Sec. 14 Twp. 17 S. R. 21	
OPERATOR: License#	6168				
	ster Scheune	man		feet from K E / W Line of Section	n
	Pleasant Val		<u> </u>	is SECTION X	
City/State/Zip: Wellsv	dille, Ks. 6	6092	· · · · · · · · · · · · · · · · · · ·	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: Eester	Scheunemar	<u> </u>		County: Miami	
Phone: (785) 883	<u>3-4621</u>			Lease Name: Boyscout Well #: H-	<u>.                                    </u>
CONTRACTOR: License#-	4339 (			Field Name: Rantaul	<del></del>
	ale Jackson			Is this a Prorated / Spaced Field?  Target Formation(s): Squirrel	No
					<del></del>
Well Drilled For:	Well Class:	Тура В	Equipment:	Nearest Lease or unit boundary: 224 FEL	1101
X Oil Enh Re	ec 🔣 Infield 🖊	хм	lud Rotary	<del></del>	MSL
Gas Storag	в Pool Ext.	Ai	ir Rotary	Water well within one-quarter mile:	
OWWO Dispos	al Wildcat	Πc	able	Public water supply well within one mile:	Tuo _
Seismic;# of i	Holes 🔲 Other	ق. وسيبها		to contain or most material	<del></del>
Other					<del></del>
				Surface Pipe by Alternate: 1 X 2	
If OWWO: old well informa	tion as follows:			Length of Surface Pipe Planned to be set: 20	<del></del>
	<u></u>			Length of Conductor Pipe required:N  Projected Total Depth:	<del></del>
Well Name:				Formation at Total Depth: Squirrel	
Original Completion Da	ite:Ori	ginal Total	Depth:	Water Source for Drilling Operations:	
Directional, Deviated or Hor	rizontal wellbore?		Yes No	Well X Farm Pond Other	
If Yes, true vertical depth:_				DWR Permit #:	
Bottom Hole Location:				, D(V) ( C) (I) (II (T)	
Doctor Hole Cocaron.				(Note: Apply for Permit with DWR	
				(Note: Apply for Permit with DWR (1)  Will Cores be taken?	XINo
KCC DKT #:				Will Cores be taken?  If Yes, proposed zone:	
KCC DKT #: The undersigned hereby a	offirms that the drilling	g, comple	AF:	Will Cores be taken?	 √ED
The undersigned hereby a It is agreed that the followi  1. Notify the appropriat 2. A copy of the approx	offirms that the drilling ing minimum require te district office prices of intent	g, comple ements will or to spudo to drill sha	AF: tion and eventual l be met: ding of well; all be posted on e	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  Plugging of this well will comply with K.S.A. 55 et. seq.   XANSAS CORPORATION  JUN 2 9  ach drilling rig:	VED ON COMMISS
The undersigned hereby a It is agreed that the followi  1. Notify the appropriat 2. A copy of the approv 3. The minimum amout through all unconsol 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appe	offirms that the drilling minimum require te district office prior ved notice of intent of surface pipe a didated materials plue, an agreement be trict office will be no COMPLETION, proendix "B" - Eastern	g, comple ments will or to spude to drill sha s specified s a minim tween the diffed befor duction pi	AFi tion and eventual I be met: ding of well; all be posted on e d below shall be a um of 20 feet into operator and the re well is either plu ipe shall be cemei	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  RECEIV  plugging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION  JUN 2 9	VED ON COMMISS 2007 SSSION SSSION Inting
The undersigned hereby at It is agreed that the following 1. Notify the appropriate 2. A copy of the approximation 3. The minimum amount through all unconsolutions 4. If the well is dry hold 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appendix to be completed to the street of th	affirms that the drilling minimum require te district office price ved notice of intention of surface pipe a lidated materials plue, an agreement be trict office will be no COMPLETION, proendix "B" - Eastern within 30 days of the	g, comple oments will be to spudo to drill sha s specified s a minim tween the diffed befor duction pixansas suespud da	AFition and eventual libe met: ding of well; all be posted on edit below shall be sum of 20 feet into experator and the re well is either pluipe shall be cemelurface casing ordet to or the well shall	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  Plugging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION  JUN 2 9  ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging upged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud date or #133,891-C, which applies to the KCC District 3 area, alternate II ceme	VED ON COMMISS 2007 SSSION SSSION Inting
The undersigned hereby a It is agreed that the followi  1. Notify the appropriat 2. A copy of the approv 3. The minimum amout through all unconsol 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appenust be completed with the state of the	affirms that the drilling minimum require te district office price ved notice of intention of surface pipe a lidated materials plue, an agreement be trict office will be no COMPLETION, proendix "B" - Eastern within 30 days of the	g, comple ments will or to spude to drill sha s specified s a minim tween the diffed before duction pi Kansas su e spud da	AFi tion and eventual I be met: ding of well; all be posted on e d below shall be a um of 20 feet into operator and the re well is either plu ipe shall be cemei urface casing orde te or the well shall e and to the best	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  Plugging of this well will comply with K.S.A. 55 et. seq.   **ANSAS CORPORATION**  JUN 2 9  ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging ugged or production casing is cemented in;  med from below any usable water to surface within 120 days of spud date or #133,891-C, which applies to the KCC District 3 area, alternate II ceme if be plugged. In all cases, NOTIFY district office prior to any cementing	VED ON COMMISS 2007 SSSION SSSION Inting
The undersigned hereby a It is agreed that the followi  1. Notify the appropriat 2. A copy of the approv 3. The minimum amout through all unconsol 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appenust be completed with the state of the	offirms that the drilling minimum require te district office prior ved notice of intent of surface pipe a didated materials plue, an agreement be trict office will be no COMPLETION, proposed in the control of the con	g, comple ments will or to spude to drill sha s specified s a minim tween the diffed before duction pi Kansas su e spud da	AFi tion and eventual I be met: ding of well; all be posted on e d below shall be a um of 20 feet into operator and the re well is either plu ipe shall be cemei urface casing orde te or the well shall e and to the best	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  Plugging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION  JUN 2 9  ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging agged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud date or #133,891-C, which applies to the KCC District 3 area, alternate II ceme if be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief.	VED ON COMMISS 2007 SSSION SSSION Inting
The undersigned hereby a It is agreed that the followi  1. Notify the appropriat 2. A copy of the approv 3. The minimum amout through all unconsol 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appenust be completed with the state of the	affirms that the drilling minimum require te district office prior wed notice of intent ont of surface pipe a didated materials plue, an agreement be trict office will be no COMPLETION, proportion of the materials of the atements made here	g, comple or to spudo to drill shas s specified s a minim tween the diffied before duction pit Kansas su e spud da ein are tru	AFi tion and eventual I be met: ding of well; all be posted on e d below shall be a um of 20 feet into operator and the re well is either plu ipe shall be cemei urface casing orde te or the well shall e and to the best	Will Cores be taken?  If Yes, proposed zone:  FIDAVIT  Plugging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION  JUN 2 9  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging agged or production casing is cemented in;  med from below any usable water to surface within 120 days of spud date or #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;	VED ON COMMIS 2007 SION 19; nting
The undersigned hereby a It is agreed that the followi  1. Notify the appropriat 2. A copy of the approx 3. The minimum amout through all unconsol 4. If the well is dry hold 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appe must be completed to I hereby certify that the sta  Date: 6-27-07  For KCC Use ONLY API # 15 - 121-24 Conductor pipe required Minimum surface pipe red	iffirms that the drilling minimum require te district office price ved notice of intent of surface pipe a lidated materials plue, an agreement be can agreement be completion, proposed in the condix "B" - Eastern within 30 days of the atements made here	g, comple ements will or to spude to drill shis s specifies s a minim tween the diffed before duction pi Kansas su e spud da ein are tru erator or A	AFition and eventual I be met:  If be met:  If be posted on et del be posted on et delow shall be sum of 20 feet into experator and the re well is either pluipe shall be cemelurface casing order to or the well shall et and to the best agent:	Will Cores be taken?  If Yes, proposed zone:  RECEIV  Plugging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION  JUN 2 9  ach drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging and production casing is cemented in;  reted from below any usable water to surface within 120 days of spud date of #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;	VED ON COMMISS 2007 SSSION SSSION Inting
The undersigned hereby at It is agreed that the following 1. Notify the appropriate 2. A copy of the appropriate 3. The minimum amount hough all unconsold 4. If the well is dry hold 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appearust be completed at the second of	affirms that the drilling minimum require te district office prior ved notice of intent of surface pipe a lidated materials plue, an agreement be trict office will be no COMPLETION, proportion of the proposed of the company of the latements made here.  Signature of Open Sylvanov Op	g, comple ements will or to spude to drill shis s specifies s a minim tween the diffed before duction pi Kansas su e spud da ein are tru erator or A	AFi tion and eventual I be met: ding of well; all be posted on e d below shall be a um of 20 feet into o operator and the re well is either plu pipe shall be cemei urface casing orde te or the well shall e and to the best Agent:	Will Cores be taken?  If Yes, proposed zone:  RECEIV  Plugging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION  JUN 2 9  ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging and production casing is cemented in; and from below any usable water to surface within 120 days of spud date or #133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	VED ON COMMIS 2007 SION 19; nting
The undersigned hereby a It is agreed that the followi  1. Notify the appropriat 2. A copy of the approx 3. The minimum amout through all unconsol 4. If the well is dry hold 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appe must be completed to I hereby certify that the sta  Date: 6-27-07  For KCC Use ONLY API # 15 - 121-24 Conductor pipe required Minimum surface pipe red	affirms that the drilling minimum require te district office price ved notice of intent and of surface pipe a didated materials plue, an agreement be trict office will be no COMPLETION, program within 30 days of the atements made here.  Signature of Operation of Completing and the surface of Completing and the atements of Completing and the atemptical and the atempt	g, comple or to spudo to drill sha s specified s a minim tween the diffied before duction pi Kansas su e spud da eln are tru erator or A	tion and eventual be met: ding of well; all be posted on e d below shall be sum of 20 feet into operator and the re well is either pluites casing order to or the well shall and to the best agent:	Will Cores be taken?  If Yes, proposed zone:  RECEIV  Plugging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION  JUN 2 9  ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugglic agged or production casing is cemented in; mited from below any usable water to surface within 120 days of spud date or #133,891-C, which applies to the KCC District 3 area, alternate II ceme II be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	VED ON COMMISS 2007 SSSION SSSION Inting
The undersigned hereby a It is agreed that the following a copy of the appropriate in the composition of the	affirms that the drilling minimum require te district office prior wed notice of intent of surface pipe a lidated materials plue, an agreement be trict office will be no COMPLETION, product "B" - Eastern within 30 days of the atements made here	g, comple or to spudo to drill sha s specified s a minim tween the diffied before duction pi Kansas su e spud da eln are tru erator or A	tion and eventual be met: ding of well; all be posted on e d below shall be sum of 20 feet into operator and the re well is either pluites casing order to or the well shall and to the best agent:	Will Cores be taken?  If Yes, proposed zone:  RECEIVED RE	VED ON COMMISS 2007 SSSION SSSION Inting
The undersigned hereby a It is agreed that the followi  1. Notify the appropriat 2. A copy of the approv 3. The minimum amout through all unconsol 4. If the well is dry hole 5. The appropriate dist 6. If an ALTERNATE II Or pursuant to Appe must be completed to I hereby certify that the sta  Date: 6-27-07  For KCC Use ONLY API # 15 - 121-24 Conductor pipe required Minimum surface pipe red Approved by: 11-14-14 This authorization expires:	affirms that the drilling minimum require te district office price ved notice of intent and of surface pipe a didated materials plue, an agreement be trict office will be no COMPLETION, program within 30 days of the atements made here.  Signature of Operation of Completing and the surface of Completing and the atements of Completing and the atemptical and the atempt	g, comple or to spudo to drill sha s specified s a minim tween the diffied before duction pi Kansas su e spud da eln are tru erator or A	tion and eventual be met: ding of well; all be posted on e d below shall be sum of 20 feet into operator and the re well is either pluites casing order to or the well shall and to the best agent:	Will Cores be taken?  If Yes, proposed zone:  RECEIV  Plugging of this well will comply with K.S.A. 55 et. seq. KANSAS CORPORATION  JUN 2 9  ach drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugglic agged or production casing is cemented in; mited from below any usable water to surface within 120 days of spud date or #133,891-C, which applies to the KCC District 3 area, alternate II ceme II be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief.  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	VED ON COMMISS 2007 SSSION SSSION Inting

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 12	11-28472-0000	Location of Well: County: Niami
Operator:	Lester Scheuneman	4508 teet from N/KS Line of Section
Lease:	Boyscout	2864 teet from E E / W Line of Section
Well Number:	H-1 Rantaul	Sec. 14 Twp. 17 S. R. 21 X East Wes
Number of Acres	attributable to well: 200	ls Section: X Regular or Irregular
QTR / QTR / QTR	of acreage: SE - NE - NW	If Section is irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### PL AT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton. Miami Co.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (CO-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Ouplicate

Operator Name: Lester	Scheuneman	License Number: 6168		
Operator Address: 27800	Pleasant Valley Rd. W	ellsville, Kansas 66092		
	Scheuneman	Phone Number: (785 ) 883-4621		
Longo Nismu P (Afail No	cout H-1	Pit Location (QQQQ):		
Type of Pit:	Pit is:	WHINE SE NE NW		
Emergancy Pit Burn Pit	X Proposed Existing	Sec. 14 Twp. 17 R. 21 East West		
Settling Pit XX Drilling Pit	If Existing, date constructed:	4508 Feet from North / X South Line of Section		
Workever Pit Haul-Off Pit	Dit approxity	2864 Feet from X East / West Line of Section		
(If WP Supply API No. or Year Drilled)	Pit capacity: 80 (bisk	W.d. a. a. d.		
Is the pit togated in a Sensitive Ground Water		Chloride concentration:		
is the pit totaled in a densitive circuit visitor	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	(For Emergency Pits and Settling Pits only)		
is the bottom below ground level?	Artificial Liner?	How is the pit lined if a plastic liner is not used?		
Yes No		clay		
		Width (feet) N/A: Steel Pits		
Depth fr	om ground level to deepesi point: 4	(feet)		
Distance to nearest water well within one-mile		Depth to shallowest fresh waterfeet. Source of information:		
N/Q feet Depth of water well	feetmea	measuredwell ownerelectric logKDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:		
Producing Furnation:		Type of material utilized in drilling/workover: Fresh Water mud		
Number of producing wells on lease:	1	Number of working pits to be utilized:		
Barrels of fluid produced daily:	Abandonme	Abandonment procedure: Eyaporate & backfill.		
	anithest fluide to			
Does the slope from the tank battery allow all flow into the pit? Yes No		at be closed within 365 days of spud date.		
	Orill pits mus	RECEIV		
flow into the pit? Yes No	Orill pits mus	est of my knowledge and belief.  RECEIV  KANSAS CORPORATIO  LUN 2 9  Signature of Applicant or Agent  CONSERVATION		
flow into the pit? Yes No I hereby certify that the above state  6-27-07	Orill pits mus	RECEIVE RECEIV		