# For KCC Use: Effective Date: .. SGA? X Yes No

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Form C-1

### NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date	Spot ✓ Eas
month day year	NW - NW - SW Sec. 24 Twp. 34 S. R. 16 We
DPERATOR: License# 32887	2310feet from N / ✓ S Line of Section
Name: Endeavor Energy Resources, LP	330feet from ☐ E / ✓ W Line of Section
PO Box 40	Is SECTION <u>√</u> RegularIrregular?
City/State/Zip: Delaware, OK 74027	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Joe Driskill	County: Montgomery
Phone: 918-467-3111	Lease Name: R. Campbell Well #: 24-3
	Field Name: Coffeyville
CONTRACTOR: License# 33072	Is this a Prorated / Spaced Field?
lame: Well Refined Drilling	Target Formation(s): Weir
	Nearest Lease or unit boundary: 330
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 720.1' feet MS
Oil Enh Rec / Infield Mud Rotary	Water well within one-quarter mile: Yes ✓ N
Gas Storage Pool Ext.	Public water supply well within one mile:
OWWO Disposal Wildcat Cable	Depth to bottom of fresh water: 20
Seismic;# of Holes Other	Depth to bottom of usable water: 150
Other	Surface Pipe by Alternate: 1 2
f OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator: NA	Length of Conductor Pipe required: none
Well Name: NA	Projected Total Depth: 1000'
Original Completion Date: NA Original Total Depth: NA	Formation at Total Depth: Mississippi
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes 🗸 No	Well Farm Pond Other
f Yes, true vertical depth: NA	DWR Permit #:
Bottom Hole Location: NA	(Note: Apply for Permit with DWR
KCC DKT #: NA	Will Cores be taken? Yes ✓ N
	If Yes, proposed zone:
A CE	If Yes, proposed zone: RECEIVED
	If Yes, proposed zone: RECEIVED  FIDAVIT KANSAS CORPORATION COMMIT
The undersigned hereby affirms that the drilling, completion and eventual p	If Yes, proposed zone:  RECEIVED  ANSAS CORPORATION COMMIT  Comply with K.S.A. 55 et. seg.
The undersigned hereby affirms that the drilling, completion and eventual t is agreed that the following minimum requirements will be met:	If Yes, proposed zone: RECEIVED  FIDAVIT KANSAS CORPORATION COMMIT
The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on expense.	If Yes, proposed zone:  FIDAVIT  CANSAS CORPORATION COMMIT  CONCERVATION DIVISION  CONCERVATION DIVISION
The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <b>shall be</b> posted on each	If Yes, proposed zone:  FIDAVIT  CANSAS CORPORATION COMMIT  CONCERVATION DIVISION  CONCERVATION DIVISION
The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <b>shall be</b> posted on each	If Yes, proposed zone:  PECEIVED  ANSAS CORPORATION COMMIT  Colugging of this well will comply with K.S.A. 55 et. seq.  JUN 2 9 2007  CONCERVATION DIVISION  WOULTA KS  set by circulating cement to the top; in all cases surface pipe shall be set
The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be</i> such through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the	If Yes, proposed zone:  RECEIVED  CANSAS CORPORATION COMMIT  clugging of this well will comply with K.S.A. 55 et. seq.  JUN 2 9 2007  CONCERVATION DIVISION WIGHTAKS  tef by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the shall be appropriate district office appropriate district office will be a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus.	If Yes, proposed zone:  RECEIVED  CANSAS CORPORATION COMMIT  Concervation Division  Concerv
The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer	If Yes, proposed zone:  CANSAS CORPORATION COMMITTED  CONSERVATION DIVISION  CONSERVATION D
The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the prior of surface pipe as specified below <i>shall be</i> second through all unconsolidated materials plus a minimum of 20 feet into the the well is dry hole, an agreement between the operator and the the second of the second	If Yes, proposed zone:  RECEIVED  CANSAS CORPORATION COMMIT  Concervation Division  Concerv
The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be</i> and through all unconsolidated materials plus a minimum of 20 feet into the second of the s	If Yes, proposed zone:  ANSAS CORPORATION COMME  CANSAS CORPORATION COMME  CONCERVATION DIVISION  CONCERVATION DIV
The undersigned hereby affirms that the drilling, completion and eventual put is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard of surface pipe as specified below <i>shall be</i> is through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plu 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall	If Yes, proposed zone:  CANSAS CORPORATION COMMITTED  CONSERVATION DIVISION  CONSERVATION D
The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second of	If Yes, proposed zone:  ANSAS CORPORATION COMME  CANSAS CORPORATION COMME  CONCERVATION DIVISION  CONCERVATION DIV
The undersigned hereby affirms that the drilling, completion and eventual put is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second of t	If Yes, proposed zone:  CANSAS CORPORATION COMMITTED Drugging of this well will comply with K.S.A. 55 et. seq.  CONSERVATION DIVISION  CO
The undersigned hereby affirms that the drilling, completion and eventual put is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the district of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plue 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the complete of the statements of the operator of Agent:  Signature of Operator or Agent:	If Yes, proposed zone:  CANSAS CORPORATION COMMITTANIAN COMPORATION COMMITTANIAN CORPORATION COMMITTANIAN CONCERNATION DIVISION WIGHTIA KS and drilling rig;  CONCERNATION DIVISION WIGHTIA KS and the underlying formation.  Concernation district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; and the from below any usable water to surface within 120 days of spud date. The plugged. In all cases, NOTIFY district office prior to any cementing. Title: Operations Superintendent  Concernation Division Wighting KS.
The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the shall be approved all unconsolidated materials plus a minimum of 20 feet into the shall be well is dry hole, an agreement between the operator and the the shall be appropriate district office will be notified before well is either plus for pursuant to Appendix "B" - Eastern Kansas surface casing orde must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the case of the shall be certified.  Signature of Operator or Agent:  For KCC Use ONLY	If Yes, proposed zone:  PECCIVED  CANSAS CORPORATION COMMIT  Conservation Division  Conserv
The undersigned hereby affirms that the drilling, completion and eventual put is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plue 6. If an ALTERNATE II COMPLETION, production pipe shall be cemer or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the complete of the spud date of the spanning of the spud date of the spanning of the spud date of the spanning of the spud date of the well shall hereby certify that the statements made herein are true and to the best of the spanning of the spud date of the spanning of the spud date of the well shall hereby certify that the statements made herein are true and to the best of the spanning	If Yes, proposed zone:  PECCIVED  CANSAS CORPORATION COMMIT  Conservation Division  Conserv
The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the shall be approved in the state of the specified below <i>shall be</i> in the state of the shall be shall be shall be shall be well is district office will be notified before well is either plue of the shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be the shall be certify that the statements made herein are true and to the best of the specific of the shall be certified.  Signature of Operator or Agent:  For KCC Use ONLY	If Yes, proposed zone:  PECCIVED  CANSAS CORPORATION COMMIT  Conservation Division  Conserv
The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the posted on each of the minimum amount of surface pipe as specified below <i>shall be</i> into the state of the well is dry hole, an agreement between the operator and the state of the well is dry hole, an agreement between the operator and the state of the well is either plue.  5. The appropriate district office will be notified before well is either plue.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemer or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the complete of the spud date or the well shall place.  For KCC Use ONLY  API # 15 - Signature of Operator or Agent:  Conductor pipe required feet Minimum surface pipe required feet per Alt.	If Yes, proposed zone:  CANSAS CORPORATION COMMITTED Drugging of this well will comply with K.S.A. 55 et. seq.  CONSERVATION DIVISION  CO
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the drill shall be set through all unconsolidated materials plus a minimum of 20 feet into the state well is dry hole, an agreement between the operator and the first the well is dry hole, an agreement between the operator and the first the state of the spudding properties of the spudding properties of the spudding properties of the spuddate or the well shall thereby certify that the statements made herein are true and to the best of the spudding	If Yes, proposed zone:  ANSAS CORPORATION COMMITTED  CONCERVATION DIVISION  CONCERVATION DI
The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on etc.  3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the strength of the well is dry hole, an agreement between the operator and the to the surface of the surface of the specified before well is either plus. The appropriate district office will be notified before well is either plus. It is either plus of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date or the well shall hereby certified before well is either plus the statement of the spud date or the well shall hereby certified before well is either plus the statement of the spud date or the statement of the spud date or the spud date or the statement of the spud date or the statement of the spud d	If Yes, proposed zone:  ANSAS CORPORATION COMMITTED  CONCERVATION DIVISION  CONCERVATION DI
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each of the state of the	If Yes, proposed zone:  CANSAS CORPORATION COMMITTED Drugging of this well will comply with K.S.A. 55 et. seq.  CONSERVATION DIVISION WICHITA KS and the underlying formation.  district office on plug length and placement is necessary prior to plugging; gged or production casing is cemented in; and the from below any usable water to surface within 120 days of spud date. If #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief.  Title: Operations Superintendent  Remember to:  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual part is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on etc.  3. The minimum amount of surface pipe as specified below shall be a through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the strength of the well is dry hole, an agreement between the operator and the to the surface of the surface of the specified before well is either plus. The appropriate district office will be notified before well is either plus. It is either plus of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date or the well shall hereby certify that the statements made herein are true and to the best of the spud date or the well shall hereby certified before well is either plus the statement of the spud date or the well shall hereby certified before well is either plus the statement of the spud date or the statement of the spud date or the spud date or the statement of the spud date or the statement of the spud d	FIDAVIT  CANSAS CORPORATION COMMIT  Concernation of this well will comply with K.S.A. 55 et. seq.  Concernation division  Concernation  Co
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each of the state of the	If Yes, proposed zone:  CANSAS CORPORATION COMMIT  Concervation Division  Concervation  Concervation division  Concervation division  Concervation division  Concervation division  Concervation division  Concervation  Concervation division  Concervation division  Concervation

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 125-31404-0000	Location of Well: County: Montgomery
Operator: Endeavor Energy Resources, LP	•
Lease: R. Campbell	2310 feet from N / S Line of Section  330 feet from E / W Line of Section
Well Number: 24-3 Field: Coffeyville  Number of Acres attributable to well: 80	Sec. 24 Twp. 34 S. R. 16 Vest  Is Section: Regular or Irregular
QTR / QTR / QTR of acreage: NW SW	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

JUN 2 9 2007

### In plotting the proposed location of the well, you must show:

CONSERVATION DIVISION WICHITA, KS

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.

2310

4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Endeavor Energy Resources, LP		License Number: 32887		
Operator Address: PO BOX 40 Delaware, OK 74027				
Contact Person: Joe Driskill		Phone Number: ( 918 ) 467 - 3111		
Lease Name & Well No.: R. Campbell 24-3		Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>Nω _ NW _ SW</u>	
Emergency Pit Burn Pit	✓ Proposed   Existing		Sec. 24 Twp. 34 R. 16 Fast West	
Settling Pit	If Existing, date constructed:		Feet from North / 🗹 South Line of Section	
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit Pit capacity: (bbis)		330 Feet from East / 🗸 West Line of Section	
(ii vvr Supply Artivo, or real Dillied)			Montgomery County	
Is the pit located in a Sensitive Ground Water	Area? ✓ Yes ✓	<u></u> 140	Chloride concentration: mg/l	
is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?	
Yes No	☐ Yes 🗸	No	natural clay / earth	
Pit dimensions (all but working pits): 30 Length (feet) 10 Width (feet) N/A: Steel Pits				
Depth from ground level to deepest point: 6(feet)				
If the pit is lined give a brief description of the liner Describe proce		edures for periodic maintenance and determining		
material, thickness and installation procedure. liner integrity, i		ncluding any special monitoring.		
Distance to nearest water well within one-mile	e of pit		west fresh water unknown feet.	
w/A- unknown feet Depth of water well unknown feet			Source of information: measured well owner electric log KDWR	
		Drilling, Workover and Haul-Off Pits ONLY:		
		Type of material utilized in drilling/workover:		
		1	Number of working pits to be utilized: 1	
l ' -		Abandonment	procedure: dewater and backfill	
Does the slope from the tank battery allow all spilled fluids to		be closed within 365 days of spud date.		
RECEIVED				
KANSAS CORPURATION COMMINION				
6-27-07	<del></del>		Dishill JUN 2 9 2007	
Date		S	Mature of Applicant or Agent  CONSERVATION DIVISION  WICHTA KE	
KCC OFFICE USE ONLY				
Date Received: 6/29/67 Permit Num	ber:	Perm	it Date: <u>4/29/07</u> Lease Inspection: Yes 🔣 No	