

For KCC Use:	7 0-57
Effective Date:	7-8-07
District #1	
SGA? Yes	X No

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

Form C-1

## NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

	November 2005
	Form must be Typed
	Form must be Signed
ш	blanks must be Filled

Expected Spud Date: 07/12/2007	Spot Description: 130' N & 120' E of
month day year	W2 - W2 - SE Sec. 29 Twp. 16 S. R. 27 TE
3842	(a/a/a/a) 1,450 feet from N / X S Line of Section
OPERATOR: License#	2,190 feet from E / W Line of Section
Name: Larson Engineering, Inc. Address 1: 562 West State Road 4	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Thomas Larson	County: Lane
Phone: 620-653-7368	Lease Name: Massey Well #: 1-29
	Field Name: Wildcat
CONTRACTOR: License#30606	Is this a Prorated / Spaced Field?
Name: _Murfin Drilling Co., Inc.	Target Formation(s): L-KC, Marmaton
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 450
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: 2711 feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water: 180
Other:	Depth to bottom of usable water: 1350
——————————————————————————————————————	Surface Pipe by Alternate: I XIII
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 250
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth: 4600
Original Completion Date: Original Total Depth:	Formation at Total Depth: Mississippi
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other: water hauler
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	( <b>Note</b> : Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
	RECEIVED
	IDAVIT KANSAS CORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual plus	i i i i i i i i i i i i i i i i i i i
It is agreed that the following minimum requirements will be met:	
	JUL 0 3 2007
1. Notify the appropriate district office <i>prior</i> to spudding of well;	• • • • • • • • • • • • • • • • • • •
2. A copy of the approved notice of intent to drill shall be posted on each	drilling rig; CONSERVATION DIVISION
<ol> <li>A copy of the approved notice of intent to drill <b>shall be</b> posted on each</li> <li>The minimum amount of surface pipe as specified below <b>shall be set</b> to</li> </ol>	drilling rig;  ONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall CE Set KS
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> </ol>	drilling rig;  ONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall Get Sec KS underlying formation.
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the distr</li> </ol>	drilling rig;  conservation division by circulating cement to the top; in all cases surface pipe shall set KS underlying formation.  ict office on plug length and placement is necessary prior to plugging;
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugge</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented.</li> </ol>	drilling rig;  ONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall Get Set KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date.
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugge</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13</li> </ol>	drilling rig;  ONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall Get Set KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugged.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be</li> </ol>	drilling rig;  over conservation division  over circulating cement to the top; in all cases surface pipe shall be set of the top; in all cases surface pipe shall be set of the top; in all cases surface pipe shall be set of the top; in all cases surface pipe shall be set of the top; in all cases, notified in; in the top of the to
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugge</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13</li> </ol>	drilling rig;  over conservation division  over circulating cement to the top; in all cases surface pipe shall be set of the top; in all cases surface pipe shall be set of the top; in all cases surface pipe shall be set of the top; in all cases surface pipe shall be set of the top; in all cases, notified in; in the top of the to
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugged.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be</li> <li>I hereby certify that the statements made herein are true and to the best of many contents.</li> </ol>	drilling rig;  over conservation division  over circulating cement to the top; in all cases surface pipe shall be set of the top; in all cases surface pipe shall be set of the top; in all cases surface pipe shall be set of the top; in all cases surface pipe shall be set of the top; in all cases, notified in; in the top of the to
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugged.</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be</li> </ol>	drilling rig;  y circulating cement to the top; in all cases surface pipe shall Get Let KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  y knowledge and belief.
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be</li> <li>I hereby certify that the statements made herein are true and to the best of members.</li> </ol>	drilling rig;  ONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall Get SkS underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  y knowledge and belief.  Title:
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be</li> <li>I hereby certify that the statements made herein are true and to the best of members.</li> </ol> Date:          2	drilling rig;  conservation division by circulating cement to the top; in all cases surface pipe shall Get Sks underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  y knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be</li> <li>I hereby certify that the statements made herein are true and to the best of members.</li> </ol>	drilling rig;  y circulating cement to the top; in all cases surface pipe shall Get Lacks underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  y knowledge and belief.  Title:  Remember to:  - Fill Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be</li> <li>I hereby certify that the statements made herein are true and to the best of m</li> <li>Date: The appropriate of Operator or Agent:</li> </ol> For KCC Use ONLY API # 15 - 101 - 2030-0000 Conductor pipe required 0 feet	drilling rig;  conservation division by circulating cement to the top; in all cases surface pipe shall Get Sks underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  y knowledge and belief.  Title:  Remember to:  File Dill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be</li> <li>I hereby certify that the statements made herein are true and to the best of m</li> <li>Date: The appropriate of Operator or Agent:</li> </ol> For KCC Use ONLY API # 15 - 101 - 2030-0000 Conductor pipe required 0 feet	drilling rig;  y circulating cement to the top; in all cases surface pipe shall Cell Set KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  y knowledge and belief.  Title:  Remember to:  - File Dall Pit Application (form CDP-1) with Intent to Drill;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed (within 60 days).
2. A copy of the approved notice of intent to drill <b>shall be</b> posted on each 3. The minimum amount of surface pipe as specified below <b>shall be set</b> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of m Date:    The image	drilling rig;  y circulating cement to the top; in all cases surface pipe shall Cell Set KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  y knowledge and belief.  Title:  Remember to:  - File Dall Pit Application (form CDP-1) with Intent to Drill;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed (within 60 days).
2. A copy of the approved notice of intent to drill <b>shall be</b> posted on each 3. The minimum amount of surface pipe as specified below <b>shall be set</b> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of m Date:    Total Complete Only	drilling rig;  ONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe shall CHISAL KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  y knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of m Date:    The complete of the completed of the statements of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of m Date:    The complete of the complete of the spud date or the well shall be 2 hereby certify that the statements made herein are true and to the best of m Date:    The complete of the complete of the spud date or the well shall be 3 hereby certify that the statements made herein are true and to the best of m Date:    The complete of the complete of the spud date or the well shall be 3 hereby certified on the spud date or the well shall be 4 hereby certified on the spud date or the well shall be 4 hereby certified on the spud date or the well shall be 4 hereby certified on the spud date or the well shall be 4 hereby certified on the spud date or the well shall be 4 hereby certified on the spud date or the well shall be 5 hereby certified on the spud date or the well shall be 5 hereby certified on the spud date or the well shall be 6 hereby certified on the spud date or the well shall be 6 hereby certified before well is either plug date. The complete of the spud date or the well shall be 6 hereby certified before well is either plug defined by 6 hereby certified before well is either plug defined by 6 hereby certified by 6 hereby certified by 6 hereby certified by 6 hereby certified by	drilling rig;  y circulating cement to the top; in all cases surface pipe shall Cell Set KS underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  y knowledge and belief.  Title:  Remember to:  - File Dall Pit Application (form CDP-1) with Intent to Drill;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed (within 60 days).
2. A copy of the approved notice of intent to drill <b>shall be</b> posted on each 3. The minimum amount of surface pipe as specified below <b>shall be set</b> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of m Date:    Total Complete Only	drilling rig;  by circulating cement to the top; in all cases surface pipe shall case the sunderlying formation.  ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in;  I from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  be knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of m Date:    The complete of the completed of the statements of the spud date or the well shall be 1 hereby certify that the statements made herein are true and to the best of m Date:    The complete of the complete of the spud date or the well shall be 2 hereby certify that the statements made herein are true and to the best of m Date:    The complete of the complete of the spud date or the well shall be 3 hereby certify that the statements made herein are true and to the best of m Date:    The complete of the complete of the spud date or the well shall be 3 hereby certified on the spud date or the well shall be 4 hereby certified on the spud date or the well shall be 4 hereby certified on the spud date or the well shall be 4 hereby certified on the spud date or the well shall be 4 hereby certified on the spud date or the well shall be 4 hereby certified on the spud date or the well shall be 5 hereby certified on the spud date or the well shall be 5 hereby certified on the spud date or the well shall be 6 hereby certified on the spud date or the well shall be 6 hereby certified before well is either plug date. The complete of the spud date or the well shall be 6 hereby certified before well is either plug defined by 6 hereby certified before well is either plug defined by 6 hereby certified by 6 hereby certified by 6 hereby certified by 6 hereby certified by	drilling rig;  conservation division by circulating cement to the top; in all cases surface pipe shall Get Tex.  y circulating cement to the top; in all cases surface pipe shall Get Tex.  underlying formation.  ict office on plug length and placement is necessary prior to plugging;  ed or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  y knowledge and belief.  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.



#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 101 - 22030-0000				
Operator: Larson Engineering, Inc.	Location of Well: County: Lane			
Lease: Massey	1,450 feet from N / X S Line of Section			
Well Number: 1-29	2,190 feet from X E / W Line of Section			
Field: Wildcat	Sec. <u>29 Twp. 16 S. R. 27</u> E 🔀 W			
Number of Acres attributable to well:	Is Section: 🔀 Regular or 🔲 Irregular			
QTR/QTR/QTR of acreage: W2 - W2 - SE	is Section. Degular of Infregular			
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW			

#### **PLAT**

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

JUL 0 3 2007

1450 ft.

#### In plotting the proposed location of the well, you must show:

CONSERVATION DIVISION WICHITA, KS

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1010200

Form CDP-1 April 2004 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Larson Engineering, Inc.		License Number: 3842					
Operator Address: 562 West State Road 4		Olmitz	KS	67564			
Contact Person: Thomas Larson		Phone Number: 620-653-7368					
Lease Name & Well No.: Massey	1-2	29	Pit Location (QQQQ):				
Type of Pit:	Pit is:		<u>W2</u> _ <u>SE</u>				
Emergency Pit Burn Pit	Proposed	Existing	Sec. 29 Twp. 16 R. 27 East West				
Settling Pit Drilling Pit	If Existing, date co	onstructed:	1,450 Feet from North / South Line of Section				
Workover Pit Haul-Off Pit	Pit capacity:		2,190 Feet from East / West Line of Section				
(If WP Supply API No. or Year Drilled)	6,400	(bbls)	Lane	County			
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration:		mg/l		
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pit How is the pit lined if a plastic liner is not use				
Yes No	Yes X	No	Native mud & bentonite clay.				
Pit dimensions (all but working pits):	BO Length (fe	eet) 80	Width (feet) N/A	: Steel P	its		
Depth fr	om ground level to de	epest point:	(feet) No	Pit			
If the pit is lined give a brief description of the			edures for periodic maintenance and determining	ng			
material, thickness and installation procedure.		iliner integrity, i	ncluding any special monitoring.		-		
	!				5/01-2203D		
					7		
, , , , , , , , , , , , , , , , , , , ,		, ,	west fresh water 30 feet.		ိုင်		
3410 feet Depth of water well 58 feet mea		Source of informeasu	ured well owner electric log KDWR				
lect Depth of water went note		Drilling, Work	cover and Haul-Off Pits ONLY:				
		al utilized in drilling/workover: fresh water mud					
		rking pits to be utilized:3					
Barrels of fluid produced daily: Abandor		Abandonment	procedure: Allow to dry then backfill				
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		be closed within 365 days of spud date.					
I hereby certify that the above state	ements are true and o	correct to the bes	t of my knowledge and belief.	RECE CORPORA	EIVED ATION COMMISS		
7-2-07 Thomas Jul 0 3 2007							
Date		S	ignature of Applicant or Agent	ONSERVAT	TION DIVISION HTA, KS		
KCC OFFICE USE ONLY Steel Pit RFAC RFAS							
Date Received: 7/3/07 Permit Number: Permit Date: 7/3/07 Lease Inspection: Yes No							