For KCC Use: Effective Date: District # SGA? Yes X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date July 10, 2007	/	
mandle dour 1005	Spot	
month day year		/est
OPERATOR: License# 33344	800 feet from N / S Line of Section	
Name: Quest Cherokee LLC	1680 feet from ✓E / W Line of Section Is SECTION ✓ Regular Irregular?	
Address: 9520 North May Avenue, Suite 300	is Section Regular irregular?	
City/State/Zip: Oklahoma City, Oklahoma 73120	(Note: Locate well on the Section Plat on reverse side)	
Contact Person: Richard Marlin	County: Neosho Lease Name: Duff, Donald Well #: 15-2	
Phone: (405) 463-6880	Lease Name: Duff, Donald Well #: 15-2 Field Name: Cherokee Basin CBM	
CONTRACTOR: License# Will be licensed by the KCC		
Name: Will advise on the ACO-1	Is this a Prorated / Spaced Field?	TINO
Name:	Target Formation(s): Cherokee Coals	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 800 Ground Surface Flevation: 1005 feet I	MEI
Oil Enh Rec ✓ Infield Mud Rotary	around current property of the contract of the	_
✓ Gas Storage Pool Ext. ✓ Air Rotary		='
OWO Disposal Wildcat Cable		INO
Seismic: # of Holes Other	Depth to bottom of fresh water: 100	
✓ Other Coalbed Methane	Depth to bottom of usable water: 200	
	Surface Pipe by Alternate: 1 2 2	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 100	
Operator:	Length of Conductor Pipe required: 200 Projected Total Depth: 1300	
Well Name:	Formation at Total Depth: Cherokee Coals	
Original Completion Date: Original Total Depth:		
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Water Source for Drilling Operations: Well Farm Pond Other Air	
If Yes, true vertical depth:	Well Farm Pond Other Officer	
Bottom Hole Location:	(Note: Apply for Permit with DWR)	
KCC DKT #:		-No
NOO DAT #.	If Yes, proposed zone:	
	RECEIVED	
· ·	FIDAVIT KANSAS CORPORATION COMM	ISSION
The undersigned hereby affirms that the drilling, completion and eventual		00101
	plugging of this well will comply with K.S.A. 55 et. seq.	00101
It is agreed that the following minimum requirements will be met:	plugging of this well will comply with K.S.A. 55 et. seq. JUL 0 5 2007	001071
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on a 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either ple 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing ord	conservation division set by circulating cement to the top; in all cases surface pipe set by circulating cement to the top; in all cases surface pipe set the underlying formation. In district office on plug length and placement is necessary prior to pluggin ugged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud date. The surface within 120 days of spud date. The surface within 120 days of spud date. The surface within 120 days of spud date.	<i>g;</i> nting
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on a 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either ple 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing ord	conservation division set by circulating cement to the top; in all cases surface pipe start set of the underlying formation. Indicate the underlying formation and placement is necessary prior to plugging ugged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud date. For #133,891-C, which applies to the KCC District 3 area, alternate II cemer III be plugged. In all cases, NOTIFY district office prior to any cementing.	<i>g;</i> nting
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on a 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either ple 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best	conservation division set by circulating cement to the top; in all cases surface pipe set by circulating cement to the top; in all cases surface pipe set the underlying formation. In district office on plug length and placement is necessary prior to plugging ugged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud date. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief.	<i>g;</i> nting
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on a control of the approved notice of intent to drill <i>shall be</i> posted on a control of the approved notice of intent to drill <i>shall be</i> posted on a control of the approved and the approved and the appropriate district office will be notified before well is either placed in the appropriate district office will be notified before well is either placed of the appropriate district office will be notified before well is either placed of the appropriate of the appropr	conservation division set by circulating cement to the top; in all cases surface pipe set by circulating cement to the top; in all cases surface pipe set the underlying formation. In district office on plug length and placement is necessary prior to plugging ugged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud date. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief.	<i>g;</i> nting
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on a 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either ple 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: July 3, 2007	conservation division set by circulating cement to the top; in all cases surface pipe starts set the underlying formation. In district office on plug length and placement is necessary prior to pluggin ungged or production casing is cemented in; need from below any usable water to surface within 120 days of spud date. For #133,891-C, which applies to the KCC District 3 area, alternate II cemer all be plugged. In all cases, NOTIFY district office prior to any cementing of my knowledge and belief. Title: VP	<i>g;</i> nting
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on a 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed. I hereby certify that the statements made herein are true and to the best bate. Date: July 3, 2007 Signature of Operator or Agent: April # 15 - 133 - 27013 - 0000 Conductor pipe required feet per Alt. 2	conservation division set by circulating cement to the top; in all cases surface pipe starks set the underlying formation. Indistrict office on plug length and placement is necessary prior to pluggin lugged or production casing is cemented in; Inted from below any usable water to surface within 120 days of spud date. In all cases, NOTIFY district office prior to any cementing. In all cases, NOTIFY district office prior to any cementing. In the Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;	g;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on a 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either ple 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall hereby certify that the statements made herein are true and to the best Date: July 3, 2007	conservation division set by circulating cement to the top; in all cases surface pipe shalf se set the underlying formation. district office on plug length and placement is necessary prior to pluggin ugged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud date. In all cases, NOTIFY district office prior to any cementing. If the Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	g;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on a 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed. I hereby certify that the statements made herein are true and to the best bate. Date: July 3, 2007 Signature of Operator or Agent: April # 15 - 133 - 27013 - 0000 Conductor pipe required feet per Alt. 2	CONSERVATION DIVISION set by circulating cement to the top; in all cases surface pipe shalk se set the underlying formation. Indistrict office on plug length and placement is necessary prior to pluggin lugged or production casing is cemented in; Inted from below any usable water to surface within 120 days of spud date. In all cases, NOTIFY district office prior to any cementing. In all cases, NOTIFY district office prior to any cementing. In the plugged. In all cases, NOTIFY district office prior to any cementing. In the plugged and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	g;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on a 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either plus of 1 feet pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be remediately be certify that the statements made herein are true and to the best Date: July 3, 2007	conservation division set by circulating cement to the top; in all cases surface pipe shalf se set the underlying formation. district office on plug length and placement is necessary prior to pluggin ugged or production casing is cemented in; inted from below any usable water to surface within 120 days of spud date. In all cases, NOTIFY district office prior to any cementing. If the Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	g;

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API NO. 15 - 133 - 27013 -0000	Location of Well: County: Neosho
Operator: Quest Cherokee LLC	
Lease: Duff, Donald	feet from N / S Line of Section 1680 feet from E / W Line of Section
Well Number: 15-2	Sec. 15 Twp. 29 S. R. 18 🗸 East Wes
Field: Cherokee Basin CBM	
Number of Acres attributable to well: QTR / QTR / QTR of acreage:	Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Quest Cherokee LLC		License Number: 33344		
Operator Address: 9520 North May Avenue, Suite 300 Oklahoma City, Oklahoma 73120				
Contact Person: Richard Marlin		Phone Number: (405) 463 - 6880		
Lease Name & Well No.: Duff, Donald #15-2		Pit Location (QQQQ):		
Type of Pit:	Pit is:		JW _ NG SW _ SE	
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 15 Twp. 29 R. 18 ✓ East West	
Settling Pit	If Existing, date constructed:		800 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit	Dit appositu		Feet from ✓ East / West Line of Section	
(If WP Supply API No. or Year Drilled)	Pit capacity: 300	(bbls)	NeoshoCounty	
Is the pit located in a Sensitive Ground Water	s the pit located in a Sensitive Ground Water Area? Yes 🗸 No		Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? Yes V No	Artificial Liner? ☐ Yes ✓	No	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits): 30 Length (feet) 10 Width (feet) N/A: Steel Pits Depth from ground level to deepest point: 10 (feet)				
		Air Drilling	Operation Lasting Approx 3 Days	
Distance to nearest water well within one-mil	e of pit	Depth to shallo Source of info	west fresh waterfeet. mation:	
N/A feet Depth of water well	feet	measu	redwell owner electric logKDWR	
		1	over and Haul-Off Pits ONLY:	
			pe of material utilized in drilling/workover: Air Drilled	
		er of working pits to be utilized: One		
Barrels of fluid produced daily: Abandonment procedure: Air Dry, Back Fill and Cover		procedure: All Dry, Back Fill and Gover		
Does the slope from the tank battery allow all flow into the pit? Yes No	I spilled fluids to	Drill pits must	be closed within 365 days of spud date. RECEIVED	
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
July 3, 2007 Date	5	uhan :	JUL 0 5 2007 CONSERVATION DIVISION Signature of Applicant or Agent WICHITA, KS	
KCC OFFICE USE ONLY				
Date Received: 7/5/07 Permit Nur	nber:	Perm	nit Date: 7/5/07 Lease Inspection: Yes K No	