For KCC Use: Effective Date: District # SGA? Yes X No

Kansas Corporation Commission Oil & Gas Conservation Division

NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date	Spot
·	
OPERATOR: License#	1980 feet from V N / S Line of Section 850 feet from V E / W Line of Section
Name: Quest Cherokee LLC	Is SECTION ✓ RegularIrregular?
Address: 9520 North May Avenue, Suite 300	-
City/State/Zip: Oklahoma City, Oklahoma 73120	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Richard Marlin	County: Neosho
Phone: (405) 463-6880	Lease Name: Glng, Lynn Well #: 24-2
CONTRACTOR: License# Will be licensed by the KCC	Field Name: Cherokee Basin CBM
Name: Will advise on the ACO-1	Is this a Prorated / Spaced Field?
Name:	Target Formation(s): Cherokee Coals
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 660
Oil Enh Rec / Infield Mud Rotary	Ground Surface Elevation: 1000feet MSL
✓ Gas Storage Pool Ext. ✓ Air Rotary	Water well within one-quarter mile:Yes ✓ No ✓
OWWO Disposal Wildcat Cable	Public water supply well within one mile:
Seismic # of Holes Other	Depth to bottom of fresh water: 100
✓ Other Coalbed Methane	Depth to bottom of usable water: 200
V 01101	Surface Pipe by Alternate: 1 2 1
f OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 100
Operator:	Length of Conductor Pipe required: 200
Well Name:	Projected Total Depth: 1300 Cherokee Coals
Original Completion Date:Original Total Depth:	Formation at Total Deptili.
Directional, Deviated or Horizontal wellbore? Yes ✓ No	Water Source for Drilling Operations:
	Well Farm Pond Other Air
f Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken? Yes ✓ No
	If Yes, proposed zone:
A CC	RECEIVED
AFF	DAVIT KANSAS CORPORATION COMMISSION
The undersigned hereby affirms that the drilling, completion and eventual pl	ugging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual place t is agreed that the following minimum requirements will be met:	
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the intention of the approved notice of intent to drill <i>shall be</i> posted on each and the intention of the intention of the provided intention of the posted on each and the intention of the intention of the intention of the shall be set through all unconsolidated materials plus a minimum of 20 feet into the intention of the well is dry hole, an agreement between the operator and the dry intention of the intention of th	Ugging of this well will comply with K.S.A. 55 et. seq. JUL. 0 5 2007 CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe SHATAGES set ne underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the intention of the province of intent to drill shall be posted on each and the intention of the intention of the province of the p	Ugging of this well will comply with K.S.A. 55 et. seq. JUL 0 5 2007 CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe WSHITAGE set ne underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the intention of the intention of the posted on each and the posted of the posted on each and the posted on	Ugging of this well will comply with K.S.A. 55 et. seq. JUL 0 5 2007 CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe WSHITAGE set ne underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the intention of the intention of the posted on each and the posted of the posted on each and the posted on	Ugging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION of by circulating cement to the top; in all cases surface pipe with the section and placement is necessary prior to plugging; iged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill unconsolidated materials plus a minimum of 20 feet into the driving all unconsolidated materials plus a minimum of 20 feet into the driving and the driving appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the specified before well is either plug of the spe	Ugging of this well will comply with K.S.A. 55 et. seq. JUL. 0 5 2007 CONSERVATION DIVISION of by circulating cement to the top; in all cases surface pipe Station division is trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and ballef. Title: **P** **Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date:
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the drill unconsolidated materials plus a minimum of 20 feet into the driving all unconsolidated materials plus a minimum of 20 feet into the driving all unconsolidated materials plus a minimum of 20 feet into the driving and th	USERVATION DIVISION of by circulating cement to the top; in all cases surface pipe state of plugging; the underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and belief. Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior are specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the post of the plug of the spud date or the well shall be posted. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 133 - 2701 - 0000 Conductor pipe required	Ugging of this well will comply with K.S.A. 55 et. seq. JUL 0 5 2007 CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe WSHITAGES set ne underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Implementation Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an expensive state of the posted on each and the state of the well is dry hole, an agreement between the operator and the drift of the well is dry hole, an agreement between the operator and the drift of the well is dry hole, an agreement between the operator and the drift of the well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate of the spud date or the well shall be cement. 2. Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be the plug of the spud date or the well shall be cement. 2. Signature of Operator or Agent: 3. The minimum surface pipe required to the drift of the post of the plug of the plug of the spud date. 3. The minimum of 20 feet per Alt. 4. If the well is dry hole, an agreement between the operator and the drift of the post of the plug of the spud date. 4. If the well is dry hole, an agreement between the operator and the dry hole of the post of the plug of the plug of the post o	Ugging of this well will comply with K.S.A. 55 et. seq. JUL 0 5 2007 CONSERVATION DIVISION by circulating cement to the top; in all cases surface pipe WSHITAGES set ne underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Implementation Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of the approved notice of intent to drill <i>shall be</i> posted on each an expectation of the posted on each and the driving all unconsolidated materials plus a minimum of 20 feet into the driving all unconsolidated materials plus a minimum of 20 feet into the driving and the driving a	Ugging of this well will comply with K.S.A. 55 et. seq. JUL 0 5 2007 CONSERVATION DIVISION of by circulating cement to the top; in all cases surface pipe What Addisset ne underlying formation. istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. If my knowledge and ballef. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the description of the surface of the well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified b	Ugging of this well will comply with K.S.A. 55 et. seq. JUL 0 5 2007 CONSERVATION DIVISION of by circulating cement to the top; in all cases surface pipe Schalle Set to the underlying formation. Istrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed; - Obtain written approval before disposing or injecting salt water. - If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved intent of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the driving all unconsolidated materials plus a minimum of 20 feet into the driving and th	Ugging of this well will comply with K.S.A. 55 et. seq. CONSERVATION DIVISION of by circulating cement to the top; in all cases surface pipe white the property of the underlying formation. In the strict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each as through all unconsolidated materials plus a minimum of 20 feet into the different intervent the operator and the different intervent into the different into the different intervent into the different into the differ	Ugging of this well will comply with K.S.A. 55 et. seq. JUL 0 5 2007 CONSERVATION DIVISION of by circulating cement to the top; in all cases surface pipe
The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the appropriate district office prior as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the description of the specified before well is either plug to the specified before well is either plug to the set of the specified before well is either plug to the specified before well is either plug to the spud date or the well shall be cement. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and to the best of the plug to the spud date or the well shall be provided by the spud date or the well shall be provided by the spud date or the well shall be provided by the spud date or the well shall be provided by the spud date or the well shall be provided by the spud date or the well shall be provided by the spud date or the well shall be provided by the spud date or the well shall be provided by the spud date or the well shall be provided by the spud date or the well shall be provided by the spud date or the well shall be provided by the spud date or the well shall be provided by the spud date or the well shall be provided by the spud date or the spud date or the well shall be provided by the spud date or the well shall be provided by the spud date or the spud date or the well shall be provided by the spud date or the spud date	Ugging of this well will comply with K.S.A. 55 et. seq. JUL. 0 5 2007 CONSERVATION DIVISION of by circulating cement to the top; in all cases surface pipe Station Division is the underlying formation. Static office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Title: VP Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15- 133 - 27011 - 0000	Location of Well: County: Neosho
Operator: Quest Cherokee LLC	1980 feet from V N / S Line of Section 850 feet from V E / W Line of Section
Lease: Ging, Lynn	
Well Number: 24-2	Sec. 24 Twp. 29 S. R. 18
Field: Cherokee Basin CBM	
Number of Acres attributable to well:	Is Section: 🗸 Regular or 🗌 Irregular
QTR / QTR / QTR of acreage:	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

5-133-27011-0000

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Quest Cherokee LLC		License Number: 33344		
Operator Address: 9520 North May	/ Avenue, Su	ıite 300 Ok	dahoma City, Oklah	noma 73120
Contact Person: Richard Marlin		Phone Number: (405) 463 -6880		
Lease Name & Well No.: Ging, Lynn 7	#24-2		Pit Location (QQQQ):	
Type of Pit:	Pit is:		<u>ΕΣ . ως SE . NE</u>	
Emergency Pit Burn Pit	✓ Proposed Existing		Sec. 24 _{Twp.} 29 _{R.} 18	
Settling Pit	If Existing, date constructed:		1980 Feet from 🗸 North / 🗌 South Line of Section	
Workover Pit Haul-Off Pit Pit capacity:		850 Feet from ✓	East / West Line of Section	
(If WP Supply API No. or Year Drilled)	300	(bbls)	Neosho County	
Is the pit located in a Sensitive Ground Water	Area? Yes ✓	YNo	Chloride concentration:	mg/l
		(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? Yes V No	Artificial Liner? ☐ Yes ✓	No	How is the pit lined if a plasti	c liner is not used?
Pit dimensions (all but working pits):	Length (fe	eet) 10	Width (feet)	N/A: Steel Pits
Depth fr	om ground level to de	eepest point:	10 (feet)	
material, thickness and installation procedure	£.		ncluding any special monitoring Operation Lasting Ap	
Distance to nearest water well within one-mile of pit Depth to shallo Source of infor		west fresh waterfeet.		
N/A feet Depth of water well	feet	measu	redwell owner	electric logKDWR
Emergency, Settling and Burn Pits ONLY: Drilling, Wor		Drilling, Work	rkover and Haul-Off Pits ONLY:	
Producing Formation: Type of material		rial utilized in drilling/workover: Air Drilled		
Number of producing wells on lease: Number of work		ring pits to be utilized: One		
Barrels of fluid produced daily: Abandonment procedure: Air Dry, Back Fill a		nd Cover		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be		pe closed within 365 days of spud date. RECEIVED		
KANSAS CORPORATION COMMISSION I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
July 3, 2007 July 3, 2007 Date July 3 2007 Conservation Division Signature of Applicant or Agent Wichita, KS				
KCC OFFICE USE ONLY				
Date Received: 7/5/67 Permit Num	her:	Parmi	t Date: 2/5/02 Leas	e Inspection: Yes V No