For KCC Use:	7-11-07
Effective Date: _	1-11-01
District #	1
SGA? Yes	X No

Kansas Corporation Commission Oil & Gas Conservation Division

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Expected Spud Date	9, 2007			Spot		East
	month	day	year	APPX - <u>SE</u> - <u>NE</u> Sec. 4 Twp. 20	S, R. 24	West
5086				1790feet from		
OPERATOR: License# 5086 Name: PINTAIL PETROLEUM,L	TD				,	
225 N. MARKET, STE	.300			Is SECTION ✓ RegularIrregular?		
Address: WICHITA, KS 6	7202					
City/State/Zip: Contact Person: FLIP PHILLIP:	\$			(Note: Locate well on the Section Plat on rev County: NESS	/erse siae)	
Phone: 316-263-2243				Lease Name: FILBERT 'ER'	_Well #: 1-4	
Phone:				Field Name: HAIR	vveii #:	
CONTRACTOR: License# 51	23			Is this a Prorated / Spaced Field?	Yes 🗸	
Name: PICKRELL DRILLING				Target Formation(s): MISSISSIPPI	tes _ ∕	/ INO-
				Nearest Lease or unit boundary: 760		
Well Drilled For:	Well Class:	Type E	quipment:	Ground Surface Elevation: 2335	feet	MCI
✓ Oil < Enh Rec	🚺 Infield 🗸	✓ M	ud Rotary 🕶		Yes V	_
Gas Storage	Pool Ext	. 🔲 Ai	r Rotary	Water well within one-quarter mile:	Yes ✓	
OWWO Disposal	Wildcat	C	able	Public water supply well within one mile: Depth to bottom of fresh water: 180		
Seismic;# of Ho	les Other			Depth to bottom of usable water: 750'		
Other				Surface Pipe by Alternate: 1 2		
				Length of Surface Pipe Planned to be set: 200'		
If OWWO: old well informatio				Length of Conductor Pipe required: NONE		
Operator:				Projected Total Depth: 4450		
Well Name:				Formation at Total Depth: MISSISSIPPI		
Original Completion Date:	c	riginal Total	Depth:	Pormation at Total Deptil.	·	
Directional, Deviated or Horizo	ontal wellbore?		Yes ✓ No	Water Source for Drilling Operations: Well Farm Pond Other X		
Silottional, Estimated Silitional				Well Fann Pond Ottler		
If Vac true vertical death:						
If Yes, true vertical depth:				DWR Permit #:	٦,	
Bottom Hole Location:				DWR Permit #: (Note: Apply for Permit with DWR		
				DWR Permit #: (Note: Apply for Permit with DWR Will Cores be taken?		
Bottom Hole Location:				DWR Permit #: (Note: Apply for Permit with DWR		No
Bottom Hole Location:				DWR Permit #: (Note: Apply for Permit with DWR Will Cores be taken?		No
Bottom Hole Location: KCC DKT #:			AFF	DWR Permit #: (Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone:		No
Bottom Hole Location: KCC DKT #: The undersigned hereby affire	rms that the drill	ing, comple	AFF tion and eventual p	DWR Permit #: (Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone:		 No
Bottom Hole Location: KCC DKT #:	rms that the drill g minimum requi	ing, comple rements will	AFF tion and eventual p	DWR Permit #: (Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone:		No
Bottom Hole Location: KCC DKT #: The undersigned hereby affill it is agreed that the following 1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolida 4. If the well is dry hole, 5. The appropriate district 6. If an ALTERNATE II COr pursuant to Appendict of the completed with the complete wi	rms that the drill g minimum requi district office pr d notice of inten of surface pipe ated materials p an agreement b to office will be n OMPLETION, p dix "B" - Easterr thin 30 days of t	ing, comple rements will for to spudo as specified lus a minim between the otified befor roduction pin Kansas su the spud da	AFF tion and eventual p I be met: ding of well; all be posted on ea I below shall be s um of 20 feet into t operator and the o re well is either plug pe shall be cemen urface casing order te or the well shall	DWR Permit #: (Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FIDAVIT Plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; et by circulating cement to the top; in all cases surface paths underlying formation. district office on plug length and placement is necessary gged or production casing is cemented in; ted from below any usable water to surface within 120 at #133,891-C, which applies to the KCC District 3 area, a be plugged. In all cases, NOTIFY district office prior	pipe shall be set prior to pluggin lays of spud date. alternate II cemer	n g;
Bottom Hole Location: KCC DKT #: The undersigned hereby affil It is agreed that the following 1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate distric 6. If an ALTERNATE II C Or pursuant to Appenemust be completed with	rms that the drill g minimum requi district office pr d notice of inten of surface pipe ated materials p an agreement b to office will be n OMPLETION, p dix "B" - Easterr thin 30 days of t	ing, comple rements will for to spudo as specified lus a minim between the otified befor roduction pin Kansas su the spud da	AFF tion and eventual p I be met: ding of well; all be posted on ea I below shall be s um of 20 feet into t operator and the o re well is either plug pe shall be cemen urface casing order te or the well shall	DWR Permit #: (Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FIDAVIT Plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; et by circulating cement to the top; in all cases surface paths underlying formation. district office on plug length and placement is necessary gged or production casing is cemented in; ted from below any usable water to surface within 120 at #133,891-C, which applies to the KCC District 3 area, a be plugged. In all cases, NOTIFY district office prior	pipe shall be set prior to pluggin lays of spud date. alternate II cemer	ng;
Bottom Hole Location: KCC DKT #: The undersigned hereby affil It is agreed that the following 1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate distric 6. If an ALTERNATE II C Or pursuant to Appendents to Compute the completed with the states.	rms that the drill g minimum requi district office pr d notice of inten of surface pipe atted materials p an agreement b to office will be n OMPLETION, p dix "B" - Easterr thin 30 days of the ements made he	ing, comple rements will for to spudo t to drill sha as specified lus a minimi between the otified befor roduction pin Kansas su the spud dat	AFF tion and eventual p I be met: ding of well; all be posted on ea I below shall be si um of 20 feet into to operator and the of the well is either plue pe shall be cemen urface casing order te or the well shall e and to the best of	DWR Permit #: (Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FIDAVIT Stugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; et by circulating cement to the top; in all cases surface particle to the underlying formation. district office on plug length and placement is necessary gged or production casing is cemented in; ted from below any usable water to surface within 120 at #133,891-C, which applies to the KCC District 3 area, at be plugged. In all cases, NOTIFY district office prior of my knowledge and belief.	pipe shall be set prior to pluggin lays of spud date. alternate II cemer to any cementing.	ng;
Bottom Hole Location: KCC DKT #: The undersigned hereby affil It is agreed that the following 1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate distric 6. If an ALTERNATE II C Or pursuant to Appendents to Compute the completed with the states.	rms that the drill g minimum requi district office pr d notice of inten of surface pipe ated materials p an agreement b to office will be n OMPLETION, p dix "B" - Easterr thin 30 days of t	ing, comple rements will for to spudo t to drill sha as specified lus a minimi between the otified befor roduction pin Kansas su the spud dat	AFF tion and eventual p I be met: ding of well; all be posted on ea I below shall be si um of 20 feet into to operator and the of the well is either plue pe shall be cemen urface casing order te or the well shall e and to the best of	DWR Permit #: (Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FIDAVIT Plugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; et by circulating cement to the top; in all cases surface paths underlying formation. district office on plug length and placement is necessary gged or production casing is cemented in; ted from below any usable water to surface within 120 at #133,891-C, which applies to the KCC District 3 area, a be plugged. In all cases, NOTIFY district office prior	pipe shall be set prior to pluggin lays of spud date. alternate II cemer to any cementing.	ng;
Bottom Hole Location: KCC DKT #: The undersigned hereby affil It is agreed that the following 1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate distric 6. If an ALTERNATE II C Or pursuant to Appendents to Compute the completed with the states.	rms that the drill g minimum requi district office pr d notice of inten of surface pipe atted materials p an agreement b to office will be n OMPLETION, p dix "B" - Easterr thin 30 days of the ements made he	ing, comple rements will for to spudo t to drill sha as specified lus a minimi between the otified befor roduction pin Kansas su the spud dat	AFF tion and eventual p I be met: ding of well; all be posted on ea I below shall be si um of 20 feet into to operator and the of the well is either plue pe shall be cemen urface casing order te or the well shall e and to the best of	DWR Permit #: (Note: Apply for Permit with DWR Will Cores be taken? If Yes, proposed zone: FIDAVIT Stugging of this well will comply with K.S.A. 55 et. seq. ach drilling rig; et by circulating cement to the top; in all cases surface particle to the underlying formation. district office on plug length and placement is necessary gged or production casing is cemented in; ted from below any usable water to surface within 120 at #133,891-C, which applies to the KCC District 3 area, at be plugged. In all cases, NOTIFY district office prior of my knowledge and belief.	pipe shall be set prior to pluggin lays of spud date. alternate II cemer to any cementing.	n g;
Bottom Hole Location: KCC DKT #: The undersigned hereby affill it is agreed that the following 1. Notify the appropriate 2. A copy of the approver 3. The minimum amount through all unconsolidd 4. If the well is dry hole, 5. The appropriate district 6. If an ALTERNATE II C Or pursuant to Appendent be completed with 1 hereby certify that the state Date: Date: JULY 3, 2007 For KCC Use ONLY API # 15 - 24 Conductor pipe required Minimum surface pipe required	rms that the drill p minimum requi district office pr d notice of inten of surface pipe ated materials p an agreement b to office will be n OMPLETION, p dix "B" - Easterr thin 30 days of te ments made he Signature of O 200 200	ing, complerements will for to spudde as specified lus a minimule tween the otified before roduction pin Kansas suche spud darerein are true perator or A	AFF tion and eventual p I be met: ding of well; all be posted on ea I below shall be s um of 20 feet into t operator and the o re well is either plug pe shall be cemen urface casing order te or the well shall e and to the best of	Will Cores be taken? If Yes, proposed zone: FIDAVIT String of this well will comply with K.S.A. 55 et. seq. Sech drilling rig; Let by circulating cement to the top; in all cases surface paths and placement is necessary gged or production casing is cemented in; let from below any usable water to surface within 120 at #133,891-C, which applies to the KCC District 3 area, at be plugged. In all cases, NOTIFY district office prior of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to District appropriate district office 48 hours prior to word Submit plugging report (CP-4) after plugging is compared.	Pipe shall be set prior to pluggin lays of spud date. alternate II cemento any cementing. rilit; d date; on orders; kover or re-entry; oleted;	ng; nting
Bottom Hole Location: KCC DKT #: The undersigned hereby affill it is agreed that the following 1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate districe 6. If an ALTERNATE II C Or pursuant to Appendent be completed will hereby certify that the state Date: JULY 3, 2007 For KCC Use ONLY API # 15 - 135 - 24 Conductor pipe required	rms that the drill a minimum requidistrict office produced interest of surface pipe and materials part of the surface will be not office within 30 days of the ments made here. Signature of O	ing, complerements will for to spudde as specified lus a minimietween the otified befor roduction pin Kansas suche spud darerein are true perator or A	AFF tion and eventual of the met: ding of well; all be posted on early be posted on early be posted on early be sum of 20 feet into the operator and the operator and the pe well is either plughted to the well shall be and to the best of the post of the well shall be and to the best of the post	Will Cores be taken? If Yes, proposed zone: SIDAVIT Stugging of this well will comply with K.S.A. 55 et. seq. Sich drilling rig; Set by circulating cement to the top; in all cases surface properties of the underlying formation. Sidistrict office on plug length and placement is necessary gged or production casing is cemented in; ted from below any usable water to surface within 120 or #133,891-C, which applies to the KCC District 3 area, as be plugged. In all cases, NOTIFY district office prior of my knowledge and belief. Side Drill Pit Application (form CDP-1) with Intent to District acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to word Submit plugging report (CP-4) after plugging is completing. If this permit has expired (See: authorized expiration)	pipe shall be set prior to pluggin lays of spud date. alternate II cemer to any cementing. itili; d date; on orders; kover or re-entry; oleted; salt water. date) please	eg;
Bottom Hole Location: KCC DKT #: The undersigned hereby affil It is agreed that the following 1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolid 4. If the well is dry hole, 5. The appropriate distric 6. If an ALTERNATE II C Or pursuant to Appendent to Appendent to the completed with the state I hereby certify that the state Date: JULY 3, 2007 For KCC Use ONLY API # 15 - 135 - 24 Conductor pipe required Minimum surface pipe requi Approved by:	rms that the drill minimum requidistrict office produced of intensity of surface pipe an agreement of office will be now office will be now office will be now office will be now office within 30 days of the ments made here of the contract	ing, compleing, compleing rements will for to spudde to drill sha as specified lus a minimiet ween the otified befor roduction pin Kansas suffice spuddar rein are true perator or A	AFF tion and eventual p I be met: ding of well; all be posted on ea I below shall be si um of 20 feet into to operator and the of the well is either plue pe shall be cemen inface casing order te or the well shall the and to the best of the and to the best of the per Alt.	Will Cores be taken? If Yes, proposed zone: SIDAVIT Sugging of this well will comply with K.S.A. 55 et. seq. Sich drilling rig; Set by circulating cement to the top; in all cases surface particle the underlying formation. Sidistrict office on plug length and placement is necessary gged or production casing is cemented in; sted from below any usable water to surface within 120 or #133,891-C, which applies to the KCC District 3 area, as be plugged. In all cases, NOTIFY district office prior for my knowledge and belief. Side Drill Pit Application (form CDP-1) with Intent to Die File Completion Form ACO-1 within 120 days of spure. Notify appropriate district office 48 hours prior to wor Submit plugging report (CP-4) after plugging is completion written approval before disposing or injecting	pipe shall be set prior to pluggin lays of spud date. alternate II cemer to any cementing. itili; d date; on orders; kover or re-entry; oleted; salt water. date) please	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 135 - 24674 -0000	Location of Well: County: NESS
Operator: PINTAIL PETROLEUM,LTD	
Lease: FILBERT 'ER'	feet from VN/S Line of Section 760 feet from VE/W Line of Section
Well Number: 1-4	Sec4 Twp20 S. R24
Field: HAIR	
Number of Acres attributable to well: 160	Is Section: 🗸 Regular or 📋 Irregular
QTR / QTR / QTR of acreage: APPX - SE - NE - NE	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

				77.			
					• •	' ' T	
	•					· I	
	-		· · · · · · · · · · · · · · · · · · ·				
							_
						1	
						1987	. ,
					-	े 😚	. 1
				-		-	
			/				,
			را			1	
			/			<u>.</u>	
	-		را	•		O -	
							760:
	-	•	<i>Y</i>	-			
	•		1	•			•
	•		· 'e				٠ /
				r i			
					• •		
1							
					•		•
							•
1							
			1				
Ì		•		•			•
!		•	ŀ	-			•
			ļ				•
			i				
				· · ·			
			I .		•		-
1							
1							•



NOTE: In all cases locate the spot of the proposed drilling locaton.

JUL 0 5 2007

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding SECTION DIVISION 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Form CDP-1 April 2004

Form must be Typed

Kansas Corporation Commission Oil & Gas Conservation Division

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: PINTAIL PETROLEUM,LTD			License Number: 5086		
Operator Address: 225 N. MARKE	T, SUITE 300	0, WICHITA	A, KS 67202		
Contact Person: FLIP PHILLIPS			Phone Number: (316) 263 - 2243		
Lease Name & Well No.: FILBERT 'E	R' 1-4		Pit Location (QQQQ): APPY NE SE N C		
Type of Pit:	Pit is:		ATTA - NE - GE		
Emergency Pit Burn Pit	✓ Proposed	Existing	Sec. 400' Twp. 20S R. 24 East V West 1790 Feet from North / South Line of Section 760 Feet from East / West Line of Section		
Settling Pit	If Existing, date c	constructed:			
Workover Pit Haul-Off Pit	Pit capacity:				
(If WP Supply API No. or Year Drilled)	The capacity.	(bbls)	NESS	County	
Is the pit located in a Sensitive Ground Water	Area? Yes	INO	Chloride concentration:	mg/l	
				Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plasti	c liner is not used?	
✓ Yes No	Yes ✓	No	MUD AND BENTO	ONITE	
Pit dimensions (all but working pits):	Length (fe	eet) 80	Width (feet)	N/A: Steel Pits	
Depth fr	om ground level to de	eepest point: 4	(feet)		
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.				e and determining	
Distance to nearest water well within one-mile	of pit	Depth to shallo Source of infor	west fresh water 180	feet.	
N/A feet Depth of water wellfeet		1	redwell owner	_ electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Hauf-Off Pits ONLY	:	
Producing Formation:		Type of materia	l utilized in drilling/workover: <u>F</u>	RESH WATER AND MUD	
Number of producing wells on lease:		Number of working pits to be utilized: 3			
Barrels of fluid produced daily:		Abandonment procedure: EVAPORATE AND BACKFILL			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
		\circ	^ ^	RECEIVED KANSAS CORPORATION COMMISSION	
7/3/2004		Kath	(). Vonn	2 11 10 10 00 14 OF RELIGIES CONTINUES (CITY	
Date		Si	gnature of Applicant or Agent	JUL 0 5 2007	
KCC OFFICE USE ONLY CONSERVATION DIVISION WICHITA, KS				CONSERVATION DIVISION WICHITA, KS	
Date Received: 7/5/07 Permit Num	ber:	Permi	t Date: 7/5/67 Lease	a Inspection: Yes 🕡 No	