For KCC Use: Effective Date: District #__ SGA? X Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Form C-1 December 2002 Form must be Typed Form must be Signed All blanks must be Filled

Expected Spud Date	August	7	2007	Spot	East
	month	day	year	NE - SE - NW Sec. 9 Twp. 11 S. R. 23	West
OPERATOR: License# 5252	2			1600 feet from N / S Line of S	ection
Name: R.P. Nixon Oper., Inc	c.			feet from E / W Line of S	ection
207 West 12th Stre	eet			Is SECTION Regular Irregular?	
City/State/Zip: Hays, KS 676	601-3898			(Note: Locate well on the Section Plat on reverse side)	
Contact Person: Dan Nixon				County: Trego	
Phone: 785-628-3834				Lease Name. Delaney Well #. 1	
		/		Field Name: Wakeeney NW	
CONTRACTOR: License# S	nielas Oil Pro	aucers •			s 🗸 No
				Nearest Lease or unit boundary: 450	
Well Drilled For:	Well Class:	Туре	Equipment:	Ground Surface Elevation: 2275' estimated	feet MSL
Oil 🖊 🔲 Enh Rec	: Infield	√ I	Mud Rotary 一		es No
Gas Storage	✓ Pool E	kt. 🖊 🔲 /	Air Rotary	,	s No
OWWO Disposal	Wildcat		Cable	Depth to bottom of fresh water: 150	is [INO
Seismic;# of Ho	oles Other			Depth to bottom of itesti water. 196 950	
Other					
				Surface Pipe by Alternate: 1 2 2	
If OWWO: old well information	on as follows:			Length of Surface Pipe Planned to be set: 200'	
Operator:				Length of Conductor Pipe required: none	
Well Name:				Projected Total Depth: 3760'	
Original Completion Date):	Original Tota	l Depth:	, Tomason at total Depth.	
Discretional Deviated or Haris	roatal wallbara?		Yes V No	Water Source for Drilling Operations:	
Directional, Deviated or Horiz				Well Farm Pond Other X	
If Yes, true vertical depth:				DWR Permit #:	
Bottom Hole Location:				(Note: Apply for Permit with DWR	
KCC DKT #:				Will Cores be taken?	s 🗸 No
				If Yes, proposed zone:	
				DEOL	- IV / CT C
				IDAVIT KANSAS CORPOR	EIVED ATION COMMISS
		-	etion and eventual p	IDAVIT KANSAS CORPORA Lugging of this well will comply with K.S.A. 55 et. seq.	ATION COMMIS
		-	etion and eventual p	IDAVIT KANSAS CORPORA Lugging of this well will comply with K.S.A. 55 et. seq.	
It is agreed that the following	g minimum req	uirements w orior to spu	etion and eventual p ill be met: dding of well;	IDAVIT KANSAS CORPOR/ lugging of this well will comply with K.S.A. 55 et. seq. JUL 0	9 2007
It is agreed that the followin 1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolic 4. If the well is dry hole, 5. The appropriate distri 6. If an ALTERNATE II O Or pursuant to Appen	g minimum reque district office ped notice of interest of surface pipulated materials, an agreement ct office will be COMPLETION, adix "B" - Easte	uirements we prior to spuint to drill side as specific plus a minic between the notified before production transas:	etion and eventual prill be met: dding of well; hall be posted on ead below shall be some of 20 feet into be operator and the price well is either plupipe shall be cemer surface casing order	IDAVIT kansas corpord lugging of this well will comply with K.S.A. 55 et. seq. JUL 0 ch drilling rig; conservative by circulating cement to the top; in all cases surface pipe shall(he) the underlying formation. district office on plug length and placement is necessary prior to play gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud #133,891-C, which applies to the KCC District 3 area, alternate II of	9 2007 FON DIVISION TRACKS ugging; date. cementing
It is agreed that the followin 1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolic 4. If the well is dry hole, 5. The appropriate distri 6. If an ALTERNATE II C Or pursuant to Appen	g minimum request district office ped notice of interest of surface pipulated materials, an agreement of office will be COMPLETION, adix "B" - Easte ithin 30 days o	uirements we prior to spure to drill sie as specific plus a minic between the notified before production rn Kansas of the spud de spud	etion and eventual partial be met: dding of well; hall be posted on each below shall be some of 20 feet into the operator and the pre well is either plupipe shall be cemerate or the well shall	IDAVIT Itugging of this well will comply with K.S.A. 55 et. seq. JUL 0 Ch drilling rig; CONSERVAT Set by circulating cement to the top; in all cases surface pipe shall(the condition) Itistrict office on plug length and placement is necessary prior to plugged or production casing is cemented in; Ited from below any usable water to surface within 120 days of spud #133,891-C, which applies to the KCC District 3 area, alternate II of the plugged. In all cases, NOTIFY district office prior to any cementer.	9 2007 FON DIVISION TRACKS ugging; date. cementing
It is agreed that the following Notify the appropriate A copy of the approve The minimum amount through all unconsolic If the well is dry hole, The appropriate district If an ALTERNATE II COR pursuant to Appen must be completed well hereby certify that the stat	g minimum requed notice of interest of surface piper dated materials, an agreement ct office will be COMPLETION, notix "B" - Easte of thin 30 days of the made of the surface of the made of the surface of the made of the surface of	uirements we prior to spure to drill si e as specific plus a minimbetween the notified before production arn Kansas of the spud denerein are trees.	etion and eventual prill be met: dding of well; hall be posted on each below shall be summ of 20 feet into be operator and the prevention of the pripe shall be cemer surface casing order ate or the well shall the eand to the best of the state of the well shall the eand to the best of the state of the well shall the eand to the best of the well shall the eand to the best of the well shall the eand to the best of the well shall the eard to the best of the state of the well shall the eard to the best of the state of the well shall the eard to the best of the state of the state of the early th	IDAVIT Itugging of this well will comply with K.S.A. 55 et. seq. JUL 0 Ch drilling rig; CONSERVAT Set by circulating cement to the top; in all cases surface pipe shall(the condition) Itistrict office on plug length and placement is necessary prior to plugged or production casing is cemented in; Ited from below any usable water to surface within 120 days of spud #133,891-C, which applies to the KCC District 3 area, alternate II of the plugged. In all cases, NOTIFY district office prior to any cementer.	9 2007 FON DIVISION TRACKS ugging; date. cementing
It is agreed that the followin 1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolic 4. If the well is dry hole, 5. The appropriate distri 6. If an ALTERNATE II C Or pursuant to Appen must be completed with	g minimum requed notice of interest of surface piper dated materials, an agreement ct office will be COMPLETION, notix "B" - Easte of thin 30 days of the made of the surface of the made of the surface of the made of the surface of	uirements we prior to spure to drill si e as specific plus a minimbetween the notified before production arn Kansas of the spud denerein are trees.	etion and eventual prill be met: dding of well; hall be posted on each below shall be summ of 20 feet into be operator and the prevention of the pripe shall be cemer surface casing order ate or the well shall the eand to the best of the state of the well shall the eand to the best of the state of the well shall the eand to the best of the well shall the eand to the best of the well shall the eand to the best of the well shall the eard to the best of the state of the well shall the eard to the best of the state of the well shall the eard to the best of the state of the state of the early th	IDAVIT RANSAS CORPORA JUL 0 ch drilling rig; ch by circulating cement to the top; in all cases surface pipe shallow the underlying formation. district office on plug length and placement is necessary prior to play gged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud #133,891-C, which applies to the KCC District 3 area, alternate II of be plugged. In all cases, NOTIFY district office prior to any ceme f my knowledge and belief.	9 2007 FON DIVISION TRACKS ugging; date. cementing
It is agreed that the followin 1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolic 4. If the well is dry hole, 5. The appropriate distri 6. If an ALTERNATE II C Or pursuant to Appen must be completed will hereby certify that the stat Date: 7.6.07 For KCC Use ONLY	g minimum requed notice of interest of surface pipe dated materials, an agreement ct office will be COMPLETION, notix "B" - Easte ithin 30 days of the made of the surface	uirements we prior to spuient to drill sie as specific plus a minibe between the notified befiproduction rm Kansas of the spud dependent are treatment of the spud dependent or compare the spud dependent of the spud d	etion and eventual prill be met: dding of well; hall be posted on each below shall be some of 20 feet into be operator and the prevention of the pripe shall be cemerate or the well shall the and to the best of Agent:	IDAVIT Iugging of this well will comply with K.S.A. 55 et. seq. JUL 0 ch drilling rig; CONSERVAT by circulating cement to the top; in all cases surface pipe shall(the top) to plug length and placement is necessary prior to plugged or production casing is cemented in; led from below any usable water to surface within 120 days of spud #133,891-C, which applies to the KCC District 3 area, alternate II of the plugged. In all cases, NOTIFY district office prior to any cement from knowledge and belief. Title: President	9 2007 FON DIVISION TRACKS ugging; date. cementing
It is agreed that the followin 1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolic 4. If the well is dry hole, 5. The appropriate distri 6. If an ALTERNATE II C Or pursuant to Appen must be completed will I hereby certify that the stat Date: 7.6.07 For KCC Use ONLY	g minimum requed notice of interest of surface pipe dated materials, an agreement ct office will be COMPLETION, notix "B" - Easte ithin 30 days of the made of the surface	uirements we prior to spuient to drill sie as specific plus a minibe between the notified befiproduction rm Kansas of the spud dependent are treatment of the spud dependent or compare the spud dependent of the spud d	etion and eventual prill be met: dding of well; hall be posted on each below shall be some of 20 feet into be operator and the prevention of the pripe shall be cemerate or the well shall the and to the best of Agent:	IDAVIT Iugging of this well will comply with K.S.A. 55 et. seq. JUL 0 ch drilling rig; conservative by circulating cement to the top; in all cases surface pipe shall(the nuderlying formation.) district office on plug length and placement is necessary prior to plugged or production casing is cemented in; led from below any usable water to surface within 120 days of spud #133,891-C, which applies to the KCC District 3 area, alternate II of the plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief. Title: President Remember to:	9 2007 FON DIVISION TRACKS ugging; date. cementing
It is agreed that the followin 1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolic 4. If the well is dry hole, 5. The appropriate distric 6. If an ALTERNATE II CO or pursuant to Appen must be completed will hereby certify that the stat Date: 7.6.07 For KCC Use ONLY API # 15 - 195-2	g minimum request district office ped notice of interest of surface pipe dated materials, an agreement ct office will be COMPLETION, notix "B" - Easte ithin 30 days of the ements made by Signature of	uirements we prior to spuint to drill side as specific plus a minic between the notified beforement Kansas: If the spud desertion are transported to the spud of t	etion and eventual prill be met: dding of well; hall be posted on each below shall be some of 20 feet into the operator and the properator and the properator and shall be cemerate or the well shall the and to the best of Agent:	IDAVIT Iugging of this well will comply with K.S.A. 55 et. seq. JUL 0 ch drilling rig; CONSERVAT by circulating cement to the top; in all cases surface pipe shall(the top) the underlying formation. district office on plug length and placement is necessary prior to plugged or production casing is cemented in; led from below any usable water to surface within 120 days of spud #133,891-C, which applies to the KCC District 3 area, alternate II of the plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief. Title: President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	9 2007 FION DIVISION TRACKS ugging; date. tementing enting.
It is agreed that the followin 1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolic 4. If the well is dry hole, 5. The appropriate distri 6. If an ALTERNATE II C Or pursuant to Appen must be completed wi I hereby certify that the stat Date: 7.6.07 For KCC Use ONLY API # 15	g minimum request district office ped notice of interest of surface pipe dated materials, an agreement ct office will be COMPLETION, notix "B" - Easte ithin 30 days of the ements made by Signature of	uirements we prior to spuint to drill side as specific plus a minic between the notified beforement Kansas: If the spud desertion are transported to the spud of t	etion and eventual prill be met: dding of well; nall be posted on ea ed below shall be s ed below shall be s mum of 20 feet into e operator and the pripe shall be cemer surface casing order ate or the well shall true and to the best of Agent:	IDAVIT Iugging of this well will comply with K.S.A. 55 et. seq. JUL 0 ch drilling rig; CONSERVAT by circulating cement to the top; in all cases surface pipe shall(the top) the underlying formation. district office on plug length and placement is necessary prior to plugged or production casing is cemented in; led from below any usable water to surface within 120 days of spud #133,891-C, which applies to the KCC District 3 area, alternate II of the plugged. In all cases, NOTIFY district office prior to any cement from knowledge and belief. Title: President	9 2007 FION DIVISION TRACKS ugging; date. tementing enting.
It is agreed that the followin 1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolic 4. If the well is dry hole, 5. The appropriate distri 6. If an ALTERNATE II C Or pursuant to Appen must be completed wi I hereby certify that the stat Date: 7.6.07 For KCC Use ONLY API # 15 - 195-2 Conductor pipe required Minimum surface pipe required	g minimum request district office ped notice of interest of surface pipe dated materials, an agreement ct office will be COMPLETION, notix "B" - Easte ithin 30 days of tements made it signature of the complete of the compl	uirements we prior to spuint to drill side as specific plus a minic between the notified beforement Kansas: If the spud desertion are transported to the spud of t	etion and eventual prill be met: dding of well; hall be posted on each below shall be some of 20 feet into the operator and the properator and the properator and shall be cemerate or the well shall the and to the best of Agent:	IDAVIT Itugging of this well will comply with K.S.A. 55 et. seq. JUL 0 Ch drilling rig; CONSERVAT Set by circulating cement to the top; in all cases surface pipe shall(the the underlying formation. Idistrict office on plug length and placement is necessary prior to plugged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud #133,891-C, which applies to the KCC District 3 area, alternate II o be plugged. In all cases, NOTIFY district office prior to any ceme of my knowledge and belief. Title: President Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-e Submit plugging report (CP-4) after plugging is completed;	9 2007 FION DIVISION TRACKS ugging; date. tementing enting.
It is agreed that the followin 1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolic 4. If the well is dry hole, 5. The appropriate distri 6. If an ALTERNATE II C Or pursuant to Appen must be completed wi I hereby certify that the stat Date: 7.6.07 For KCC Use ONLY API # 15 - 195-2 Conductor pipe required Minimum surface pipe required	g minimum request district office ped notice of interest of surface pipe dated materials, an agreement ct office will be COMPLETION, notix "B" - Easte ithin 30 days of the ements made by Signature of	uirements we prior to spuint to drill side as specific plus a minic between the notified beforement Kansas: If the spud desertion are transported to the spud of t	etion and eventual prill be met: dding of well; nall be posted on ea ed below shall be s ed below shall be s mum of 20 feet into e operator and the pripe shall be cemer surface casing order ate or the well shall true and to the best of Agent:	IDAVIT Iugging of this well will comply with K.S.A. 55 et. seq. JUL 0 ch drilling rig; CONSERVAT by circulating cement to the top; in all cases surface pipe shall(the top) the underlying formation. district office on plug length and placement is necessary prior to plugged or production casing is cemented in; led from below any usable water to surface within 120 days of spud #133,891-C, which applies to the KCC District 3 area, alternate II of the plugged. In all cases, NOTIFY district office prior to any cement from knowledge and belief. Title: President	9 2007 FION DIVISION TRACKS ugging; date. tementing enting.
It is agreed that the followin 1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolic 4. If the well is dry hole, 5. The appropriate distric 6. If an ALTERNATE II COP pursuant to Appen must be completed with the state I hereby certify that the state Date: 7.6.07 For KCC Use ONLY API # 15	g minimum request district office ped notice of interest of surface pipe dated materials, an agreement ct office will be COMPLETION, notix "B" - Easte ithin 30 days of tements made it signature of the complete of the compl	uirements we prior to spuint to drill side as specific plus a minic between the notified beforement Kansas: If the spud desertion are transported to the spud of t	etion and eventual prill be met: dding of well; nall be posted on ea ed below shall be s ed below shall be s mum of 20 feet into e operator and the pripe shall be cemer surface casing order ate or the well shall true and to the best of Agent:	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. JUL 0 ch drilling rig; conservative by circulating cement to the top; in all cases surface pipe shall(the neunderlying formation.) district office on plug length and placement is necessary prior to plugged or production casing is cemented in; led from below any usable water to surface within 120 days of spud #133,891-C, which applies to the KCC District 3 area, alternate II of the plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or research of the plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	9 2007 FION DIVISION TRACKS ugging; date. tementing enting.
It is agreed that the followin 1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolic 4. If the well is dry hole, 5. The appropriate distric 6. If an ALTERNATE II C Or pursuant to Appen must be completed will hereby certify that the stat Date: 7.6.07 For KCC Use ONLY API # 15 - 195 - 2 Conductor pipe required Minimum surface pipe requ Approved by: 144 - 7- This authorization expires:	g minimum request district office ped notice of interest of surface pipulated materials, an agreement ct office will be COMPLETION, notix "B" - Easte ithin 30 days of the ments made it is signature of the complete of the c	uirements we prior to spure to drill sie as specific plus a minir between the notified before production man Kansas of the spud dependent are troperator or	etion and eventual prill be met: dding of well; hall be posted on each below shall be some of 20 feet into e operator and the pre well is either plupipe shall be cemer surface casing orderate or the well shall the and to the best of Agent:	IDAVIT Iugging of this well will comply with K.S.A. 55 et. seq. JUL 0 Ch drilling rig; CONSERVAT Set by circulating cement to the top; in all cases surface pipe shall(the top) in all cases prior to play in all cases prior to play in all cases, which applies to the KCC District 3 area, alternate III of the plugged. In all cases, NOTIFY district office prior to any cement in the plugged in all cases, NOTIFY district office prior to any cement in the plugged in all cases, NOTIFY district office prior to any cement in the plugged in all cases, NOTIFY district office prior to any cement in the plugged in the plugging is completed; Notify appropriate district office 48 hours prior to workover or research in the plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.	9 2007 FION DIVISION TRACKS ugging; date. tementing enting.
It is agreed that the followin 1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolic 4. If the well is dry hole, 5. The appropriate distric 6. If an ALTERNATE II COP pursuant to Appen must be completed with the state I hereby certify that the state Date: 7.6.07 For KCC Use ONLY API # 15	g minimum request district office ped notice of interest of surface pipulated materials, an agreement ct office will be COMPLETION, notix "B" - Easte ithin 30 days of the ments made it is signature of the complete of the c	uirements we prior to spure to drill sie as specific plus a minir between the notified before production man Kansas of the spud dependent are troperator or	etion and eventual prill be met: dding of well; hall be posted on each below shall be some of 20 feet into e operator and the pre well is either plupipe shall be cemer surface casing orderate or the well shall the and to the best of Agent:	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. JUL 0 ch drilling rig; conservative by circulating cement to the top; in all cases surface pipe shall(the neunderlying formation.) district office on plug length and placement is necessary prior to plugged or production casing is cemented in; led from below any usable water to surface within 120 days of spud #133,891-C, which applies to the KCC District 3 area, alternate II of the plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief. Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or research of the plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	9 2007 FION DIVISION TRACKS ugging; date. tementing enting.
It is agreed that the followin 1. Notify the appropriate 2. A copy of the approve 3. The minimum amount through all unconsolic 4. If the well is dry hole, 5. The appropriate distric 6. If an ALTERNATE II C Or pursuant to Appen must be completed will hereby certify that the stat Date: 7.6.07 For KCC Use ONLY API # 15 - 195 - 2 Conductor pipe required Minimum surface pipe requ Approved by: 144 - 7- This authorization expires:	g minimum request district office ped notice of interest of surface pipulated materials, an agreement ct office will be COMPLETION, notix "B" - Easte ithin 30 days of the ments made it in a signature of the complete of the	uirements we prior to spure to drill sie as specific plus a minir between the notified before production man Kansas of the spud dependent are troperator or	etion and eventual prill be met: dding of well; hall be posted on each below shall be some of 20 feet into e operator and the pre well is either plupipe shall be cemer surface casing orderate or the well shall the and to the best of Agent:	IDAVIT lugging of this well will comply with K.S.A. 55 et. seq. JUL 0 ch drilling rig; conservative by circulating cement to the top; in all cases surface pipe shall(the top) in all cases surface pipe shall(the underlying formation. district office on plug length and placement is necessary prior to pluged or production casing is cemented in; ded from below any usable water to surface within 120 days of spude #133,891-C, which applies to the KCC District 3 area, alternate III of the plugged. In all cases, NOTIFY district office prior to any cement of my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spudedate; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or research of the plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	9 2007 FION DIVISION TRACKS ugging; date. tementing enting.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 195-22473-0000	Location of Well: County: Trego
Operator: R.P. Nixon Oper., Inc.	
Lease: Delaney	
Well Number: 1 Field; Wakeeney NW	Sec. 9 Twp. 11 S. R. 23 East Wes
Number of Acres attributable to well: QTR / QTR / QTR of acreage: NE - SE - NW (50' N & 120' W of)	Is Section: Regular or Irregular If Section Is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT attributable acreage for prorated or space

(Show location of the well and shade attributable acreage for prorated or spaced wells.)


(Show footage to the nearest lease or unit boundary line.)

	·		,	· . · .	· ·
	· · · · · · · · · · · · · · · · · · ·	16001:		· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·
 	· · · NW/4 · ·	c		· · · NE/4· ·	·
	·			· · · · · · · · · · · · · · · · · · ·	•
	· · · · · · · · · · · · · · · · · · ·	9	· — ·		
				: : 	· ·
	: : : 'SW/4''			SE/4 · ·	· ·
				· · · · · · · · · · · · · · · · · · ·	· ·
	· · · · · ·				

RECEIVED KANSAS CORPORATION COMMISSION

JUL 0 9 2007

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: R.P. Nixon Oper	· Inc	License Number: 5252				
Operator Address: 207 West 12t						
Contact Person: Dan Nixon	· · · · · · · · · · · · · · · · · · ·	Phone Number: (785) 628 - 3834				
Lease Name & Well No.: Delaney #	1		Pit Location (QQQQ): 50 ' N &			
Type of Pit:	Pit is:		120' W of NE _ SE _ NW			
Emergency Pit Burn Pit	✔ Proposed	Existing	Sec. 9 Twp. 11 R.	23 East V West		
Settling Pit Drilling Pit	If Existing, date c	onstructed:	1600 Feet from 🗸	North / South Line of Section		
Workover Pit Haul-Off Pit			2190	East / West Line of Section		
(If WP Supply API No. or Year Drilled)	Pit capacity: 500 bbls.	(bble)	Trego			
				County		
Is the pit located in a Sensitive Ground Water	Area? Yes	' No		its and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic			
Yes No	Yes 🗸	No	natural clay sea	l		
Pit dimensions (all but working pits):	60 Length (fe	_{eet)} 60	Width (feet)	N/A: Steel Pits		
Depth fr	om ground level to d	eepest point: _5	(feet)			
If the pit is lined give a brief description of the	liner		Describe procedures for periodic maintenance and determining			
material, thickness and installation procedure	e .	liner integrity, including any special monitoring.				
		visually check soil around pit for fluid saturation				
Distance to nearest water well within one-mile	e of pit	Depth to shallowest fresh water 3/ feet. Source of information:				
NA/95 Feet Depth of water well	42_feet	measured well owner electric log KDWR				
Emergency, Settling and Burn Pits ONLY:	Drilling, Workover and Haul-Off Pits ONLY:					
Producing Formation:		Type of material utilized in drilling/workover: chemical mud				
Number of producing wells on lease:	Number of working pits to be utilized: 3					
Barrels of fluid produced daily:	Abandonment procedure: allow to evaporate and backfill					
Does the slope from the tank battery allow all	Drill pits must be closed within 365 days of spud date.					
flow into the pit? Yes No						
I hereby certify that the above statements are true and correct to the best of my knowledge and belief KANSAS CORPORATION COMMISSION						
7.6.07		700	(1100-	JUL 0 9 2007		
Date	· ·	S	ignaturé of Applicant or Agent	CONSERVATION DIVISION WICHITA KS		
	ксс	OFFICE USE O	NLY	RF4C		
2/0/-			2/-1-			
Date Received: 7/9/07 Permit Num	ber:	Perm	it Date: 7/9/07 Lease	e Inspection: X Yes No		



Kathleen Sebelius, Governor Thomas E. Wright, Chairman Robert E. Krehbiel, Commissioner Michael C. Moffet, Commissioner

July 9, 2007

Mr. Dan Nixon RP Nixon Opr., Inc. 207 West 12th St Hays, KS 67601-3898

RE: Drilling Pit Application

Delaney Lease Well No. 1 NW/4 Sec. 09-11S-23W Trego County, Kansas

Dear Mr. Nixon:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased. **Please keep all pits away from any draws.**

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (785) 625-0550 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Havnes

Environmental Protection and Remediation Department

cc: File