For KCC Use: Effective Date: District

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

| Expected Spud Date | , 2007 | | Spot | ıst |
|---|---|---|--|-----------|
| Expected opad bate | month de | lay year | ApSE _ NENW _ NE Sec. 26 Twp. 8 S. R. 18 | est |
| | | | 490 feet from N / S Line of Section | |
| OPERATOR: License# 31824 Name: Thomas M. Brown Off Pro | | | 1640 feet from Feet from E / W Line of Section | |
| P.O. Box 250, 403 NW | 3rd. | | Is SECTION Regular Irregular? | |
| Address: City/State/Zip: Plainville, KS 676 | 363 | | (Note: Locate well on the Section Plat on reverse side) | |
| Contact Person: Tom Brown | | | County: Rooks | |
| Phone: (785) 434-7141 (785) 73 | 37-7069 (cell) | | Lease Name: P. Dechant Well #: 7 | |
| | | | Field Name: Dopita West | |
| CONTRACTOR: License# 33 | 493 V | | Is this a Prorated / Spaced Field? | No |
| Name: American Eagle Drilling | 3, LLC | | Target Formation(s): Lansing Kansas City - Arbuckle | |
| | | T | Nearest Lease or unit boundary: 490' | |
| Well Drilled For: | Well Class: | Type Equipment: | Ground Surface Elevation: 1963 | ISL |
| Oil V Enh Rec | ✓ Infield | Mud Rotary | Water well within one-quarter mile: | No _ |
| Gas Storage | Pool Ext. | Air Rotary | Public water supply well within one mile: | No C |
| OWWO Disposal | Wildcat | Cable | Depth to bottom of fresh water: 100' | |
| Seismic;# of Hol | les Other | | Depth to bottom of usable water: 900' | _ |
| Other | | | Surface Pipe by Alternate: 1 7 2 | |
| If OWWO: old well information | n ae followe: | | Length of Surface Pine Planned to be set. 200' | |
| · | ii as ioliows. | | None (Company Discounting None | |
| Well Name: | | | Projected Total Depth: 3,520' KANSAS CORPORATION | COMMISSIC |
| Original Completion Date: | Origin | nal Total Depth: | Formation at Total Depth: Arbuckle | 007 |
| Original Completion Bates. | | | Water Source for Drilling Operations: | UU/ |
| Directional, Deviated or Horizo | ontal wellbore? | Yes ✓ No | Well Farm Pond Other | |
| If Yes, true vertical depth: | | | DWR Permit #: WICHITA, K | IVISION |
| Bottom Hole Location: | | | (Note: Apply for Permit with DWR) | e." |
| KCC DKT #: | | | Will Cores be taken? Yes ✓ | No |
| | | | If Yes, proposed zone: | |
| | | ΔFF | IDAVIT | |
| The undersigned hereby affir | ms that the drilling | | lugging of this well will comply with K.S.A. 55 et. seq. | |
| It is agreed that the following | _ | | ragging of the from this comply than the 20 on coq. | |
| • | · · · · · · · · · · · · · · · · · · · | | | |
| Notify the appropriate A copy of the approver | • | rto spudding of well; o drill <i>shall be</i> posted on ea | ch drilling rig: | |
| | | | et by circulating cement to the top; in all cases surface pipe shall be set | |
| through all unconsolida | ated materials plus | a minimum of 20 feet into t | he underlying formation. | |
| | | | district office on plug length and placement is necessary prior to plugging |); |
| | | | gged or production casing is cemented in; | |
| 6. If an ALIERNALE II Co | JMPLETION, prodi | uction pipe snail be cement | ted from below any usable water to surface within 120 days of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cement | ina |
| | | | be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. | iiig |
| I hereby certify that the state | • | • | | |
| Thereby certify that the state | ments made neren | Tare and dina to into been o | 1 | |
| | Signature of Open | rator or Agent | ia handa Title: Agent | |
| Date: July 11, 2007 | | - \ | | |
| Date: July 11, 2007 | aa. a, apai | | D-marker to | |
| | | | Remember to: | |
| For KCC Use ONLY | | | - File Drill Pit Application (form CDP-1) with Intent to Drill; | |
| For KCC Use ONLY | 3626-0 | | File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; | 2 |
| For KCC Use ONLY | 23626-01 None | feet | - File Drill Pit Application (form CDP-1) with Intent to Drill; | 26 |
| For KCC Use ONLY API # 15 - 163-6 | 23626-0 None | | File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; | 26 |
| For KCC Use ONLY API # 15 | 23626-0 None 100 | feet | File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; | 26 |
| For KCC Use ONLY API # 15 - 163-6 Conductor pipe required Minimum surface pipe required Approved by: 447-11 | 23626-00 None 1900 1907 | feet | File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; | 26 |
| For KCC Use ONLY API # 15 - 163-6 Conductor pipe required Minimum surface pipe required Approved by: 447-11. This authorization expires: | 23626-0 None 100 100 1-11-08 | feet per Alt. 2 | File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. | 26 |
| For KCC Use ONLY API # 15 - 163-6 Conductor pipe required Minimum surface pipe required Approved by: 447-11 | 23626-0 None 100 100 1-11-08 | feet per Alt. 2 | File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please | 26 8 |
| For KCC Use ONLY API # 15 - 163-6 Conductor pipe required Minimum surface pipe required Approved by: 447-11. This authorization expires: | 23626-0 None red 200 -07 1-11-08 ing not started within to | feet per Alt. 2 6 months of approval date.) | File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. | 26 8 14 |

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


| API No. 15 - 163-23626-0000 | Location of Well: County: Rooks |
|---|---|
| Operator: Thomas M. Brown Oil Producer | |
| Lease: P. Dechant | 490 feet from \checkmark N / \checkmark S Line of Section 1640 feet from \checkmark E / \checkmark W Line of Section |
| Well Number: 7 | Sec. 26 Twp. 8 S. R. 18 ☐ East ✓ West |
| Field: Dopita West Number of Acres attributable to well: | is Section: ✓ Regular or ☐ Irregular |
| QTR / QTR / QTR of acreage: ApSE _ NENW _ NE | If Section is irregular, locate well from nearest corner boundary. Section comer used: NE NW SE SW |

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

| | | | | | | • | |
|---|-------|---|---|---|-----|----------|-----|
| | | | | | Ł. | • | • |
| | | • | | | ı i | | • |
| | | | | | • | | |
| | | | | | | | |
| | | • | • | - | | | • |
| Ì | • | • | • | • | | • | • |
| | | | · | | | | · , |
| | | | | _ | | | _ |
| | | | | | | | |
| | | • | | | | | |
| | | | | | | | |
| | | • | | | • | | |
| | • | • | • | • | • | 1 | • |
| | • | | | | | | • |
| 1 | | | | | | | |
| | | | | | | | |
| | | | • | | | <u> </u> | • |
| | | • | • | | • | • | • |
| | | | • | | • | | • |
| | | • | • | | • | • | |
| | • • • | • | • | | • | • | |
| | • • • | | • | | • | • | |
| | • • • | | • | | • | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |



NOTE: in all cases locate the spot of the proposed drilling locaton.

in plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

| Oncorder Name: The second of F | Oil Dead | License Number: 31824 | | | | | |
|--|---|--|---|---|--|--|--|
| Operator Name: Thomas M. Brown | | License Number: 31824 | | | | | |
| Operator Address: P.O. Box 250, Plainville, KS 67663 | | | | | | | |
| Contact Person: Tom Brown | | Phone Number: (785) 434 - 7141 | | | | | |
| Lease Name & Well No.: P. Dechant | # 7 | | Pit Location (QQQQ): | | | | |
| Type of Pit: Pit is: | | | ApSE NE NW NE | | | | |
| Emergency Pit Burn Pit | ✓ Proposed | Existing | Sec. 26 Twp. 8 R. 18 | _ East ☑ West | | | |
| Settling Pit 📝 Drilling Pit | If Existing, date o | onstructed: | 490 Feet from North / South Line of Section | | | | |
| Workover Pit Haul-Off Pit | | | 1640 Feet from | West Line of Section | | | |
| (If WP Supply API No. or Year Drilled) | Pit capacity: 500 | (bbis) | Pooks | | | | |
| is the pit located in a Sensitive Ground Water | | No (Sala) | Chloride concentration: | | | | |
| is the bit rocated in a sensitive should water | | 1 140 | (For Emergency Pits and Settli | · · · · · · · · · · · · · · · · · · · | | | |
| is the bottom below ground level? | Artificial Liner? | | How is the pit lined if a plastic liner is no | t used? | | | |
| ✓ Yes No | Yes ✓ | No | sealed with bentonite | | | | |
| Pit dimensions (all but working pits):7 | 5 Length (fe | et)75 | Width (feet) | N/A: Steel Pits | | | |
| Depth fr | om ground level to de | epest point: 6 | (feet) | | | | |
| If the pit is lined give a brief description of the material, thickness and installation procedure | | , | edures for periodic maintenance and deter ncluding any special monitoring. | mining | | | |
| Distance to nearest water well within one-mile | of pit | Depth to shallo Source of infor | west fresh waterfeet. | | | | |
| | feet | measuredwell owner electric log KDWR | | | | | |
| Emergency, Settling and Burn Pits ONLY: | | Drilling, Workover and Haul-Off Pits ONLY: | | | | | |
| Producing Formation: | | Type of materia | Type of material utilized in drilling/workover: drilling mud | | | | |
| Number of producing wells on lease: | Number of working pits to be utilized: 3 | | | | | | |
| Barrels of fluid produced daily: | Abandonment procedure: Allow contents to dry and backfill | | | | | | |
| Does the slope from the tank battery allow all flow into the pit? Yes No | Drill pits must be closed within 365 days of spud date. | | | | | | |
| I hereby certify that the above state | ments are true and o | correct to the best | t of my knowledge and belief. KANSAS C | ORPORATION COMMISSION | | | |
| July 11, 2007 Date | a |) tnaa si | Manda, Il | JL 1 1 2007 SERVATION DIVISION WICHITALKS | | | |
| KCC OFFICE USE ONLY | | | | | | | |
| Date Received: 2//1/07 Permit Numi | ber: | Permi | it Date: 7/11/07 Lease Inspection | n: Yes 770 | | | |