# For KCC Use: 7-/6-07 Effective Date: 7-/6-07 District # 3 SGA? Yes No

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

## NOTICE OF INTENT TO DRILL

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Must be approved by KCC five (5) days prior to commencing well

Name: Well before the ACC-1  Well Drilled For: Well Class: Type Equipment: Mud Rotary Mid Rotary Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable Wildcat Cable Water supply well within one-quarter mile: Yes No Depth to bottom of usable water: 100 Depth to bottom of usable water to usaffee pipWiether, keg set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  It is water Storage and protect of the water usable water to usaffee pipWiether, keg set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  It is water Stor	Expected Spud Date July 18, 2007	
DEFRATOR: Licenses 33344  See No. 18 Se. 18 19 Sec. 18 19 Sec. 18 19 Sec. 18 19 Sec. 18 Sec. 1	month day year	Spot ✓ East
OPERATOR: Licensew 33344  Name. Diest Christoke LLC.    Section	month day year	
OPERATOR: Licenses ###   Sado   Satisfies   Section   Se	33344	<b>–</b> –
Name	OPERATOR: License# 55544	
(Note: Locate well on the Section Plat on reverse side)	Name: Quest Cherokee LLC	
Counts: Necesha Martin Phone: (405) 463-6880  Contract Person: Richard Martin Phone: (405) 463-6880  Contract Person: Richard Martin Phone: (405) 463-6880  Contract Person: Richard Martin Contract Person: (405) 463-6880  Contract Person: Richard Martin Contract Person: (405) 463-6880  Contract Pe	Oklahoma City, Oklahoma, 73120	•
ContractOR: Licenses   Will be licensed by the KCC	UIV/State/ZID	
CONTRACTOR: Licensed Will be licensed by the KCC  Name: Will advise on the ACO-1  Well Drillod For: Well Class: Type Equipment: Ground Surface Elevation: 902	Contact Person: (A05) 463-6880	Stroud Wall #. 14-2
Is this a Protated / Spaced Field?   Yes   No   Name. Will advise on the ACO-1   Target Formation(s): Cherokee Coals   Name. Well Class: Type Equipment:   Type Equipment:   Yes   No   Name.   Name:   Name		Lease Name:
Name: Well before the ACC-1  Well Drilled For: Well Class: Type Equipment: Mud Rotary Mid Rotary Disposal Dispo	CONTRACTOR: License# Will be licensed by the KCC	
Note: Apply for Parmit with DWR   States   Store   S	Name: Will advise on the ACO-1	Torrect Formation(c). Cherokee Coals
Ground Surface Elevation: 962		Negreet Lease or unit boundary: 330
Coll   Enh Rec   Infeld   Mud Rotary   Water well within one-quarter mile:   Yes   No   No   Ownorm	Well Drilled For: Well Class: Type Equipment:	
Composed   Pool Ext.   Air Rotary   Public water supply well within one mile:   Yes   No   Disposal   Other	Oil Enh Rec V Infield Mud Rotary	
OWNO Disposal Wildcat Cable  Selsmic: # of Holes Other    Other Coalbed Methane	Gas Storage Pool Ext. Air Rotary	
Selsmic: # of Holes Other Coalbed Methane   Depth to bottom of usable water.   So	OWWO Disposal Wildcat Cable	· · · · · · · · · · · · · · · · · · ·
Surface Pipe by Alternate:	Seismic;# of Holes Other	Donth to hottom of usable water 300 /50
If OWWO: old well information as follows:  Operator:  Well Name: Original Completion Date: Original Total Depth:  Directional, Deviated or Horizontal wellbore?  If Yes, true vertical depth:  Bottom Hole Location:  KCC DKT #:  Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  KANSAS CORPORATION COMMISSI  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig: 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pip-Wishma, we set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in:  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged.  In all cases, NOTIFY district office prior to any cementing.	Other Coalbed Methane	
Directional, Deviated or Horizontal wellbore? Yes No  If Yes, true vertical depth:		
Well Name: Original Completion Date: Original Total Depth:  Directional, Deviated or Horizontal wellbore?  If Yes, true vertical depth:  Bottom Hole Location:  Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSI  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on each drilling rig;  The ninimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe will see through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  The appropriate district office will be notified before well is either plugged or production casing is cemented in;  If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged.  In all cases, NOTIFY district office prior to any cementing.		
Original Completion Date: Original Total Depth: Formation at Total Depth: Cherokee Coals  Water Source for Drilling Operations:  Water Source for Drilling Operation And Source of Drilling Parmit With DWA Uple And Source of Drilling Parmi	,	
Water Source for Drilling Operations:    Water Source for Drilling Operations:   Water Source Family Burner   Water Source Famil		
Directional, Deviated or Horizontal wellbore?  If Yes, true vertical depth:	Original Completion Date:Original Total Depth:	_
If Yes, true vertical depth:	Directional, Deviated or Horizontal wellbore?	
Bottom Hole Location:		
Will Cores be taken?  If Yes, proposed zone:  RECEIVED  KANSAS CORPORATION COMMISSI  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface piph/ISHAR, kg set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and to the best of my knowledge and pelief.		
AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe historial formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and to the best-of my knowledge and belief.		
AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe his half be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and to the best of my knowledge and belief.		
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe wisher, we set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  I hereby certify that the statements made herein are true and to the best-of my knowledge and belief.		
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe him through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.  I hereby certify that the statements made herein are true and to the best-of my knowledge and belief.		
<ol> <li>Notify the appropriate district office prior to spudding of well;</li> <li>A copy of the approved notice of intent to drill shall be posted on each drilling rig;</li> <li>The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe/IGHATA, No. set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.</li> <li>If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;</li> <li>The appropriate district office will be notified before well is either plugged or production casing is cemented in;</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date.         Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.</li> </ol>		
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each drilling rig;</li> <li>The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe lighting set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.</li> <li>If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;</li> <li>The appropriate district office will be notified before well is either plugged or production casing is cemented in;</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 days of spud date.         Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.</li> </ol>	It is agreed that the following minimum requirements will be met:	JUL 1 1 2007
	<ol> <li>A copy of the approved notice of intent to drill shall be posted on ea.</li> <li>The minimum amount of surface pipe as specified below shall be so through all unconsolidated materials plus a minimum of 20 feet into the second of the seco</li></ol>	by circulating cement to the top; in all cases surface piph/ICHAN, No set the underlying formation.  district office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ted from below any usable water to surface within 120 days of spud date.
Date: July 10, 2007 Signature of Operator or Agent: T. Gard YV January Title: VP	or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall	be plugged. In all cases, NOTIFY district office prior to any cementing.
	must be completed within 30 days of the spud date or the well shall	be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.
Remember to:	must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best-o	be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: VP
For KCC Use ONLY  - File Drill Pit Application (form CDP-1) with Intent to Drill;	must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best-o	be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: VP
API # 15 - 133-2 /0/6-000 - File Completion Form ACO-1 within 120 days of spud date;	must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: July 10, 2007  Signature of Operator or Agent: For KCC Lies ONLY	be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: VP  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;
- File acreage attribution plat according to field profation orders,	must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: July 10, 2007  Signature of Operator or Agent: July 10, 2007  For KCC Use ONLY API # 15 - 133-27016-0000	be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: VP  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;
1 The state of the	must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: July 10, 2007  Signature of Operator or Agent: July 10, 2007  For KCC Use ONLY  API # 15 - 133-27016-0000	be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: VP  Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;
Obtain written approval before disposing or injecting salt water	must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: July 10, 2007  Signature of Operator or Agent: July 10, 2007  For KCC Use ONLY  API # 15 - 133-27016-000  Conductor pipe required None feet	be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
Approved by: You / 1 / 1 / 1 / 1 / 1 / 1 / 1 / 1 / 1 /	must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: July 10, 2007  Signature of Operator or Agent: July 10, 2007  For KCC Use ONLY  API # 15 - 133-27016-000  Conductor pipe required None feet Minimum surface pipe required feet per Alt. (2)	be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.
This authorization expires:	must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: July 10, 2007  Signature of Operator or Agent: July 10, 2007  For KCC Use ONLY  API # 15 - 133-27016-0000  Conductor pipe required None feet  Minimum surface pipe required 20 feet per Alt. 1200	be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed; Obtain written approval before disposing or injecting salt water.
	must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: July 10, 2007  Signature of Operator or Agent: July 10, 2007  For KCC Use ONLY  API # 15 - 133-27016-000  Conductor pipe required None feet  Minimum surface pipe required 20 feet per Alt. 12  Approved by: 1-11-07  This authorization expires: 1-11-08	be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please
	must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: July 10, 2007  Signature of Operator or Agent: July 10, 2007  For KCC Use ONLY  API # 15 - 133-27016-0000  Conductor pipe required None feet  Minimum surface pipe required 20 feet per Alt. 1200	be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please
Date:	must be completed within 30 days of the spud date or the well shall I hereby certify that the statements made herein are true and to the best of Date: July 10, 2007  Signature of Operator or Agent: July 10, 2007  For KCC Use ONLY  API # 15 - 133-27016-000  Conductor pipe required None feet  Minimum surface pipe required 20 feet per Alt. 12  Approved by: 1-11-07  This authorization expires: 1-11-08	be plugged. In all cases, NOTIFY district office prior to any cementing.  If my knowledge and belief.  Title: VP  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed;  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.  Well Not Drilled - Permit Expired


#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 133-27016-000	Location of Well: County: Neosho	
Operator: Quest Cherokee LLC	990 feet from VN / S Line of Section	
Lease: Stroud	330 feet from ✓ E / W Line of Section	
Well Number: 14-2	Sec14	
Field: Cherokee Basin CBM	-	
Number of Acres attributable to well:	Is Section:  Regular or Irregular  If Section is Irregular, locate well from nearest corner boundary.	
	Section corner used: NE NW SE SW	

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Quest Cherokee LLC		License Number: 33344			
Operator Address: 9520 North May Avenue, Suite 300 Oklahoma City, Oklahoma 73120					
Contact Person: Richard Marlin		Phone Number: ( 405 ) 463 - 6880			
Lease Name & Well No.: Stroud #14-2		Pit Location (QQQQ):			
Type of Pit:	Pit is:				
Emergency Pit Burn Pit	✓ Proposed		Sec14 <sub>Twp</sub> _29 <sub>R</sub>	18  ✓ East	
Settling Pit	If Existing, date constructed:		990 Feet from 🗸 North / 🗌 South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		330 Feet from ✓ East / West Line of Section		
(If WP Supply API No. or Year Drilled)	300 (bbls)		Neosho County		
Is the pit located in a Sensitive Ground Water	Area?  Yes ✓	No	Chloride concentration:	mg/l	
Is the bottom below ground level?	Artificial Liner?		·	its and Settling Pits only)	
Yes  No	Yes 🗸	No	How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits): 30 Length (feet) 10 Width (feet) N/A: Steel Pits					
Depth from ground level to deepest point:(feet)					
If the pit is lined give a brief description of the liner  Describe procedures for periodic maintenance and determining					
			ncluding any special monitoring. Operation lasting appr	roy 3 daye	
Air Drilling Operation lasting approx 3 days					
		west fresh water	feet.		
		Source of infor	red well owner	_ electric log KDWR	
Emergency, Settling and Burn Pits ONLY: Dri		Drilling, Work	Drilling, Workover and Haul-Off Pits ONLY:		
Producing Formation: Type		Type of materia	Type of material utilized in drilling/workover: Air Drilled		
<b>!</b>		t	Number of working pits to be utilized: One		
Barrels of fluid produced daily: Abandonment		Abandonment	procedure: Air Dry, Back Fill an	d Cover	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		Drill pits must t	st be closed within 365 days of spud date.		
RECEIVED  I hereby certify that the above statements are true and correct to the best of my knowledge and belief.  KANSAS CORPORATION COMMISSION					
D 0 100 JUL 1 1 2007					
July 10, 2007	5	1 chard	Warlan	CONSERVATION DIVISION	
Date / Signature of Applicant or Agent CONSERVATION DIVISION WICHITA, KS					
KCC OFFICE USE ONLY					
Date Received: 7/11/07 Permit Num	ber:	Permi	t Date: <u>7///</u> 07 Lease	Inspection: Yes No	