# For KCC Use: 7-/7-07 Effective Date: 3 District # 3

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

### NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form C-1
December 2002
Form must be Typed
Form must be Signed
All blanks must be Filled

Expected Spud Date July 18, 2007	Spot   ✓ East
month day year	<b>5W</b> NE - SW Sec. 28 Twp. 32 S. R. 16 West
22265	1691 feet from N / VS Line of Section
OPERATOR: License# 33365	1833feet from E / _V W Line of Section
Name: Layne Energy Operating, LLC Address: 1900 Shawnee Mission Parkway	Is SECTION Regular Irregular?
Address: 1900 Shawibe Mission Farkway  City/State/Zip: Mission Woods, KS 66205	IS SECTIONRegularIITegular:
City/State/Zip:	(Note: Locate well on the Section Plat on reverse side)
Contact Person: M. Brent Nattrass	County: Montgomery
Phone: 913-748-3960	Lease Name: Barta Well #: 11-28
CONTRACTOR: License# 33606	Field Name: Cherokee Basin Coal
Name: Thornton Air	ts this a Prorated / Spaced Field?Yes
Name,	Target Formation(s): Cherokee Coals
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary: 371'
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation: 776 feet MSL
✓ Gas Storage Pool Ext. ✓ Air Rotary	Water well within one-quarter mile:Yes ✓ No
OWWO Disposal Wildcat Cable	Public water supply well within one mile: Yes ✓ No
Seismic: # of Holes Other	Depth to bottom of fresh water: 150'
Other	Depth to bottom of usable water: 150'
	Surface Pipe by Alternate: 1 2 2
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 20'
Operator:	Length of Conductor Pipe required: None
Well Name:	Projected Total Depth: 1200 Feet
Original Completion Date:Original Total Depth:	Formation at Total Depth: Mississippian
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other X
If Yes, true vertical depth:	DWR Permit #:
Pottom Hala Langtion:	
Bottom Hole Location:	(Note: Apply for Permit with DWR 📋)
KCC DKT #:	(Note: Apply for Permit with DWR ☐ )  Will Cores be taken?
KCC DKT #:	Will Cores be taken? Yes ✓ No If Yes, proposed zone:
KCC DKT #:	Will Cores be taken?Yes ✓ No If Yes, proposed zone:  PAVIT RECEIVED
KCC DKT #:  AFFI  The undersigned hereby affirms that the drilling, completion and eventual plus	Will Cores be taken? Yes ✓ No If Yes, proposed zone:
AFFI The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:	Will Cores be taken?  If Yes, proposed zone:  PAVIT  RECEIVED  Ugging of this well will comply with K.S.A. 55 et. sed ANSAS CORPORATION COMMISSION
AFFI The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;	Will Cores be taken?  If Yes, proposed zone:  DAVIT  RECEIVED  Lugging of this well will comply with K.S.A. 55 et. sed ANSAS CORPORATION COMMISSION  JUL 1 2 2007
AFFI  The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the appropriate of intent to drill <i>shall be</i> posted on each	Will Cores be taken?  If Yes, proposed zone:  PAVIT  RECEIVED  Augging of this well will comply with K.S.A. 55 et. sed ANSAS CORPORATION COMMISSION  JUL 1 2 2007
AFFI The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	Will Cores be taken?  If Yes, proposed zone:  DAVIT  RECEIVED  Lugging of this well will comply with K.S.A. 55 et. sed ANSAS CORPORATION COMMISSION  JUL 1 2 2007  In drilling rig;  It by circulating cement to the top; in all cases surface pipe National American
AFFI The undersigned hereby affirms that the drilling, completion and eventual pli It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac  3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the	Will Cores be taken?  If Yes, proposed zone:  DAVIT  RECEIVED  Lugging of this well will comply with K.S.A. 55 et. sed ANSAS CORPORATION COMMISSION  JUL 1 2 2007  In drilling rig;  If by circulating cement to the top; in all cases surface pipenson.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the district office prior in the district of the second all unconsolidated materials plus a minimum of 20 feet into the second in the district office will be notified before well is either plugger.	Will Cores be taken?  If Yes, proposed zone:  DAVIT  RECEIVED  Logging of this well will comply with K.S.A. 55 et. sed ANSAS CORPORATION COMMISSION  JUL 1 2 2007  In drilling rig;  It by circulating cement to the top; in all cases surface pipen and placement to placement is necessary prior to plagging;  ged or production casing is cemented in;
AFFI The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the difference of the appropriate district office will be notified before well is either pluggenerated. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	Will Cores be taken?  If Yes, proposed zone:  DAVIT  RECEIVED  Logging of this well will comply with K.S.A. 55 et. sed ANSAS CORPORATION COMMISSION  JUL 1 2 2007  In drilling rig; It by circulating cement to the top; in all cases surface pipel Notation and placement is necessary prior to plugging;  ged or production casing is cemented in;  and from below any usable water to surface within 120 days of spud date.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of the interval of the second of the interval	Will Cores be taken?  If Yes, proposed zone:  DAVIT  RECEIVED  Logging of this well will comply with K.S.A. 55 et. sed ANSAS CORPORATION COMMISSION  JUL 1 2 2007  In drilling rig; If by circulating cement to the top; in all cases surface pipe Note Ansas Corporation  WICHITA, KS  strict office on plug length and placement is necessary prior to plugging;  ged or production casing is cemented in;  and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing
AFFI The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of the second of the second of the second of the interval of the second of the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be	Will Cores be taken?  If Yes, proposed zone:  DAVIT  RECEIVED  Legging of this well will comply with K.S.A. 55 et. sed ANSAS CORPORATION COMMISSION  JUL 1 2 2007  In drilling rig; If by circulating cement to the top; in all cases surface pipensed Americal Division  with underlying formation.  WICHITA, KS  strict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing  14 e plugged. In all cases, NOTIFY district office prior to any cementing.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of the interval of the second of the interval	Will Cores be taken?  If Yes, proposed zone:  DAVIT  RECEIVED  Legging of this well will comply with K.S.A. 55 et. sed ANSAS CORPORATION COMMISSION  JUL 1 2 2007  In drilling rig; If by circulating cement to the top; in all cases surface pipensed Americal Division  with underlying formation.  WICHITA, KS  strict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing  14 e plugged. In all cases, NOTIFY district office prior to any cementing.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each and the interest of the second shall be second and the posted on the second shall unconsolidated materials plus a minimum of 20 feet into the second shall be shall be shall be completed within 30 days of the spud date or the well shall be the shall be shall be second shall be s	Will Cores be taken?  If Yes, proposed zone:  DAVIT  RECEIVED  Logging of this well will comply with K.S.A. 55 et. sed ANSAS CORPORATION COMMISSION  JUL 1 2 2007  In drilling rig; If by circulating cement to the top; in all cases surface pipe Note All Argent Division  WICHITA, KS  strict office on plug length and placement is necessary prior to plugging;  ged or production casing is cemented in;  If I define below any usable water to surface within 120 days of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing  the plugged. In all cases, NOTIFY district office prior to any cementing.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of the second of the second of the second of the interval of the second of the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be	Will Cores be taken?  If Yes, proposed zone:  DAVIT  RECEIVED  Legging of this well will comply with K.S.A. 55 et. sed ANSAS CORPORATION COMMISSION  JUL 1 2 2007  In drilling rig; If by circulating cement to the top; in all cases surface pipensed Americal Division  with underlying formation.  WICHITA, KS  strict office on plug length and placement is necessary prior to plugging; and from below any usable water to surface within 120 days of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing  14 e plugged. In all cases, NOTIFY district office prior to any cementing.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each and the interest of the second shall be second and the posted on the second shall unconsolidated materials plus a minimum of 20 feet into the second shall be shall be shall be completed within 30 days of the spud date or the well shall be the shall be shall be second shall be s	Will Cores be taken?  If Yes, proposed zone:  DAVIT  RECEIVED  Logging of this well will comply with K.S.A. 55 et. sed ANSAS CORPORATION COMMISSION  JUL 1 2 2007  In drilling rig; If by circulating cement to the top; in all cases surface pipe Note All Argent Division  WICHITA, KS  strict office on plug length and placement is necessary prior to plugging;  ged or production casing is cemented in;  If I define below any usable water to surface within 120 days of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing  the plugged. In all cases, NOTIFY district office prior to any cementing.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the drill unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is either pluggers. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be the shall be completed within 30 days of the spud date or the well shall be completed.  I hereby certify that the statements made herein are true and to the best of Date: July 11, 2007  Signature of Operator or Agent:  For KCC Use ONLY	Will Cores be taken?  If Yes, proposed zone:  DAVIT  RECEIVED  Legging of this well will comply with K.S.A. 55 et. sed CANSAS CORPORATION COMMISSION  JUL 1 2 2007  In drilling rig; If by circulating cement to the top; in all cases surface pipensed Arace Division  WICHITA, KS  strict office on plug length and placement is necessary prior to plugging;  ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing  the plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Agent
AFFI The undersigned hereby affirms that the drilling, completion and eventual plant is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each and the interpretation of the provided intent to drill shall be posted on each and the state of the shall unconsolidated materials plus a minimum of 20 feet into the state of the shall be determined in the state of the shall be determined in the state of the shall be completed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be completed.  For KCC Use ONLY  For KCC Use ONLY	Will Cores be taken?  If Yes, proposed zone:  DAVIT  RECEIVED  Logging of this well will comply with K.S.A. 55 et. sed ANSAS CORPORATION COMMISSION  JUL 1 2 2007  In drilling rig; It by circulating cement to the top; in all cases surface pipe Note Ansas Division  will chita, KS  strict office on plug length and placement is necessary prior to plugging;  ged or production casing is cemented in;  and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing  the plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Agent  Remember to:
AFFI The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each an amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the set of set in the set of the set of the spud date or the well shall be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: July 11, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 125 - 3/4/10-0000	Will Cores be taken?  If Yes, proposed zone:  DAVIT  RECEIVED  Legging of this well will comply with K.S.A. 55 et. sed CANSAS CORPORATION COMMISSION  JUL 1 2 2007  In drilling rig; If by circulating cement to the top; in all cases surface pipe Note That Argument Division  Wilchita, KS  strict office on plug length and placement is necessary prior to plugging;  ged or production casing is cemented in; and from below any usable water to surface within 120 days of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing  the plugged. In all cases, NOTIFY district office prior to any cementing.  Title: Agent  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
AFFI The undersigned hereby affirms that the drilling, completion and eventual plants agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and to the best of Date: July 11, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 125 - 3/4/0-0000  Conductor pipe required None feet	Will Cores be taken?  If Yes, proposed zone:  DAVIT  RECEIVED  Legging of this well will comply with K.S.A. 55 et. sed ANSAS CORPORATION COMMISSION  JUL 1 2 2007  In drilling rig; It by circulating cement to the top; in all cases surface pipense Ansas Corporation of the complete of the
AFFI The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each an amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the discontinuation of 20 feet into the set of the set of set per set into the set of	Will Cores be taken?  If Yes, proposed zone:  PAVIT  RECEIVED  Logging of this well will comply with K.S.A. 55 et. sed. ANSAS CORPORATION COMMISSION  JUL 1 2 2007  In drilling rig:  It by circulating cement to the top; in all cases surface pipe Note Ansatz Ansa
AFFI The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order a must be completed within 30 days of the spud date or the well shall be a set of the spud date or the well shall be completed. If hereby certify that the statements made herein are true and to the best of Date: July 11, 2007  Signature of Operator or Agent:  For KCC Use ONLY  API # 15 - 125 - 3/4/0-000  Conductor pipe required	Will Cores be taken?  If Yes, proposed zone:  DAVIT  RECEIVED  Legging of this well will comply with K.S.A. 55 et. sed ANSAS CORPORATION COMMISSION  JUL 1 2 2007  In drilling rig; It by circulating cement to the top; in all cases surface pipense Ansas Corporation of the complete of the
AFFI The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each an amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the discontinuation of 20 feet into the set of the set of set per set into the set of	Will Cores be taken?  If Yes, proposed zone:  **PRECEIVED**  **PRE
AFFI The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and the drill unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a minimum of 20 feet into the search through all unconsolidated materials plus a specified below shall be posted on each search through the posted on each search through the posted on each search through through the posted on each search through	Will Cores be taken?  If Yes, proposed zone:  **PRECEIVED**  **PRE

\_\_\_ Agent: \_

Signature of Operator or Agent:

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 145-31410-0000	Location of Well: County: Montgomery			
Operator: Layne Energy Operating, LLC	1691 feet from N / 🗸 S Line of Section			
Lease: Barta				
Well Number: 11-28	Sec. 28 Twp. 32 S. R. 16 ✓ East West			
Field: Cherokee Basin Coal				
Number of Acres attributable to well:	Is Section: 📝 Regular or 🔲 Irregular			
QTR / QTR / QTR of acreage: NE SW	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW			

#### PLAT


(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

l .							
	•	•	•			•	•
				1			
	•	•		1		•	•
				!			
			•				
				l			
1				1			
Į							
ľ							
	•	•	-			•	•
				ı			
			-			•	•
				ř			
			-				•
1							
		_		l .			
1		-				=	-
1				1 .			
1	•	•	•	'		•	
1				ì			
1	•		•	! .			•
				l			
1				l			
1							
	-						
	-	•	-			-	-
1							
1	•	•	•	•		•	•
1							
	•		•				-
-				-	_		
	. ,	,					
	. ,			•			
	. ,	,		•			
	. ,			•			
	. ,	•				•	
	· ,		·				
	· ,	•					
				·			•
					-		· · ·
	. 1833						
	. 1833.	,	-n				
	•	•	- <b>o</b>				
	1833	•	φ				· · · · · ·
	•	•	- O				
	•	•	φ				· · · · · · ·
	•	•	- o	· · · · · · · · · · · · · · · · · · ·			
	•	•	-0				
	•	•					
	•	•	- <b>o</b>				
	•	•	- <b>o</b>				
	•	•	-0				
	•	•	-0				
	•		-0				
	•	•	1691				
	•		1691				
	•		1691				
	•		1691				
	•		1691				
	•		1691				
	•		1691				
	•		1691				
	•		1691				
	•		1691				
	•		1691				
	•		1691				
	•		1691				

RECEIVED
KANSAS CORPORATION COMMISSION

JUL 1 2 2007

CONSERVATION DIVISION WICHITA, KS



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the section's south / north and east / west.
- 3. The distance to the nearest lease or unit boundary line.
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Layne Energy Operating, LLC			License Number: 33365		
Operator Address: 1900 Shawnee Mission Parkway,			Mission Woods, KS 66205		
Contact Person: M. Brent Nattrass			Phone Number: ( 913 ) 748 - 3960		
Lease Name & Well No.: Barta 11-2			Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>NE</u> - <u>SW</u>		
Emergency Pit Burn Pit	✓ Proposed  Existing		Sec. 28 Twp. 32 R. 16		
Settling Pit	If Existing, date constructed:				
☐ Workover Pit ☐ Haul-Off Pit	Pit capacity:		1833 Feet from East / 🗸 West Line of Section		
(If WP Supply API No. or Year Drilled)	Tit capacity.	(bbis)	Montgomery County		
Is the pit located in a Sensitive Ground Water	Area? Yes	No No	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?  Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?  Self-Sealing		
Pit dimensions (all but working pits):	O' Length (fe	eet)20'	Width (feet) N/A: Steel Pits		
Depth fr	om ground level to de	eepest point: 3'	(feet)		
If the pit is lined give a brief description of the material, thickness and installation procedure			dures for periodic maintenance and determining notuding any special monitoring.		
material, trickiness and installation proceeding	•	inter unegray, u	lotating any special memory.		
Distance to nearest water well within one-mile	of pit	Depth to shallo Source of infor	west fresh water 70 feet.  mation: JR -IC6S		
feet Depth of water well	80 feet	•	redwell owner electric logKDWR		
		over and Haul-Off Pits ONLY:			
Producing Formation: Type of material					
		king pits to be utilized: Two			
		procedure: Let evaporate until dry, then backfill			
Does the stope from the tank battery allow all spilled lidids to		and restore  Drill pits must b	orill pits must be closed within 365 days of spud date.		
RECEIVED     hereby certify that the above statements are true and correct to the best of my knowledge and belief.   KANSAS CORPORATION COMMISSION					
July 11, 2007		MD 10	attraces JUL 1 2 2007		
Date			gnature of Applicant or Agent CONSERVATION DIVISION WICHITA, KS		
KCC OFFICE USE ONLY					
Date Received: 7/12/07 Permit Number	per:	Permi	t Date: 7/12/07 Lease Inspection: Yes No		