

For KCC Use:	7.17.07
Effective Date:	1-11-01
District #4	
SGA? Yes	N₀

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

1010420

Form C-1 November 2005 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Will Cores be taken? Will Cores be taken? Will Cores be taken? If Yes, proposed zone: Will Cores be taken? If Yes, proposed zone: If	Must be approved by KCC five	(5) days prior to commencing well		
Section Sec	Expected Stud Date: 07/18/2007	Snot Description: 95' N & 25' W		
OPERATOR. Lipeases 30606 Name. Marth Distor So. Inc. Name Marth Distor So. Inc. Name Marth Distor So. Inc. Spaise SS 2tp. 67202 So. Inc. Spaise SS 2tp. 67202 So. Inc. Contract Person. Shauma Gurzelman Contract Perso	month day year			
Address 250 N WATER STE 300	30606	(alara from N / S Line of Section		
Address 2	OPERATOR: License#	850 feet from $\nabla F / \nabla W$ Line of Section		
Address 2: Contact Pesson: Shaten Guzelman Contact Con		in SECTION: Magazilar Climonilar?		
County. Decellar County. State: KS Zp: 57302 + County. Decellar State: State: State: KS Zp: 57302 + County. Decellar State: Stat		_ · _ ·		
Context Person: Shaura Gurzelman Context Person: Shaura Gurzelman Context Person:		(Note: Locate well on the Section Plat on reverse side)		
ContractOR: Lucenses	Contact Person: Shauna Gunzelman	County: Decatur		
CONTRACTOR: Licenses	Phone: 316-267-3241	Lease Name: Well #: 14		
Name Warth Drilled For Well Class: Type Equipment: Name Warth Drilled For Well Class: Type Equipment: Name N	00000			
Well Drilled For Well Class: Type Equipment: Name Type Equipment: Name Type Name N	CONTRACTOR, LICENSER			
Ground Surface Elevation Sees Storage	Name:			
Water well within one-quarter mile: Storage Storage Pool Ext. Cable Public water supply well within one mile: Storage Public water supply well within one mile: Storage Public water supply well within one mile: Public water supply well water supply well within one mile: Public water supply well water s	Well Drilled For: Well Class: Type Equipment:			
Sprage Pool Ext Air Flotary Disposal Disposal Pool Ext Air Flotary Disposal Dispo	☑Oil ☐ Enh Rec ☐ Infield ☑ Mud Rotary			
Selamin	Gas Storage Pool Ext. Air Rotary			
Depth to bottom of usable water: 1590	Disposal XWildcat Cable			
Surface Pipe by Alternate:	Person	·		
Length of Surface Pipe Planned to be set. 260	Other:			
Operator: Well Name: Original Completion Date: Original Completed Office Superation Date: Original Completion Date: Origi	If OWWO: old well information as follows:	Surface Pipe by Alternate:		
Well Name: Original Completion Date: Original Total Depth: Original Completion Date: Original Total Depth: Original Total Depth: Formation at Total Depth: Water Source for Drilling Operations: Water Source for Drilling Operation Source for Drilling Trilling Tri	_	Length of Surface Pipe Planned to be set:		
Original Completion Date:Original Total Depth:Formation at Total Depth:	•			
Water Source for Drilling Operations: Water Source for Brilling Operations of Drilling Operations of Dri				
Directional, Deviated or Horizontal wellbore? Yes No	Original Completion Date: Original Total Depth:			
If Yes, true vertical depth: Bottom Hole Location: (Note: Apply for Permit with DWR) Will Cores be taken? If Yes, proposed zone: AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. It hereby certify that the statements made herein are true and to the best of my knowledge and belief. Pate: 1910 7 Signature of Operator or Agent: For KCC Use ONLY API a 15 - 0.3.9 - 2.1008 - 0.00000000000000000000000000000000	Directional, Deviated or Horizontal wellbore?			
Note: Apply for Permit with DW/s Note: Apply for Permit with Note: Apply fo	If Yes, true vertical depth:			
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the approvatate district office prior to spudding of well; 2. A copy of the approvad notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DaYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Pate: 7/9/07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - D.39 - 2/008-0000 Feet Minimum surface pipe required 0 feet Minimum surface pipe required 0 feet Plugging is completed (within 60 days): Obtain written approval before disposing or injecting salt water. File acreage attribution plat according to flield proration orders; Notify appropriated district office 4b hours prior to workover or re-entry; Notify appropriate district office 4b hours prior to workover or re-entry; Sputh date: Agent: Well Not Drilled - Permit Expired Date: Signature of Operator or Agent: Well Not Drilled - Permit Expired Date: Sig	Bottom Hole Location:	(Note: Apply for Permit with DWR		
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. lit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cerrented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. It hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 1910 7 Signature of Operator or Agent: For KCC Use ONLY API #15 - D39 - 21008 - 0000 This authorization expires: 1-12-08 Minimum surface pipe required 0 test per ALT	KCC DKT #:			
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. It hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 7/9/07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - D 39 - 2 1008 - DOOD Conductor pipe required 0 feet Minimum surface pipe required 0 feet Minimum surface pipe required 0 feet This authorization expires: 1-12-08 This authorization void it drilling not started within 6 months of approval date.) Spud date: Agent: Signature of Operator or Agent: Spud date: Agent: Signature of Operator or Agent: Well Not Drilled - Permit Expired Date: Signature of Operator or Agent:				
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the appropriate district office prior to spudding of well; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plus length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 1/9/0.7 Signature of Operator or Agent: For KCC Use ONLY API # 15		7		
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date:	AFF	IDAVIT		
1. Notify the appropriate district office <i>prlor</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prlor to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. It hereby certify that the statements made herein are true and to the best of my knowledge and belief. Pate: 7/9/0.7 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 0.39 - 2/008 - 0.000 Approved by: 4 7-12-08 This authorization expires: 1-7.2-08 This authorization expires: 1-7.2-08 This authorization expires: 1-7.2-08 Spud date: Agent: Signature of Operator or Agent: Spud date: Agent: Signature of Operator or Agen	The undersigned hereby affirms that the drilling, completion and eventual plug	ging of this well will comply with K.S.A. 55 et. seq.		
2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II dementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. It hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 7/9/o 7 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 739 - 2/008 - 0000 Feet Minimum surface pipe required 60 feet Minimum surface pipe required 260 feet per ALT I I I I I I I I I I I I I I I I I I I	It is agreed that the following minimum requirements will be met:			
3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. It hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 7/9/07 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 039 - 21008-000 Conductor pipe required feet Minimum surface pipe required feet Minimum surface pipe required feet Minimum surface pipe required feet This authorization expires: 1-12-08 (This authorization expires: 1-12-08 This authorization void it drilling not started within 6 months of approval date.) Spud date: Agent: Spud date: Agent: Spud date: Signature of Operator or Agent:	1. Notify the appropriate district office <i>prior</i> to spudding of well;			
through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. It hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 7/9/07 Signature of Operator or Agent: For KCC Use ONLY API #15 - 039 - 2/008-0000 Conductor pipe required 6/0 feet Minimum surface pipe required 260 feet Minimum surface pipe required 260 feet Minimum surface pipe required 260 feet Minimum surface pipe required 3/0 feet per ALT. I I I I I I I I I I I I I I I I I I I				
4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. It hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 7/9/07 Signature of Operator or Agent: For KCC Use ONLY API #15				
5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. I hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 79/07 Signature of Operator or Agent: For KCC Use ONLY API #15 - 039 - 21008-0000 Conductor pipe required 0 feet Minimum surface pipe required 260 feet per ALT		· ·		
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. It hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 7907 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 039 - 2 1008-000 Conductor pipe required 6 feet Minimum surface pipe required 260 feet Minimum surface pipe required 260 feet per ALT I I I I I I I I I I I I I I I I I I I				
must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. It hereby certify that the statements made herein are true and to the best of my knowledge and belief. Date: 7/9/07 Signature of Operator or Agent: Signature of Operator or Agent: Signature of Opera	6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	from below any usable water to surface within 120 DAYS of spud date.		
For KCC Use ONLY API # 15				
Date: 7/9/07 Signature of Operator or Agent: Mauna Sumfunus Title: Ufint for Operator Signature of Operator or Agent: Mauna Sumfunus Title: Ufint for Operator Signature of Operator or Agent: Title: Ufint for Operator Title: Ufint for Operator Signature of Operator or Agent: Title: Ufint for Ufint for Operator or Agent: Title: Ufint for Operator or Agent: Title: Ufint for Ufint for Ufint for Operator or Agent: Title: Ufint for Ufint f				
For KCC Use ONLY API # 15 - 039 - 21008-0000 Conductor pipe required 0 feet feet per ALT. I I I I I I I I I I I I I I I I I I I	\sim \sim \sim			
For KCC Use ONLY API # 15 - 039 - 21008-0000 Conductor pipe required 0 feet feet per ALT. I I I I I I I I I I I I I I I I I I I	7/9/07 May	inchianding - UNINT for Anoso Too		
For KCC Use ONLY API # 15	Date: A Signature of Operator or Agent:	Title: - pro- per control		
API # 15 - D39 - 21008-0000 Conductor pipe required 0 feet Minimum surface pipe required 260 feet per ALT. I I I I Submit plugging report (CP-4) after plugging is completed (within 60 days); Approved by: 1-12-08 This authorization expires: 1-12-08 (This authorization void if drilling not started within 6 months of approval date.) Spud date: Agent: Signature of Operator or Agent: Spud date: Signature of Operator or Agent: Signature of O		Remember to:		
Conductor pipe required 0 feet Minimum surface pipe required 260 feet per ALT. I I I I I I I I I I I I I I I I I I I				
Conductor pipe required	API # 15 - 739 - 27008-000	(6)		
Minimum surface pipe required 260 feet per ALT. I I I I I I I I I I I I I I I I I I I	Conductor pipe requiredfeet	- File acreage attribution plat according to field proration orders;		
Approved by: 44 7-13-07 This authorization expires: 1-12-08 (This authorization void if drilling not started within 6 months of approval date.) Spud date: Agent: Signature of Operator or Agent:	Minimum surface pipe required 260 feet per ALT.	Submit alluming report (CD 4) ofter alluming is completed (within 60 days):		
This authorization expires: (This authorization void if drilling not started within 6 months of approval date.) Spud date: Agent: Agent: Agent: Agent: Agent: Agent: Agent: If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Signature of Operator or Agent:	Approved by Lat 7-12-07	- Obtain written approval before disposing or injecting salt water.		
This authorization expires: 7 Check the box below and return to the address below. (This authorization void if drilling not started within 6 months of approval date.) Spud date: Agent: Signature of Operator or Agent: Signature of Operator or Agent:	1_12.02	· · · · · · · · · · · · · · · · · · ·		
Spud date: Agent: Signature of Operator or Agent: Signature of Operator or Agent: Agent: Signature of Operator or Agent: Signature of Operator Operator or Agent: Signature of Operator Oper		check the box below-and return to the address below.		
Spoul date: Ageni:	, o mann o apporta data,	Well Not Drilled - Permit Expired Date:		
_ \	Spud date: Agent:	Signature of Operator or Agent:		
		RECEIVED		

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 6798AS CORPORATION COMMISSION



IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 039-21008-0000	
Operator: Murfin Drilling Co., Inc.	Location of Well: County: Decatur
Lease: Long	400 feet from N / S Line of Section
Well Number: 1-4	850 feet from E / W Line of Section
Field: Wildcat	Sec. 4 Twp. 3 S. R. 27 E W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)
400 ft.

850 ft.

EXAMPLE

1980

3390'

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).



Kansas Corporation Commission Oil & Gas Conservation Division

1010420

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Murfin Drilling Co., Inc.			License Number: 30606		
Operator Address: 250 N. WATER, STE 300			WICHITA KS 67202		
Contact Person: Shauna Gunzelman		Phone Number: 316-267-3241			
Lease Name & Well No.: Long	1-4	ļ	Pit Location (QQQQ):		
Type of Pit:	Pit is:		SE NW NE NE		
Emergency Pit Bum Pit	Proposed Existing		Sec. 4 Twp. 3 R. 27 East West		
Settling Pit Drilling Pit	If Existing, date constructed:		400 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		850 Feet from East / West Line of Section		
() Supply at the street and street	600	(bbls)	Decatur County		
Is the pit located in a Sensitive Ground Water	Area? Yes 🔀	No	Chloride concentration:mg/l		
la des balles balances de la 10			(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? Yes No	Artificial Liner? Yes No		How is the pit lined if a plastic liner is not used? Bentonite and solids self seal pits		
Paris	100				
Pit dimensions (all but working pits):	om ground level to de	•	Width (feet) N/A: Steel Pits 4 (feet) No Pit		
If the pit is lined give a brief description of the material, thickness and installation procedure		,	dures for periodic maintenance and determining actuding any special monitoring.		
		Depth to shallo Source of infor	west fresh waterfeet.		
N/A feet Depth of water wellfeet		measu			
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in drilling/workover:			
		Number of working pits to be utilized:4			
		Abandonment procedure: Allow pits to evaporate until dry then			
Does the slope from the tank battery allow all	spilled fluids to	backfill when conditions allow			
flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
7/9/07 Chause Dinglinan, agent for Operator					
Date Signature of Applicant or Agent					
KCC OFFICE USE ONLY Steel Pit RFAC RFAS					
Date Received: 7/11/07 Permit Num	ber:	Permi	t Date: 7/11/07 Lease Inspection: RECEIVED No		

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas KANSAS CORPORATION COMMISSION